







recur

Mesh Card



Coloured Mesh



Composition	66 % Polyester, 34 % Polyamid
Weight	243g/m ²
Abrasion resistance	DIN EN ISO 12947-2: 2017 Martindale (load 12 Kpa) 200.000 cycles
Flammability	DIN EN 1021-1 (Cigarette test)
Fastness to light	DIN EN ISO 105-B02: 2014 5
Fastness to rubbing	DIN EN ISO 105-X12: 2016 4-5
Fastness to perspiration	DIN EN ISO 105-E04: 2013 4-5
Fastness to dry cleaning	DIN EN ISO 105-D01: 2010 4-5
Cleaning	Vacuum cleaning, cleaning with dry foam



Mesh



Platinum



Graphite

Composition	66 % Polyester, 34 % Polyamid
Weight	243g/m ²
Abrasion resistance	DIN EN ISO 12947-2: 2017 Martindale (load 12 Kpa) 200.000 cycles
Flammability	DIN EN 1021-1 (Cigarette test)
Fastness to light	DIN EN ISO 105-B02: 2014 5
Fastness to rubbing	DIN EN ISO 105-X12: 2016 4-5
Fastness to perspiration	DIN EN ISO 105-E04: 2013 4-5
Fastness to dry cleaning	DIN EN ISO 105-D01: 2010 4-5
Cleaning	Vacuum cleaning, cleaning with dry foam



Black Technical

Composition	79% Polyester, 20% Polyamid, 1% Elasthan
Weight	275g/m ²
Abrasion resistance	20,000 cycles
Flammability	DIN EN 1021 part 1 (Cigarette test)
Fastness to light	DIN EN ISO 105-B02: 2014 5
Fastness to rubbing	DIN EN ISO 105-X12: 2016 4-5
Fastness to perspiration	DIN EN ISO 105-E04: 2013 4-5
Fastness to dry cleaning	DIN EN ISO 105-D01: 2010 4-5
Cleaning	Vacuum cleaning



Orangebox Smartworking® London

38 Northampton Road
London EC1R 0HU

T. +44(0)20 7837 9922
F. +44(0)20 7837 4441

Orangebox Smartworking® Huddersfield

Bates Mill
Colne Road
Huddersfield
HD1 3AG

T. +44(0)1484 536 400
F. +44(0)1484 536 410

Head Office & Manufacturing

Parc Nantgarw
Cardiff
CF15 7QU

T. +44(0)1443 816 604
F. +44(0)1443 816 638

Smartworking® Dubai

Dubai Design District,
Building 3 Office 504,
PO Box 333016,
Dubai, UAE

T. +971 (0)4770 7900

orangebox.com