
Migration SE

Understanding

Migration SE Height-Adjustable Desks and Bases	154
Universal One-High and 1.5-High Open Laterals	162

Specifying

Migration SE Height-Adjustable Desks	164
Migration SE Height-Adjustable 3-Leg Corner Desks	168
Migration SE Height-Adjustable Bases	178
Migration SE Height-Adjustable 3-Leg Corner Bases	180
Universal One-High and 1.5-High Open Laterals	182
Universal Common Tops	184
Universal Shrouds	186
Universal Fillers	187
Migration SE Cable and Power Management	188
Accessories	189


Migration SE Height-Adjustable Desks and Bases

Migration SE supports wellbeing at work by allowing users to move between seated and standing postures throughout the workday.
► Specifying, page 164



CarbonNeutral.com


Now available as a CarbonNeutral product, making sure our commitment to a more sustainable future helps yours too.



Product Details

High-Pressure Laminate Desks


Front (user's) edge profile is available in 3 mm edge profile.





PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and three woodgrain finishes. Matching 1 mm side and back edges are also PVC-free.

▶ See *Surface Materials* in this book for specific PVC-free availability, page 274.

Edge profile finishes are specified separately from laminate color.




Square corners are standard and have 90° corners on all four sides.



120° corner desks can be specified 23" or 24" deep. Right- and left-hand depths must match and right- and left-hand widths must match.

Overhangs on 90° corner desks are allowed on one side only. Overhangs on 120° corner desks are not allowed.



Radius corners are available as an option on rectangle desks with 2" radius or 5" radius on all four corners and will include 3 mm edge profile on all sides.

Tip: Radius corners are not available on 90° and 120° corner desks.


Wood Veneer Desks

Front (user's) edge profile is wood veneer with a square (3 mm) radius.

Side and back edges are flat. Wood edge color matches finish specified for desk.

Overhang is available as an option. The maximum overhang available as a standard option is 12"W.


Tip: 76"W rectangle desks come with a 4" overhang on each side.



23", 24", 29", or 30" 23", 24", 29", or 30"


90° corner desks can be specified 23", 24", 29", or 30" deep. Right- and left-hand depths are not required to match. Right- and left-hand widths are not required to match.

Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.




T-leg configuration is available on rectangle and corner desks. Rectangle T-leg desks are available in 23"/24", 28"/29"/30", and 35"/36" depth options. Corner T-leg desks are available in 23", 24", 29", and 30" depth options.


Corner desks are 3-leg desks and are available in a T-leg configuration.



C-leg configuration is available on rectangle desks only in a 29"/30" depth option to maximize leg clearance below.




Squared-edge foot offers a squared front and back edge flush to the floor. The glide adjustments on this foot are 1/2".




Mitered-edge foot is available as an option on rectangle desks. This style of foot offers a mitered front and back edge flush to the floor. The glide adjustments on this foot are 1/2".
Tip: Mitered-edge foot is only available on rectangle desks.


Slide glides are available and can be added for user mobility.
▶ See page 189




Height saver foot is available as an option on T-leg rectangle desks. This style foot offers 50 mm casters without changing the height range of the desk. The front two casters lock while the back two casters do not lock.



Migration SE extended height adjustable desk adjusts from 22³/₅"–48⁷/₁₀" in any increment. The basic height adjustable desk adjusts from 28³/₁₀"–46⁹/₁₀" in any increment.





Up/down controller is available as an option and easily adjusts height of desk, at a rate of 1³/₁₀" per second, by simply pushing the up and down arrows.



4 pre-set programmable controller is available as an option. It allows users to set the seated and standing height positions or pre-set heights for multiple users. When activated, the digital display will show the height of desk.

Obstruction sensing technology is standard with all Migration SE desks. The worksurface will back-track when it makes contact with an object.



Rectangle and corner desk sizes are listed in actual dimensions to allow for 1" gap to adjacent furniture eliminating any pinch points.



CarbonNeutral.com

CarbonNeutral product in the Migration SE portfolio helps organizations achieve their carbon emissions goals. Order **MGSLTRQCN**, **MGELTRQCN**, **MGSLCRQCN**, or **MGELCRQCN** to specify Migration SE with CarbonNeutral product certification.



Wiring and Cabling

Electric motor with whisper quiet operation adjusts at 1 $\frac{3}{10}$ " per second. Motor is 24V DC and includes a 9' power cord. Motor for 2-leg desk has a 0.3W standby power and 3-leg desk has a 0.1W standby power.

Migration SE desks and bases are listed by ETL.

Tip: Migration SE base only is ETL recognized because alternative worksurfaces do not create an ETL listed product.



▶ See page 26




Controller can be mounted on either the left- or right-hand side of the top and is field-installed.

Power and data strips are field-installed on either a SOTO rail or worksurface. Specify appropriate attachment bracket depending on application.

▶ See page 229 for *Cable and Power Management*.



Cable riser-fence connections inside dimensions are 1"D x 1"W to accommodate a variety of cord sizes. The fence connection can go to the leg or the fence. Overall depth is 2".




Cable brackets, ordered separately, support horizontal cable management below the worksurface.

▶ Specifying, page 188



Inside dimensions of cable brackets are 3 $\frac{5}{8}$ "D x 1 $\frac{3}{8}$ "W x 1 $\frac{3}{16}$ "H.



Cable management includes two cable clips and two ties to help manage desk cables.

Surface Materials

High-Pressure Laminate Desk

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

3 mm edge profile

- Plastic

Wood Veneer Desk

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square 3 mm edge profile


- Wood veneer to match desk

Height-adjustable base

- 4799 Platinum Metallic
- 7207 Black
- 7241 Arctic White
- 7360 Merle

Application Topics

Moving desks can collide with other components. Do not install overhead storage, desk-height power, or desk accessories in the path of height-adjustable desks.



SOTO rail and SlatRail

mount to desks to support worktools, freeing up desk space.

▶ See *Steelcase Worktools Specification Guide*.

Integrated storage is allowed on Migration SE rectangle and corner desks. Two storage units may be used on one rectangle desk, however, user space will be limited. Only one storage unit can be used on corner desks.

76"W Migration SE

desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the integrated storage below.


Integrated storage on Migration SE corner desks cannot be used if the desk has an overhang.

Migration SE 90° corners with one side that is 70"W and wider can be used with integrated storage.

Migration SE 120° corners that are 52"W or wider can be used with integrated storage.

Integrated storage cannot be used on Migration SE desk with 5" radius corners.

When attaching 90° desk mount privacy wrap to the Migration SE worksurface with radius corners, a worksurface overhang is not allowed on either side of the worksurface.



Universal boundary screens are not permitted on height-adjustable desks, as they do not pass minimum safety requirements which could result in the desk tipping over.

Installation


Desks ship with pre-drilled holes for mounting bases.

Height-adjustable base requires attachment to the worksurface.

Base supports a maximum of distributed weight capacity of 250 pounds (2-leg rectangle) and 330 pounds (3-leg corner).

Tip: When calculating lifting capacity of rectangle desks, subtract the weight of the worksurface (see below) and the weight of the understructure (18.2 pounds).


Tip: When calculating lifting capacity of corner desks, subtract the weight of the worksurface (see below) and the weight of the understructure (27.8 pounds).




21" H pedestal

On extended height desks, any storage higher than 18³/₁₆" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

All assemblies meet or exceed ANSI/BIFMA standards.



Keyboard assemblies are not allowed on 23"D or smaller than 46"W height-adjustable desks. They do not meet minimum safety requirements.



Steelcase keyboard assemblies can be installed on 29"/30"D Migration SE. Specify with an 11" track.

WARNING

Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.

Base supports a maximum distributed weight capacity of 250 pounds (2-leg) and 330 pounds (3-leg).


Tip: When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Desk Weight


Worksurface Shape	W	LD	RD	Worksurface Weight
-------------------	---	----	----	--------------------

Rectangle Desk

T-Leg



C-Leg




Rectangular— 23" or 24"D	46"	23" or 24"	23" or 24"	30 lb
	52"	23" or 24"	23" or 24"	34 lb
	58"	23" or 24"	23" or 24"	38 lb
	64"	23" or 24"	23" or 24"	42 lb
	70"	23" or 24"	23" or 24"	46 lb
	76"	23" or 24"	23" or 24"	51.8 lb
Rectangular— 28", 29", or 30"D	46"	29" or 30"	29" or 30"	38 lb
	52"	29" or 30"	29" or 30"	43 lb
	58"	29" or 30"	29" or 30"	48 lb
	64"	29" or 30"	29" or 30"	53 lb
	70"	29" or 30"	29" or 30"	58 lb
	76"	29" or 30"	29" or 30"	62.6 lb
Rectangular— 35" or 36"D	46"	35" or 36"	35" or 36"	46 lb
	52"	35" or 36"	35" or 36"	52 lb
	58"	35" or 36"	35" or 36"	58 lb
	64"	35" or 36"	35" or 36"	64 lb
	70"	35" or 36"	35" or 36"	70 lb
	76"	35" or 36"	35" or 36"	75.5 lb


Tip: C-leg is available in 29" and 30" depth only.

Migration SE Height-Adjustable Desks and Bases, continued

Desk Weight


Worksurface Shape	Worksurface Weight					
	LW	RW	LD and RD 23"D/23"D	LD and RD 23"D/24"D	LD and RD 23"D/29"D	LD and RD 23"D/30"D
	46"	52"	49.5 lb	50.3 lb	54.4 lb	55.3 lb
	46"	58"	53.4 lb	54.4 lb	59.4 lb	60.4 lb
	46"	64"	57.3 lb	58.5 lb	64.3 lb	65.5 lb
	46"	70"	61.2 lb	62.6 lb	69.3 lb	70.6 lb
	46"	76"	65.2 lb	66.7 lb	74.2 lb	75.7 lb
	52"	46"	49.5 lb	50.1 lb	53.4 lb	54.1 lb
	52"	52"	54.4 lb	55.2 lb	59.4 lb	60.2 lb
	52"	58"	58.3 lb	59.3 lb	64.3 lb	65.3 lb
	52"	64"	62.3 lb	63.4 lb	69.2 lb	70.4 lb
	52"	70"	66.2 lb	67.5 lb	74.2 lb	75.5 lb
	52"	76"	70.1 lb	71.6 lb	79.1 lb	80.6 lb
	58"	46"	53.4 lb	54.1 lb	57.3 lb	58 lb
	58"	52"	58.3 lb	59.2 lb	63.3 lb	64.1 lb
	58"	58"	62.3 lb	63.3 lb	68.2 lb	69.2 lb
	58"	64"	66.2 lb	67.3 lb	73.2 lb	74.3 lb
	58"	70"	70.1 lb	71.4 lb	78.1 lb	79.4 lb
	58"	76"	74 lb	75.5 lb	83 lb	84.6 lb
	64"	46"	57.3 lb	58 lb	61.2 lb	61.9 lb
	64"	52"	62.3 lb	63.1 lb	67.2 lb	68 lb
	64"	58"	66.2 lb	67.2 lb	72.1 lb	73.1 lb
70"	46"	61.2 lb	61.9 lb	65.2 lb	65.8 lb	
70"	52"	66.2 lb	67 lb	71.1 lb	71.9 lb	
70"	58"	70.1 lb	71.1 lb	76.1 lb	77.1 lb	
76"	46"	65.2 lb	65.8 lb	69.1 lb	69.7 lb	
76"	52"	70.1 lb	70.9 lb	75 lb	75.9 lb	
76"	58"	74 lb	75 lb	80 lb	81 lb	

Desk Weight


Worksurface Shape	Worksurface Weight					
	LW	RW	LD and RD 24"D/24"D	LD and RD 24"D/29"D	LD and RD 24"D/30"D	
	90° Corner 3-Leg	46"	52"	50.9 lb	54.9 lb	55.7 lb
		46"	58"	55 lb	59.9 lb	60.8 lb
		46"	64"	59.1 lb	64.8 lb	65.9 lb
		46"	70"	63.2 lb	69.7 lb	71 lb
		46"	76"	67.3 lb	74.7 lb	76.2 lb
		52"	46"	50.9 lb	54.1 lb	54.7 lb
		52"	52"	56 lb	60 lb	60.8 lb
		52"	58"	60.1 lb	65 lb	65.9 lb
		52"	64"	64.2 lb	69.9 lb	71 lb
		52"	70"	68.3 lb	74.8 lb	76.1 lb
		52"	76"	72.4 lb	79.8 lb	81.3 lb
		58"	46"	55 lb	58.2 lb	58.8 lb
		58"	52"	60.1 lb	64.1 lb	64.9 lb
		58"	58"	64.2 lb	69 lb	70 lb
		58"	64"	68.3 lb	74 lb	75.1 lb
		58"	70"	72.4 lb	78.9 lb	80.2 lb
		58"	76"	76.5 lb	83.9 lb	85.3 lb
		64"	46"	59.1 lb	62.2 lb	62.9 lb
		64"	52"	64.2 lb	68.2 lb	69 lb
		64"	58"	68.3 lb	73.1 lb	74.1 lb
	70"	46"	63.2 lb	66.3 lb	67 lb	
	70"	52"	68.3 lb	72.3 lb	73.1 lb	
	70"	58"	72.4 lb	77.2 lb	78.2 lb	
	76"	46"	67.3 lb	70.4 lb	71 lb	
	76"	52"	72.4 lb	76.4 lb	77.2 lb	
	76"	58"	76.2 lb	81.3 lb	82.3 lb	

Migration SE

Migration SE Height-Adjustable Desks and Bases, continued

Desk Weight					
Worksurface Shape	Worksurface Weight				
	LW	RW	LD and RD 29"D/29"D	LD and RD 29"D/30"D	LD and RD 30"D/30"D
	46"	52"	57.3 lb	58 lb	58.4 lb
	46"	58"	62.3 lb	63.1 lb	63.5 lb
	46"	64"	67.2 lb	68.2 lb	68.7 lb
	46"	70"	72.2 lb	73.3 lb	73.8 lb
	46"	76"	77.1 lb	78.4 lb	78.9 lb
	52"	46"	57.3 lb	57.8 lb	58.4 lb
	52"	52"	63.3 lb	63.9 lb	64.6 lb
	52"	58"	68.2 lb	69 lb	69.7 lb
	52"	64"	73.2 lb	74.2 lb	74.8 lb
	52"	70"	78.1 lb	79.3 lb	79.9 lb
	52"	76"	83 lb	84.4 lb	85 lb
	58"	46"	62.3 lb	62.8 lb	63.5 lb
	58"	52"	68.2 lb	68.9 lb	69.7 lb
	58"	58"	73.2 lb	74 lb	74.8 lb
	58"	64"	78.1 lb	79.1 lb	79.9 lb
	58"	70"	83 lb	84.2 lb	85 lb
	58"	76"	88 lb	89.3 lb	90.1 lb
	64"	46"	67.2 lb	67.7 lb	68.7 lb
	64"	52"	73.2 lb	73.8 lb	74.8 lb
	64"	58"	78.1 lb	78.9 lb	79.9 lb
70"	46"	72.2 lb	72.6 lb	73.8 lb	
70"	52"	78.1 lb	78.8 lb	79.9 lb	
70"	58"	83 lb	83.9 lb	85 lb	
76"	46"	77.1 lb	77.6 lb	78.9 lb	
76"	52"	83 lb	83.7 lb	85 lb	
76"	58"	88 lb	88.8 lb	90.1 lb	

Desk Weight

Worksurface Shape	Worksurface Weight			
	LW	RW	LD and RD 23"D/23"D	LD and RD 24"D/24"D
	46"	46"	58 lb	59.7 lb
	52"	52"	66.9 lb	68.9 lb
	58"	58"	75.9 lb	46.8 lb
	64"	64"	84.8 lb	46.8 lb

Overhang

Desk Width	Rectangle Desk	Overhang				
		3"W	4"W	6"W	9"W	12"W
46"–57.9"	N.A.	N.A.	N.A.	N.A.	N.A.	
58"–63.9"	•	N.A.	•	N.A.	N.A.	
64"–70"	•	N.A.	•	•	•	
70.06"–75.9"	N.A.	N.A.	•	•	•	
76"*	N.A.	•	•	•	•	

*Tip: 76"W has a standard 4" overhang on both sides.

90° 3-Leg Corner Desk Overhang

Desk Width	Overhang			
	3"W	6"W	9"W	12"W
46"–57.9"	N.A.	N.A.	N.A.	N.A.
58"–63.9"	•	•	•	•
64"–69.9"	•	•	•	•
70"–75.9"	•	•	•	•
76"	•	•	•	•

Tip: Overhangs are allowed on one side only.


Tip: 120° corner desks do not allow overhangs.

Universal One-High and 1.5-High Open Laterals

For Migration SE Application

Universal One-High and 1.5-High open laterals for Migration SE application seamlessly integrates the Migration SE T-leg into universal storage. It provides a clean aesthetic with an efficient footprint. Ease of access to your items under the desk is convenient with this open storage configuration.

► Specifying, page 182



Wire manager keeps wires tidy and functionally flexes vertically.

Grommet provides a clean area where the desk leg integrates.

Top is 1³/₁₆"H available in laminate or veneer.

Leveling glides adjust up to 3/4".


Shroud is painted and provides a finished look for stand-alone applications.

Usable depth in One-High and 1.5-High open laterals is 10⁷/₁₀"D.


Actual Dimensions

	One-High	1.5-High
Depth with flush steel open front	18"	18"
Depth with proud steel open front	18 ⁷ / ₈ "	18 ⁷ / ₈ "
Usable Depth	10 ⁷ / ₁₀ "	10 ⁷ / ₁₀ "
Width	30", 36", and 42"	30", 36", and 42"
Height	16"	22"


Product Details




One-High storage can be used with Migration SE with T-leg extended range desks or basic range desks.




1.5-High storage can only be used with Migration SE with T-leg basic range desks.



One-High and 1.5-High storage for Migration SE with T-leg application have a removeable interior back panel to allow access to the Migration SE with T-leg base.



Laminate and wood veneer tops with square edge profile are available. Tops are 1³/₁₆"H.



Removable interior cover provides access to power outlets that can be located in the panel behind storage unit.

Integrated open laterals do not accommodate 24"D, 30"D, or 36"D Migration SE worksurfaces.


Case Widths and Migration SE Foot Dimensions

		Migration SE Worksurface Depth		
		23"	29"	35"
Migration SE Open Lateral Width	30"	•	N.A.	N.A.
	36"	•	•	•
	42"	•	•	•


30"W Migration SE open laterals are not permitted with 29"D or 35"D Migration SE desks due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths.

Integrated leg options apply to One-High and 1.5-High units only and are meant for use with Migration SE T-leg height-adjustable rectangle and corner desks.

Application Topics




Application: Migration SE left




Application: Migration SE right


Application is determined by which leg of the Migration SE desk is located inside the storage.



Shroud is used to finish off the back of the storage when application is used as stand-alone unit.



Filler is used in end-of-run applications where end of storage unit will be visible.



No top option on lateral file is available for use with a Universal common top shared with an adjacent lateral.

Universal common top for Migration SE application, ordered separately, is available in laminate or veneer. Cut-out for Migration SE T-leg is available on the left side or the right side of the Universal common top. Migration SE desk cannot be placed in the middle of the Universal common top.

76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application. The desk extends past the Universal One-High and 1.5-High open lateral storage below.


Integrated storage on Migration SE corner desks cannot be used if the desk has an overhang.

Migration SE 90° corners with one side that is 70"W and wider can be used with integrated storage.


Migration SE 120° corners that are 52"W or wider can be used with integrated storage.

Integrated storage cannot be used on Migration SE rectangle desk with 5" radius corners.


Universal privacy/modesty or Sarto privacy/modesty screens must be undersized and justified to the outside when used with One-High and 1.5-High storage units.




When used with One-High and 1.5-High integrated storage, screens used in the modesty position must be a minimum of 18" shorter than worksurface width to allow for pinch point clearances.



To help avoid pinch points, the Universal One-High and 1.5-High open laterals for Migration SE application extend 1" past the back of the Migration SE worksurface. Open laterals for Migration SE are only available on Migration SE T-leg desks 23"D, 29"D, and 35"D.



When specifying One-High and 1.5-High storage that matches the worksurface depth, only One-High storage should be placed adjacent to the desk.



Pinch point clearances are not maintained when 1.5-High or taller storage is used adjacent to One-High integrated storage that matches the worksurface depth.

Universal One-High and 1.5-High open laterals for Migration SE application can only be used with Migration SE T-leg desks.

Surface Materials

Lateral case

- Paint

Laminate top

- Laminate
- Open Line laminate (option)

Edge on laminate top

- Plastic

Wood veneer top


- Wood veneer—open pore finishes
- Full-fill (option) is available on wood veneer tops only.

Shroud and filler

- Paint

Migration SE Height-Adjustable Desks

T-Leg



► Need help?
Product details,
page 154

Standard Includes

- Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge
- Electric height-adjustable sit-to-stand base: paint
- Square or radius (if selected) corners
- Depth: 23", 24", 28", 29", 29", 30", 35", or 36"
- Width: 46", 52", 58", 64", 70", or 76"
- Power cord: 9'
- ½" adjustable glides
- Attachment hardware

Required to Specify

- 1 Style number
- 2 Desk type (see below under Required Selections)
- 3 Overhang and overhang width, if selected (see below under Required Selections)
- 4 Controller (see below under Required Selections)
- 5 Foot (see below under Required Selections)
- 6 Corner (see below under Required Selections)
- 7 Desk depth
- 8 Desk width
- 9 High-Pressure Laminate or wood color for worksurface
- 10 Plastic color number for profile edge, if selected
- 11 Paint color number for base:
4799 Platinum Metallic
7207 Black
7241 Arctic White
7360 Merle
- 12 Options, if selected (see below)
► See *Surface Materials*, page 274

Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D desks.

Tip: On extended height desks, any storage higher than 18 ¾" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

► See page 157 for overhang rules.

Tip: 5" corner radius option available on desks 58"W or wider.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

► See *Steelcase Worktools Specification Guide*.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

► See page 43, *Steelcase Monitor Arm Guidelines*.

	Required Selections	U.S. Price	Required to Specify
Desk Type	<ul style="list-style-type: none"> • Parametric width desk • Modular width desk 	No cost No cost	Specify with <i>parametric desk type</i> . Specify with <i>modular desk type</i> .
Controller	<ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller 	No cost +\$ 74	Specify with <i>up/down controller</i> . Specify with <i>4 pre-set controller</i> .
Foot	<ul style="list-style-type: none"> • Squared-edge foot • Mitered-edge foot • Height saver with casters 	No cost No cost +\$208	Specify with <i>squared-edge foot</i> . Specify with <i>mitered-edge foot</i> . Specify with <i>height saver with caster</i> .
Overhang	<ul style="list-style-type: none"> • No overhang • Left overhang • Right overhang 	No cost No cost No cost	Specify with <i>no overhang</i> . Specify with <i>left overhang</i> . Specify with <i>right overhang</i> .
	Overhang width		
	<ul style="list-style-type: none"> • 3"W • 6"W • 9"W • 12"W 	No cost No cost No cost No cost	Specify with <i>3"W overhang</i> . Specify with <i>6"W overhang</i> . Specify with <i>9"W overhang</i> . Specify with <i>12"W overhang</i> .
Corner	<ul style="list-style-type: none"> • Square corner • Radius corner 	No cost +\$ 93	Specify with <i>square corner</i> . Specify with <i>radius corner</i> .
	Corner radius		
	<ul style="list-style-type: none"> • 2" radius • 5" radius 	No cost No cost	Specify with <i>2" radius</i> . Specify with <i>5" radius</i> .

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials		
Laminate top		
• Laminate price group 2	See information at left	Specify laminate color number.
• Laminate price group 3	See information at left	Specify laminate color number.
• Open Line laminate	+\$102	► See <i>Surface Materials Reference Manual</i> .
Wood veneer desks		
• Wood group 2	+\$102	Specify wood color number.
• Wood group 3	+\$359	Specify wood color number.
• Customiz stain	No cost	Specify <i>with customiz stain</i> .
		► See <i>Surface Materials Reference Manual</i> .
• Full-fill finish on wood group 1	+\$102	Specify full-fill finish number.
Base		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$ 44	Specify paint color number.
		► See <i>Surface Materials</i> , page 274
CarbonNeutral Product	CarbonNeutral product certification	+ \$ 45
		Add suffix CN to the end of the style number.
Related Products	• Privacy/modesty screens	► Pages 241–242
	• Cable and power management	► Page 188

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

► See page 157 for worksurface weights.

Tip: CarbonNeutral option is not available for GSA styles **MGSLTRQG** and **MGELTRQG**.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
			46"W	52"W	58"W	64"W	70"W	76"W
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46 ¹ / ₁₆ "W	52 ¹ / ₁₆ "W	58 ¹ / ₁₆ "W	64 ¹ / ₁₆ "W	70 ¹ / ₁₆ "W
			-52"W	-58"W	-64"W	-70"W	-76"W	

High-Pressure Laminate Desks—Basic Height

MGSLTRQ	23" or 24"	\$1679	\$1711	\$1746	\$1789	\$1833	\$1877
MGSLTRQG	28", 29", or 30"	\$1712	\$1747	\$1782	\$1824	\$1872	\$1917
	35" or 36"	\$1748	\$1783	\$1818	\$1872	\$1917	\$1964

Wood Group 1 Desks—Basic Height


MGSLTRQ	23" or 24"	\$2456	\$2498	\$2544	\$2602	\$2657	\$2714
MGSLTRQG	28", 29", or 30"	\$2522	\$2568	\$2614	\$2671	\$2727	\$2784
	35" or 36"	\$2586	\$2635	\$2685	\$2753	\$2805	\$2868

High-Pressure Laminate Desks—Extended Height

MGELTRQ	23" or 24"	\$1832	\$1868	\$1904	\$1952	\$2000	\$2049
MGELTRQG	28", 29", or 30"	\$1870	\$1905	\$1943	\$1993	\$2043	\$2093
	35" or 36"	\$1909	\$1945	\$1985	\$2043	\$2093	\$2146

Wood Group 1 Desks—Extended Height

MGELTRQ	23" or 24"	\$2609	\$2655	\$2702	\$2765	\$2824	\$2886
MGELTRQG	28", 29", or 30"	\$2680	\$2726	\$2775	\$2840	\$2898	\$2960
	35" or 36"	\$2747	\$2797	\$2852	\$2924	\$2981	\$3050




Tip: **MGSLTRQG** and **MGELTRQG** are for GSA use only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Migration SE Height-Adjustable Desks

C-Leg



► Need help?
Product details,
page 154

Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Worksurface with square corners: High-Pressure Laminate price group 1 with 3 mm plastic edge • Electric height-adjustable sit-to-stand base: paint • Square corners • Depth: 29" or 30" • Width: 46", 52", 58", 64", 70", or 76" • Power cord: 9' • ½" adjustable glides • Attachment hardware 	<ol style="list-style-type: none"> 1 Style number 2 Desk type (see below under Required Selections) 3 Overhang and overhang width, if selected (see below under Required Selections) 4 Controller (see below under Required Selections) 5 Corner (see below under Required Selections) 6 Desk depth 7 Desk width 8 High-Pressure Laminate or wood color for worksurface 9 Plastic color number for profile edge, if selected 10 Paint color number for base: 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 11 Options, if selected (see below) ► See <i>Surface Materials</i>, page 274

Tip: 76"W Migration SE desks ship standard with a 4" overhang on both sides.

Tip: On extended height desks, any storage higher than 18³/₁₀" will impede height range of desk. On basic height desks, any storage higher than 24" will impede the height range of the desk.

► See page 157 for overhang rules.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

► See *Steelcase Worktools Specification Guide*.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

► See page 43, *Steelcase Monitor Arm Guidelines*.

Tip: 5" corner radius option available on desks 58"W or wider.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or *SmartTools*.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Desk Type	Required Selections	U.S. Price	Required to Specify
Desk Type	<ul style="list-style-type: none"> • Parametric width desk • Modular width desk 	No cost No cost	Specify with <i>parametric desk type</i> . Specify with <i>modular desk type</i> .
Controller	<ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller 	No cost +\$ 74	Specify with <i>up/down controller</i> . Specify with <i>4 pre-set controller</i> .
Foot	<ul style="list-style-type: none"> • Squared-edge • Mitered-edge 	No cost No cost	Specify with <i>squared-edge foot</i> . Specify with <i>mitered-edge foot</i> .
Overhang	<ul style="list-style-type: none"> • No overhang • Left overhang • Right overhang 	No cost No cost No cost	Specify with <i>no overhang</i> . Specify with <i>left overhang</i> . Specify with <i>right overhang</i> .
	Overhang width		
	<ul style="list-style-type: none"> • 3"W • 6"W • 9"W • 12"W 	No cost No cost No cost No cost	Specify with <i>3"W overhang</i> . Specify with <i>6"W overhang</i> . Specify with <i>9"W overhang</i> . Specify with <i>12"W overhang</i> .
Corner	<ul style="list-style-type: none"> • Square corner • Radius corner 	No cost +\$ 93	Specify with <i>square corner</i> . Specify with <i>radius corner</i> .
	Corner radius		
	<ul style="list-style-type: none"> • 2" radius • 5" radius 	No cost No cost	Specify with <i>2" radius</i> . Specify with <i>5" radius</i> .

Surface Materials	Options	U.S. Price	Required to Specify
	Laminate top		
	<ul style="list-style-type: none"> • Laminate price group 2 • Laminate price group 3 • Open Line laminate 	See information at left See information at left +\$102	Specify laminate color number. Specify laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	Wood veneer desks		
	<ul style="list-style-type: none"> • Wood group 2 • Wood group 3 • Customiz stain 	+\$102 +\$359 No cost	Specify wood color number. Specify wood color number. Specify with <i>customiz stain</i> .
	<ul style="list-style-type: none"> • Full-fill finish on wood group 1 	+\$102	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.

► Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Surface Materials	Base • Paint price group 1 • Paint price group 2	No cost +\$44
CarbonNeutral Product	CarbonNeutral product certification	+\$45
Related Products	• Privacy/modesty screens • Cable and power management	Specify paint color number. Specify paint color number. ► See <i>Surface Materials</i> , page 274 Add suffix CN to the end of the style number. ► Pages 241–242 ► Page 188

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.
► See page 157 for worksurface weights.

Tip: CarbonNeutral option is not available for GSA styles *MGSLCRQG* and *MGELCRQG*.

Specification Information

Style Number	Dimensions Depth	Desk Type	U.S. Base Prices					
			46"W	52"W	58"W	64"W	70"W	76"W
		Modular	46"W	52"W	58"W	64"W	70"W	76"W
		Parametric	46"W	46 ¹ / ₁₆ "W	52 ¹ / ₁₆ "W	58 ¹ / ₁₆ "W	64 ¹ / ₁₆ "W	70 ¹ / ₁₆ "W
				-52"W	-58"W	-64"W	-70"W	-76"W

High-Pressure Laminate Desks—Basic Height

MGSLCRQ	29" or 30"	\$1712	\$1747	\$1782	\$1824	\$1872	\$1917
MGSLCRQG							

Wood Group 1 Desks—Basic Height


MGSLCRQ	29" or 30"	\$2522	\$2568	\$2614	\$2671	\$2727	\$2784
MGSLCRQG							

High-Pressure Laminate Desks—Extended Height

MGELCRQ	29" or 30"	\$1870	\$1905	\$1943	\$1993	\$2043	\$2093
MGELCRQG							

Wood Group 1 Desks—Extended Height

MGELCRQ	29" or 30"	\$2680	\$2726	\$2775	\$2840	\$2898	\$2960
MGELCRQG							




Tip: *MGSLCRQG* and *MGELCRQG* are for GSA use only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Migration SE Height-Adjustable 3-Leg Corner Desk



Tip: On extended height desks, any storage higher than 18³/₁₀" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Tip: If left or right width is greater than 60"W, then the opposite side width must be less than or equal to 60"W.

Tip: Overhang is not allowed on 120° corner desks.

For laminate group 2 and 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|---|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 154 • Worksurface: High-Pressure Laminate price group 1 with 3 mm plastic edge or wood group 1 veneer • Electric height-adjustable sit-to-stand base: paint price group 1 • Up/down controller • Depth: <ul style="list-style-type: none"> – 90° equal corner: 23", 24", 29", 30" – 90° extended corner: 23", 24", 29", 30" – 120° equal corner: 23", 24" • Modular widths: <ul style="list-style-type: none"> – 90° corner: 46"–76" – 120° equal corner: 46"–64" • ½" adjustable glides • Power cord: 9' • Attachment hardware | <ol style="list-style-type: none"> 1 Style number 2 Desk type (see below under Required Selections) 3 Overhang and overhang width, if selected (see below under Required Selections) 4 Controller (see below under Required Selections) 5 Desk depth 6 Desk width 7 High-Pressure Laminate or wood color for worksurface 8 Plastic color number for profile edge on laminate worksurface, if selected 9 Paint color number for base: <ul style="list-style-type: none"> 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 10 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 274 |
|---|---|

Desk Type	Required Selections	U.S. Price	Required to Specify
-----------	---------------------	------------	---------------------

- | | | | |
|------------------|---|--|---|
| Desk Type | <ul style="list-style-type: none"> • Parametric width desk • Modular width desk | <ul style="list-style-type: none"> No cost No cost | <ul style="list-style-type: none"> Specify with <i>parametric desk type</i>. Specify with <i>modular desk type</i>. |
|------------------|---|--|---|

- | | | | |
|-------------------|--|---|--|
| Controller | <ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller | <ul style="list-style-type: none"> No cost +\$ 74 | <ul style="list-style-type: none"> Specify with <i>up/down controller</i>. Specify with <i>4 pre-set controller</i>. |
|-------------------|--|---|--|

- | | | | |
|-----------------|--|---|---|
| Overhang | <ul style="list-style-type: none"> • No overhang • Left overhang • Right overhang | <ul style="list-style-type: none"> No cost No cost No cost | <ul style="list-style-type: none"> Specify with <i>no overhang</i>. Specify with <i>left overhang</i>. Specify with <i>right overhang</i>. |
|-----------------|--|---|---|

Overhang width

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> • 3"W • 6"W • 9"W • 12"W | <ul style="list-style-type: none"> No cost No cost No cost No cost | <ul style="list-style-type: none"> Specify with <i>3"W overhang</i>. Specify with <i>6"W overhang</i>. Specify with <i>9"W overhang</i>. Specify with <i>12"W overhang</i>. |
|---|--|---|

Surface Materials	Options	U.S. Price	Required to Specify
-------------------	---------	------------	---------------------

- | | | | |
|--------------------------|---------------------|--|---|
| Surface Materials | Laminate top | <ul style="list-style-type: none"> • Laminate price group 2 • Laminate price group 3 • Open Line laminate | <ul style="list-style-type: none"> See information at left See information at left +\$102 <ul style="list-style-type: none"> Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i>. |
|--------------------------|---------------------|--|---|

Wood veneer desks

- | | | |
|--|---|---|
| <ul style="list-style-type: none"> • Wood group 2 • Wood group 3 • Customiz stain | <ul style="list-style-type: none"> +\$102 +\$359 No cost | <ul style="list-style-type: none"> Specify wood color number. Specify wood color number. Specify with <i>customiz stain</i>. ▶ See <i>Surface Materials Reference Manual</i>. |
| <ul style="list-style-type: none"> • Full-fill finish on wood group 1 | <ul style="list-style-type: none"> +\$102 | <ul style="list-style-type: none"> Specify full-fill finish number. |

Base

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 | <ul style="list-style-type: none"> No cost +\$ 66 | <ul style="list-style-type: none"> Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i>, page 274 |
|--|---|--|


- | | | |
|-------------------------|---|---|
| Related Products | <ul style="list-style-type: none"> • Privacy/modesty screens • Cable and power management | <ul style="list-style-type: none"> ▶ Pages 241–242 ▶ Page 188 |
|-------------------------|---|---|



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information

• Style Number	• Dimensions		• Modular Right Width	• U.S. Base Prices					
	• D			46"W	52"W	58"W	64"W	70"W	76"W
	• Modular Left Width	• Parametric Left Width	• Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–70"W	70 ¹ / ₁₆ "W–76"W



90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGSLTLC	MGSLTLCG	23" or 24"	46"	46"	N.A.	\$2665	\$2745	\$2827	\$2912	\$2999
		23" or 24"	52"	46 ¹ / ₁₆ "–52"	\$2665	\$2745	\$2827	\$2912	\$2999	\$3089
		23" or 24"	58"	52 ¹ / ₁₆ "–58"	\$2745	\$2827	\$2912	\$2999	\$3089	\$3182
		23" or 24"	64"	58 ¹ / ₁₆ "–64"	\$2827	\$2912	\$2999	\$3089	\$3182	\$3277
		23" or 24"	70"	64 ¹ / ₁₆ "–70"	\$2912	\$2999	\$3089	\$3182	N.A.	N.A.
		23" or 24"	76"	70 ¹ / ₁₆ "–76"	\$2999	\$3089	\$3182	\$3277	N.A.	N.A.

Specification Information

• Style Number	• Dimensions		• Modular Right Width	• U.S. Base Prices					
	• D			46"W	52"W	58"W	64"W	70"W	76"W
	• Modular Left Width	• Parametric Left Width	• Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–70"W	70 ¹ / ₁₆ "W–76"W

90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks

MGSLTLC	MGSLTLCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$2717	\$2799	\$2883	\$2969	\$3058
		23" or 24" R/L <td>29" or 30" L/R <td>52"</td> <td>46¹/₁₆"–52"</td> <td>\$2717</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> </td>	29" or 30" L/R <td>52"</td> <td>46¹/₁₆"–52"</td> <td>\$2717</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td>	52"	46 ¹ / ₁₆ "–52"	\$2717	\$2799	\$2883	\$2969	\$3058	\$3150
		23" or 24" R/L <td>29" or 30" L/R <td>58"</td> <td>52¹/₁₆"–58"</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> </td>	29" or 30" L/R <td>58"</td> <td>52¹/₁₆"–58"</td> <td>\$2799</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td>	58"	52 ¹ / ₁₆ "–58"	\$2799	\$2883	\$2969	\$3058	\$3150	\$3245
		23" or 24" R/L <td>29" or 30" L/R <td>64"</td> <td>58¹/₁₆"–64"</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> </td>	29" or 30" L/R <td>64"</td> <td>58¹/₁₆"–64"</td> <td>\$2883</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td>	64"	58 ¹ / ₁₆ "–64"	\$2883	\$2969	\$3058	\$3150	\$3245	\$3342
		23" or 24" R/L <td>29" or 30" L/R <td>70"</td> <td>64¹/₁₆"–70"</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>N.A.</td> <td>N.A.</td> </td>	29" or 30" L/R <td>70"</td> <td>64¹/₁₆"–70"</td> <td>\$2969</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>N.A.</td> <td>N.A.</td>	70"	64 ¹ / ₁₆ "–70"	\$2969	\$3058	\$3150	\$3245	N.A.	N.A.
		23" or 24" R/L <td>29" or 30" L/R <td>76"</td> <td>70¹/₁₆"–76"</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> <td>N.A.</td> <td>N.A.</td> </td>	29" or 30" L/R <td>76"</td> <td>70¹/₁₆"–76"</td> <td>\$3058</td> <td>\$3150</td> <td>\$3245</td> <td>\$3342</td> <td>N.A.</td> <td>N.A.</td>	76"	70 ¹ / ₁₆ "–76"	\$3058	\$3150	\$3245	\$3342	N.A.	N.A.

Tip: **MGSLTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.


Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**

Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► **Specification Information, continued from previous page**

Specification Information										
• Style Number	• Dimensions		Modular Right Width	• U.S. Base Prices						
	• D			46"W	52"W	58"W	64"W	70"W	76"W	
	• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 ¹ / ₁₆ "W-	52 ¹ / ₁₆ "W-	58 ¹ / ₁₆ "W-	64 ¹ / ₁₆ "W-	70 ¹ / ₁₆ "W-	76 ¹ / ₁₆ "W-



90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks											
MGSLTLC	MGSLTLCG	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		29" or 30"	46"	46"	N.A.	\$2717	\$2799	\$2883	\$2969	\$3058	
		29" or 30"	52"	46 ¹ / ₁₆ "-52"	\$2717	\$2799	\$2883	\$2969	\$3058	\$3150	
		29" or 30"	58"	52 ¹ / ₁₆ "-58"	\$2799	\$2883	\$2969	\$3058	\$3150	\$3245	
		29" or 30"	64"	58 ¹ / ₁₆ "-64"	\$2883	\$2969	\$3058	\$3150	\$3245	\$3342	
		29" or 30"	70"	64 ¹ / ₁₆ "-70"	\$2969	\$3058	\$3150	\$3245	N.A.	N.A.	
		29" or 30"	76"	70 ¹ / ₁₆ "-76"	\$3058	\$3150	\$3245	\$3342	N.A.	N.A.	

90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

Wood Veneer Desks											
MGSLTLC	MGSLTLCG	Depth	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		23" or 24"	46"	46"	N.A.	\$3971	\$4070	\$4169	\$4279	\$4385	
		23" or 24"	52"	46 ¹ / ₁₆ "-52"	\$3971	\$4070	\$4169	\$4279	\$4385	\$4495	
		23" or 24"	58"	52 ¹ / ₁₆ "-58"	\$4070	\$4169	\$4279	\$4385	\$4495	\$4608	
		23" or 24"	64"	58 ¹ / ₁₆ "-64"	\$4169	\$4279	\$4385	\$4495	\$4608	\$4723	
		23" or 24"	70"	64 ¹ / ₁₆ "-70"	\$4279	\$4385	\$4495	\$4608	N.A.	N.A.	
		23" or 24"	76"	70 ¹ / ₁₆ "-76"	\$4385	\$4495	\$4608	\$4723	N.A.	N.A.	

Tip: **MGSLTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**


For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

► Specification Information, continued from previous page

Specification Information										
• Style Number	• Dimensions				• U.S. Base Prices					
	D		Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
	• Modular Left Width	• Parametric Left Width			46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–70"W	70 ¹ / ₁₆ "W–76"W

90° 3-Leg Corner Desks—Basic Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Wood Veneer Desks

MGSLTLC	MGSLTCG	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$4023	\$4124	\$4225	\$4336	\$4444
		23" or 24" R/L	29" or 30" L/R	52"	46 ¹ / ₁₆ "–52"	\$4023	\$4124	\$4225	\$4336	\$4444	\$4556
		23" or 24" R/L	29" or 30" L/R	58"	52 ¹ / ₁₆ "–58"	\$4124	\$4225	\$4336	\$4444	\$4556	\$4671
		23" or 24" R/L	29" or 30" L/R	64"	58 ¹ / ₁₆ "–64"	\$4225	\$4336	\$4444	\$4556	\$4671	\$4788
		23" or 24" R/L	29" or 30" L/R	70"	64 ¹ / ₁₆ "–70"	\$4336	\$4444	\$4556	\$4671	N.A.	N.A.
		23" or 24" R/L	29" or 30" L/R	76"	70 ¹ / ₁₆ "–76"	\$4444	\$4556	\$4671	\$4788	N.A.	N.A.

90° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 29"/30")

Wood Veneer Desks

MGSLTLC	MGSLTCG	29" or 30"	46"	46"	N.A.	\$4023	\$4124	\$4225	\$4336	\$4444
		29" or 30"	52"	46 ¹ / ₁₆ "–52"	\$4023	\$4124	\$4225	\$4336	\$4444	\$4556
		29" or 30"	58"	52 ¹ / ₁₆ "–58"	\$4124	\$4225	\$4336	\$4444	\$4556	\$4671
		29" or 30"	64"	58 ¹ / ₁₆ "–64"	\$4225	\$4336	\$4444	\$4556	\$4671	\$4788
		29" or 30"	70"	64 ¹ / ₁₆ "–70"	\$4336	\$4444	\$4556	\$4671	N.A.	N.A.
		29" or 30"	76"	70 ¹ / ₁₆ "–76"	\$4444	\$4556	\$4671	\$4788	N.A.	N.A.

Tip: **MGSLTCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W. For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.

Tip: Widths are parametric in 1/16" increments.

► Specification Information, continued on next page



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► **Specification Information, continued from previous page**

• Style Number		• Dimensions D		• U.S. Base Prices						
				Modular Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–70"W	70 ¹ / ₁₆ "W–76"W



90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks										
MGELTLC	23" or 24"	46"	46"	N.A.	\$2935	\$3023	\$3114	\$3207	\$3303	
MGELTLCG	23" or 24"	52"	46 ¹ / ₁₆ "–52"	\$2935	\$3023	\$3114	\$3207	\$3303	\$3402	
	23" or 24"	58"	52 ¹ / ₁₆ "–58"	\$3023	\$3114	\$3207	\$3303	\$3402	\$3504	
	23" or 24"	64"	58 ¹ / ₁₆ "–64"	\$3114	\$3207	\$3303	\$3402	\$3504	\$3609	
	23" or 24"	70"	64 ¹ / ₁₆ "–70"	\$3207	\$3303	\$3402	\$3504	N.A.	N.A.	
	23" or 24"	76"	70 ¹ / ₁₆ "–76"	\$3303	\$3402	\$3504	\$3609	N.A.	N.A.	

90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

High-Pressure Laminate Desks										
MGELTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$2995	\$3085	\$3178	\$3273	\$3371
MGELTLCG	23" or 24" R/L	29" or 30" L/R	52"	46 ¹ / ₁₆ "–52"	\$2995	\$3085	\$3178	\$3273	\$3371	\$3472
	23" or 24" R/L	29" or 30" L/R	58"	52 ¹ / ₁₆ "–58"	\$3085	\$3178	\$3273	\$3371	\$3472	\$3576
	23" or 24" R/L	29" or 30" L/R	64"	58 ¹ / ₁₆ "–64"	\$3178	\$3273	\$3371	\$3472	\$3576	\$3683
	23" or 24" R/L	29" or 30" L/R	70"	64 ¹ / ₁₆ "–70"	\$3273	\$3371	\$3472	\$3576	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 ¹ / ₁₆ "–76"	\$3371	\$3472	\$3576	\$3683	N.A.	N.A.

Tip: **MGELTLCG** is for GSA use only.
 Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.
 For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W.
 Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**


For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

► **Specification Information, continued from previous page**

Specification Information									
• Style Number	• Dimensions			• U.S. Base Prices					
	D	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
		• Modular Left Width	• Parametric Left Width	46"W	46 1/16"W–52"W	52 1/16"W–58"W	58 1/16"W–64"W	64 1/16"W–70"W	70 1/16"W–76"W

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")

High-Pressure Laminate Desks

Style	Depth	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	29" or 30"	46"	46"	N.A.	\$2995	\$3085	\$3178	\$3273	\$3371
MGELTLCG	29" or 30"	52"	46 1/16"–52"	\$2995	\$3085	\$3178	\$3273	\$3371	\$3472
	29" or 30"	58"	52 1/16"–58"	\$3085	\$3178	\$3273	\$3371	\$3472	\$3576
	29" or 30"	64"	58 1/16"–64"	\$3178	\$3273	\$3371	\$3472	\$3576	\$3683
	29" or 30"	70"	64 1/16"–70"	\$3273	\$3371	\$3472	\$3576	N.A.	N.A.
	29" or 30"	76"	70 1/16"–76"	\$3371	\$3472	\$3576	\$3683	N.A.	N.A.

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

Wood Veneer Desks

Style	Depth	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	23" or 24"	46"	46"	N.A.	\$4241	\$4348	\$4456	\$4574	\$4689
MGELTLCG	23" or 24"	52"	46 1/16"–52"	\$4241	\$4348	\$4456	\$4574	\$4689	\$4808
	23" or 24"	58"	52 1/16"–58"	\$4348	\$4456	\$4574	\$4689	\$4808	\$4930
	23" or 24"	64"	58 1/16"–64"	\$4456	\$4574	\$4689	\$4808	\$4930	\$5055
	23" or 24"	70"	64 1/16"–70"	\$4574	\$4689	\$4808	\$4930	N.A.	N.A.
	23" or 24"	76"	70 1/16"–76"	\$4689	\$4808	\$4930	\$5055	N.A.	N.A.

90° 3-Leg Corner Desks—Extended Height (Different Depth Opposite Ends 23"/24" Right/Left and 29"/30" Left/Right)

Wood Veneer Desks

Style	Depth	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W	
MGELTLC	23" or 24" R/L	29" or 30" L/R	46"	46"	N.A.	\$4301	\$4410	\$4520	\$4640	\$4757
MGELTLCG	23" or 24" R/L	29" or 30" L/R	52"	46 1/16"–52"	\$4301	\$4410	\$4520	\$4640	\$4757	\$4878
	23" or 24" R/L	29" or 30" L/R	58"	52 1/16"–58"	\$4410	\$4520	\$4640	\$4757	\$4878	\$5002
	23" or 24" R/L	29" or 30" L/R	64"	58 1/16"–64"	\$4520	\$4640	\$4757	\$4878	\$5002	\$5129
	23" or 24" R/L	29" or 30" L/R	70"	64 1/16"–70"	\$4640	\$4757	\$4878	\$5002	N.A.	N.A.
	23" or 24" R/L	29" or 30" L/R	76"	70 1/16"–76"	\$4757	\$4878	\$5002	\$5129	N.A.	N.A.

Tip: **MGELTLCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."

Tip: Widths are parametric in 1/16" increments.

► **Specification Information, continued on next page**

Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► Specification Information, continued from previous page

Specification Information									
• Style Number	• Dimensions			• U.S. Base Prices					
	D	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
	• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–70"W	70 ¹ / ₁₆ "W–76"W

90° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 29"/30")

Wood Veneer Desks

Style	Depth	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	70"W	76"W
MGELTLC	29" or 30"	46"	46"	N.A.	\$4301	\$4410	\$4520	\$4640	\$4757
MGELTCG	29" or 30"	52"	46 ¹ / ₁₆ "–52"	\$4301	\$4410	\$4520	\$4640	\$4757	\$4878
	29" or 30"	58"	52 ¹ / ₁₆ "–58"	\$4410	\$4520	\$4640	\$4757	\$4878	\$5002
	29" or 30"	64"	58 ¹ / ₁₆ "–64"	\$4520	\$4640	\$4757	\$4878	\$5002	\$5129
	29" or 30"	70"	64 ¹ / ₁₆ "–70"	\$4640	\$4757	\$4878	\$5002	N.A.	N.A.
	29" or 30"	76"	70 ¹ / ₁₆ "–76"	\$4757	\$4878	\$5002	\$5129	N.A.	N.A.


Tip: **MGELTCG** is for GSA use only.

Tip: For modular sized desks, if width left or right is greater or equal to 64"W, then opposite side width must be less than or equal to 58"W.

For parametric sized desks, if width left or right is greater than 60"W, then opposite side width must be less than or equal to 60"W."

Tip: Widths are parametric in ¹/₁₆" increments.

Specification Information									
• Style Number	• Dimensions			• U.S. Base Prices					
	D	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	66"W	
	• Modular Left Width	• Parametric Left Width	Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–66"W	



120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

Style	Depth	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	66"W
MGSLTWC	23" or 24"	46"	46"	\$2693	N.A.	N.A.	N.A.	N.A.
MGSLTCG	23" or 24"	52"	46 ¹ / ₁₆ "–52"	N.A.	\$2881	N.A.	N.A.	N.A.
	23" or 24"	58"	52 ¹ / ₁₆ "–58"	N.A.	N.A.	\$3055	N.A.	N.A.
	23" or 24"	64"	58 ¹ / ₁₆ "–64"	N.A.	N.A.	N.A.	\$3241	N.A.
	23" or 24"		64 ¹ / ₁₆ "–66"	N.A.	N.A.	N.A.	N.A.	\$3438

Tip: **MGSLTCG** is for GSA use only.

Tip: Width left and width right must match.

Tip: Widths are parametric by ¹/₁₆" from 46"-66".

► Specification Information, continued on next page

► **Specification Information, continued from previous page**

Specification Information								
• Style Number	• Dimensions			• U.S. Base Prices				
	D	Modular Right Width	Parametric Right Width	46"W	52"W	58"W	64"W	
		• Modular Left Width	• Parametric Left Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–66"W

120° 3-Leg Corner Desks—Basic Height (Same Depth Both Ends 23"/24")

Wood Veneer Desks

Style Number	Depth	Modular Left Width	Parametric Left Width	46"W	52"W	58"W	64"W	66"W
MGSLTWC	23" or 24"	46"	46"	\$4063	N.A.	N.A.	N.A.	N.A.
MGSLTWCG	23" or 24"	52"	46 ¹ / ₁₆ "–52"	N.A.	\$4289	N.A.	N.A.	N.A.
	23" or 24"	58"	52 ¹ / ₁₆ "–58"	N.A.	N.A.	\$4488	N.A.	N.A.
	23" or 24"	64"	58 ¹ / ₁₆ "–64"	N.A.	N.A.	N.A.	\$4714	N.A.
	23" or 24"		64 ¹ / ₁₆ "–66"	N.A.	N.A.	N.A.	N.A.	\$4911

Tip: **MGSLTWCG** is for GSA use only.

Tip: Width left and width right must match.

Tip: Widths are parametric by 1/16" from 46"-66".

► **Specification Information, continued on next page**



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Migration SE Height-Adjustable 3-Leg Corner Desk, continued

► **Specification Information, continued from previous page**

Specification Information										
• Style Number	• Dimensions			• U.S. Base Prices						
	D	Modular Left Width	Parametric Left Width	Modular Right Width	46"W	52"W	58"W	64"W		
				Parametric Right Width	46"W	46 ¹ / ₁₆ "W–52"W	52 ¹ / ₁₆ "W–58"W	58 ¹ / ₁₆ "W–64"W	64 ¹ / ₁₆ "W–66"W	



120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

High-Pressure Laminate Desks

MGELTWC	MGELTWCG	23" or 24"	46"	46"	\$2910	N.A.	N.A.	N.A.	N.A.
		23" or 24"	52"	46 ¹ / ₁₆ "–52"	N.A.	\$3110	N.A.	N.A.	N.A.
		23" or 24"	58"	52 ¹ / ₁₆ "–58"	N.A.	N.A.	\$3298	N.A.	N.A.
		23" or 24"	64"	58 ¹ / ₁₆ "–64"	N.A.	N.A.	N.A.	\$3502	N.A.
		23" or 24"		64 ¹ / ₁₆ "–66"	N.A.	N.A.	N.A.	N.A.	\$3715

120° 3-Leg Corner Desks—Extended Height (Same Depth Both Ends 23"/24")

Wood Veneer Desks

MGELTWC	MGELTWCG	23" or 24"	46"	46"	\$4280	N.A.	N.A.	N.A.	N.A.
		23" or 24"	52"	46 ¹ / ₁₆ "–52"	N.A.	\$4518	N.A.	N.A.	N.A.
		23" or 24"	58"	52 ¹ / ₁₆ "–58"	N.A.	N.A.	\$4731	N.A.	N.A.
		23" or 24"	64"	58 ¹ / ₁₆ "–64"	N.A.	N.A.	N.A.	\$4975	N.A.
		23" or 24"		64 ¹ / ₁₆ "–66"	N.A.	N.A.	N.A.	N.A.	\$5188

Tip: **MGELTWCG** is for GSA use only.


Tip: Width left and width right must match.

Tip: Widths are parametric by ¹/₁₆" from 46"-66".

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Migration SE Height-Adjustable Bases

T-Leg



Tip: Attachment hardware is intended for desks 1" to 1 3/16" thick.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 154 	<ul style="list-style-type: none"> • Electric height-adjustable sit-to-stand base: paint price group 1 • Depth: 23", 24", 28", 29", 30", 35", or 36" • Power cord: 9' • 1/2" adjustable glides • Attachment hardware 	<ol style="list-style-type: none"> 1 Style number 2 Depth 3 Paint color number for base: <ul style="list-style-type: none"> 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

Tip: The height saver with casters option is only available on 29/30"D or 35/36"D base.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See *Steelcase Worktools Specification Guide*.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed.

▶ See page 43, *Steelcase Monitor Arm Guidelines*.

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface.

Tip: Worksurface for use on this base needs to be 2" wider than the base.

⚠ WARNING

Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

	Required Selections	U.S. Price	Required to Specify
Controller	<ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller 	No cost +\$ 74	Specify with up/down controller. Specify with 4 pre-set controller.

Foot	<ul style="list-style-type: none"> • Squared-edge foot • Mitered-edge foot • Height saver with casters 	No cost No cost +\$208	Specify with squared-edge foot. Specify with mitered-edge foot. Specify with height saver with caster.
-------------	---	------------------------------	--

	Options	U.S. Price	Required to Specify
Surface Materials	Base <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 	No cost +\$ 44	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 274

Related Products	<ul style="list-style-type: none"> • Privacy/modesty screens • Cable and power management 		▶ Pages 241–242 ▶ Page 188
-------------------------	---	--	-------------------------------

Specification Information

Style Number	Dimensions Depth	U.S. Base Price
·	·	·
·	·	·
·	·	·

Rectangular Base—Basic Height

MGSLTRQB	23" or 24"	\$1313
	28", 29", or 30"	\$1313
	35" or 36"	\$1313
·	·	·


Rectangular Base—Extended Height

MGELTRQB	23" or 24"	\$1449
	28", 29", or 30"	\$1449
	35" or 36"	\$1449
·	·	·

Migration SE Height-Adjustable Bases

C-Leg

Migration SE
Height-Adjustable
Bases



Tip: Attachment hardware is intended for desks 1" to 1⁵/₁₆" thick.

Tip: Any storage higher than 20" will impede lowest height range of worksurface. Do not place storage underneath controller.

Tip: On 23"/24"D and less than 58"W desks, only single and dual flat panel monitor arm applications are permitted for use.

▶ See *Steelcase Worktools Specification Guide*.

Tip: For desks 29"/30"Dx58"W and greater additional monitor arm configurations are allowed. ▶ See page 43, *Steelcase Monitor Arm Guidelines*.

Tip: Base supports a maximum distributed weight capacity of 250 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Tip: Worksurface for use on this base needs to be 2" wider than the base.



WARNING
Read base only warranty limitations.

▶ See page 26 for *Workstation Design Guidelines and Requirements*.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 154 • Electric height-adjustable sit-to-stand base: paint price group 1 • Depth: 29" or 30" • Power cord: 9' • 1/2" adjustable glides • Attachment hardware 	<ol style="list-style-type: none"> 1 Style number 2 Depth 3 Paint color number for base: <ul style="list-style-type: none"> 4799 Platinum Metallic 7241 Arctic White 7207 Black 7360 Merle 4 Controller (see below under Required Selections) 5 Foot (see below under Required Selections) 6 Options, if selected (see below)

Required Selections	U.S. Price	Required to Specify
Controller <ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller 	No cost +\$74	Specify with up/down controller. Specify with 4 pre-set controller.
Foot <ul style="list-style-type: none"> • Squared-edge • Mitered-edge 	No cost No cost	Specify with squared-edge foot. Specify with mitered-edge foot.

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Base • Paint price group 1 • Paint price group 2 	No cost +\$44	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 274
Related Products <ul style="list-style-type: none"> • Privacy/modesty screens • Cable and power management 		▶ Pages 241–242 ▶ Page 188


Specification Information		
Style Number	Dimensions Depth	U.S. Base Price
•	•	•
:	:	:
:	:	:

Rectangular Base—Basic Height		
MGSLCRQB	29" or 30"	\$1313
:	:	:

Rectangular Base—Extended Height		
MGELCRQB	29" or 30"	\$1449
:	:	:

Migration SE

Migration SE Height-Adjustable 3-Leg Corner Bases



Tip: Attachment hardware is intended for desks 1" to 1³/₁₆" thick

Tip: On extended height desks, any storage higher than 18³/₁₀" will impede the height range of the desk. On basic height desks, any storage higher than 24" will impede the height range of the desk. Do not place storage underneath controller.

Tip: Base supports a maximum distributed weight capacity of 330 pounds. When calculating lifting capacity, subtract the weight of the worksurface and understructure.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 154 	<ul style="list-style-type: none"> • Electric height-adjustable sit-to-stand base: paint price group 1 • Up/down controller • Width: 46", 52", 58", 64", 70", or 76" • Depth: <ul style="list-style-type: none"> – 90° corner: 23", 24", 29", 30" – 120° corner: 23", 24" • 1/2" adjustable glides • Power cord: 9' • Attachment hardware 	<ol style="list-style-type: none"> 1 Style number 2 Desk depth 3 Controller (see below under Required Selections) 4 Paint color number for base: <ul style="list-style-type: none"> 4799 Platinum Metallic 7207 Black 7241 Arctic White 7360 Merle 5 Options, if selected (see below)

Required Selections	U.S. Price	Required to Specify
Controller <ul style="list-style-type: none"> • Up/down controller • 4 Pre-set controller 	No cost +\$74	Specify <i>with up/down controller</i> . Specify <i>with 4 pre-set controller</i> .

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Base • Paint price group 1 • Paint price group 2 	No cost +\$66	Specify paint color number. Specify paint color number. ▶ See <i>Surface Materials</i> , page 274

Related Products <ul style="list-style-type: none"> • Privacy/modesty screens • Cable and power management 	▶ Pages 241–242 ▶ Page 188
---	-------------------------------

Specification Information		
• Style Number	• Dimensions D	• U.S. Base Price
•	•	•
•	•	•
•	•	•

90 3-Leg Corner Base—Basic Height

MGSLTLCB	23" or 24" 29" or 30"	\$2468 \$2468
•	•	•
•	•	•

90 3-Leg Corner Base—Extended Height

MGELTLCB	23" or 24" 29" or 30"	\$2688 \$2688
•	•	•
•	•	•

120 3-Leg Corner Base—Basic Height


MGSLTWCB	23" or 24"	\$2468
•	•	•
•	•	•

120 3-Leg Corner Base—Extended Height

MGELTWCB	23" or 24"	\$2668
•	•	•
•	•	•

Universal One-High and 1.5-High Open Laterals

for Migration SE Application



Drawings show right-hand application, left hand is also available.

Tip: Open laterals are only for Migration SE T-leg desks.

Tip: 30"W integrated storage is not permitted with 29"D and 35"D Migration SE worksurfaces due to the size of the desk foot. All other integrated storage widths are permitted with all Migration SE desk depths. ▶ See page 163 for chart showing restrictions

Tip: Migration SE desk depth is necessary in specification for integrated storage due to the placement of the Migration SE leg.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application.

Standard Includes		Required to Specify
▶ Need help? Product details, page 162	<ul style="list-style-type: none"> Lateral case: paint price group 1 1$\frac{3}{16}$"H top: laminate price group 1, if selected <ul style="list-style-type: none"> Edge: plastic 1$\frac{3}{16}$"H top: wood group 1, if selected Four adjustable leveling glides Grommet Wire manager Ganging hardware 	<ol style="list-style-type: none"> Style number Paint color number for lateral case Width (see below under Required Selections) Migration SE desk depth (see below under Required Selections) Laminate color number for top, if laminate top selected Plastic color number for edge, if laminate top selected Wood color number for top, if wood top selected Front style (see below under Required Selections) Application (see below under Required Selections) Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 274.</p>

Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 30"W 36"W 42"W 	Prices at right Prices at right Prices at right Specify with 30"W. Specify with 36"W. Specify with 42"W.
Migration SE Desk Depth	<ul style="list-style-type: none"> 23"D 29"D 35"D 	No cost No cost No cost Specify with 23"D. Specify with 29"D. Specify with 35"D.
Front Style	<ul style="list-style-type: none"> Flush steel front Proud steel front 	Prices at right Prices at right Specify with flush steel front. Specify with proud steel front.
Application	<ul style="list-style-type: none"> Right hand Left hand 	No cost No cost Specify with right-hand application. Specify with left-hand application.

Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$111 +\$192 Specify paint color number. Specify paint color number. Specify paint color number.
Tops	<p>No top</p> <ul style="list-style-type: none"> For use beneath a Universal common top <p>Laminate top</p> <ul style="list-style-type: none"> High-Pressure Laminate price group 2 High-Pressure Laminate price group 3 Open Line laminate <p>Wood veneer top</p> <ul style="list-style-type: none"> Wood group 1 veneer top Wood group 2 veneer top Wood group 3 veneer top Customiz stain 	-\$147 +\$ 17 +\$ 33 +\$102 plus cost of laminate +\$619 +\$660 +\$757 No cost Specify with no top. Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i> . Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain. ▶ See <i>Surface Materials Reference Manual</i> .


Related Products	
<ul style="list-style-type: none"> Universal common tops for Migration SE application Universal shrouds Universal filler 	<ul style="list-style-type: none"> ▶ Page 184 ▶ Page 186 ▶ Page 187



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.


Specification Information

Style Number	Dimensions			U.S. Base Prices	
	D	W	H	Flush Steel Front	Proud Steel Front



One-High Open Lateral

RSCMHAD	D	W	H	Flush Steel Front	Proud Steel Front
	18"	18 ⁷ / ₈ "	30"	\$1509	\$1596
	18"	18 ⁷ / ₈ "	36"	\$1666	\$1773
	18"	18 ⁷ / ₈ "	42"	\$1815	\$1932




1.5-High Open Lateral

RSCMBHAD	D	W	H	Flush Steel Front	Proud Steel Front
	18"	18 ⁷ / ₈ "	30"	\$1839	\$1946
	18"	18 ⁷ / ₈ "	36"	\$2031	\$2162
	18"	18 ⁷ / ₈ "	42"	\$2214	\$2357

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Universal Common Tops

for Migration SE Application



Drawing shows right-hand application, left hand is also available.

Tip: 76"W Migration SE desks ship standard with a 4" overhang, which only allows it to be used with integrated storage in a stand-alone application.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 162 • 1³/₁₆"H top: laminate price group 1, if selected <ul style="list-style-type: none"> – Edge: plastic • 1³/₁₆"H top: wood group 1, if selected 	<ol style="list-style-type: none"> 1 Style number 2 Width (see below under Required Selections) 3 Migration SE desk depth (see below under Required Selections) 4 Laminate color number for top, if laminate top selected 5 Plastic color number for edge, if laminate top selected 6 Wood color number on top, if wood top selected 7 Front style (see below under Required Selections) 8 Application (see below under Required Selections) 9 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 274.</p>

Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> • 60"W Prices at right • 66"W Prices at right • 72"W Prices at right • 78"W Prices at right • 84"W Prices at right • 90"W Prices at right • 96"W Prices at right • 108"W Prices at right 	<ul style="list-style-type: none"> Specify with 60"W. Specify with 66"W. Specify with 72"W. Specify with 78"W. Specify with 84"W. Specify with 90"W. Specify with 96"W. Specify with 108"W.
Migration SE Desk Depth	<ul style="list-style-type: none"> • 23"W No cost • 29"W No cost • 35"W No cost 	<ul style="list-style-type: none"> Specify with 23"D. Specify with 29"D. Specify with 35"D.
Front Style	<ul style="list-style-type: none"> • Flush front No cost • Proud front No cost 	<ul style="list-style-type: none"> Specify with flush front. Specify with proud front.
Application	<ul style="list-style-type: none"> • Right hand No cost • Left hand No cost 	<ul style="list-style-type: none"> Specify with right-hand application. Specify with left-hand application.

Tip: Right-hand or left-hand application is determined by which leg of the Migration SE desk is located inside the storage.


Options	U.S. Price	Required to Specify
Surface Materials	<p>Laminate top</p> <ul style="list-style-type: none"> • High-Pressure Laminate price group 2 See information at left • High-Pressure Laminate price group 3 See information at left • Open Line laminate +\$102 plus cost of laminate 	<ul style="list-style-type: none"> Specify laminate color number. Specify laminate color number. ▶ See <i>Surface Materials Reference Manual</i>.
	<p>Wood veneer top</p> <ul style="list-style-type: none"> • Wood group 2 See information at left • Wood group 3 See information at left • Customiz stain No cost • Full-fill finish on wood group 1 Prices at right 	<ul style="list-style-type: none"> Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate wood color number. Specify with Customiz stain. ▶ See <i>Surface Materials Reference Manual</i>. Specify with full-fill finish and select wood finish number. ▶ See <i>Surface Materials Reference Manual</i>.
Related Products	<ul style="list-style-type: none"> • Universal One-High and open lateral 1.5-High for Migration SE application • Universal shrouds • Universal filler 	<ul style="list-style-type: none"> ▶ Page 182 ▶ Page 186 ▶ Page 187

For wood group 2, wood group 3, laminate price group 2, and laminate price group 3 pricing, please refer to the electronic catalog or SmartTools.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Specification Information						
Style Number	Dimensions		W	U.S. Base Prices		Options
	D			Laminate	Veneer	(Add \$ to Base Price)
	Flush Front	Proud Front				Full-Fill Finish
RATCTMHAD	18"	18 ⁷ / ₈ "	60"	\$ 459	\$1030	+\$ 69
	18"	18 ⁷ / ₈ "	66"	\$ 532	\$1086	+\$ 69
	18"	18 ⁷ / ₈ "	72"	\$ 595	\$1140	+\$ 69
	18"	18 ⁷ / ₈ "	78"	\$ 756	\$1365	+\$ 69
	18"	18 ⁷ / ₈ "	84"	\$ 855	\$1549	+\$102
	18"	18 ⁷ / ₈ "	90"	\$ 953	\$1640	+\$102
	18"	18 ⁷ / ₈ "	96"	\$1049	\$1807	+\$102
	18"	18 ⁷ / ₈ "	108"	\$1262	N.A.	N.A.



Tip: Can not order veneer on 108"W Universal common top.

Migration SE

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Universal Shrouds

for Migration SE Application

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 162 • Shroud: paint price group 1 • Attachment hardware 	<ol style="list-style-type: none"> 1 Style number 2 Width (see below under Required Selections) 3 Paint color number for shroud 4 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 274.

Tip: Shroud width must match width of the universal One-High or 1.5-High open lateral for Migration SE applications.

Required Selections	U.S. Price	Required to Specify
Width		
• 30"W	No cost	Specify <i>with 30"W</i> .
• 36"W	No cost	Specify <i>with 36"W</i> .
• 42"W	No cost	Specify <i>with 42"W</i> .



Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$45	Specify paint color number.
• Paint price group 3	+\$74	Specify paint color number.


Related Products	• Universal One-High and 1.5-High open lateral files for Migration SE application	▶ Page 182
-------------------------	---	------------

Specification Information		
Dimensions	Style Number	U.S. Base Price
D H		

One-High Shroud		
7"	16"	RPXSMHAD \$114
:	:	:

1.5-High Shroud		
7"	22"	RPXSMBHAD \$129
:	:	:



 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 162 • Filler: paint • Attachment hardware 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for filler ▶ See <i>Surface Materials</i>, page 274.

Related Products	
Related Products <ul style="list-style-type: none"> • Universal One-High and 1.5-High open lateral files for Migration SE applications 	▶ Page 182

Specification Information		
Dimensions	Style	U.S.
D H	Number	Price


One-High Filler

7"	16"	RPXFMHAD	\$ 81
:	:	:	:

1.5-High Filler


7"	22"	RPXFMBHAD	\$101
:	:	:	:




 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Migration SE Cable and Power Management

Cable Riser



Fence connection



Leg connection

Standard Includes		Required to Specify
-------------------	--	---------------------

▶ Need help? Product details, page 153	<ul style="list-style-type: none"> Cable riser with fence connection: 7360 Merle paint Attachment hardware 	1 Style number 2 Options, if selected (see below)
--	--	--


Options	U.S. Price	Required to Specify
---------	------------	---------------------

Connection	<ul style="list-style-type: none"> Fence Leg 	No cost +\$152
		Specify <i>with fence connection</i> . Specify <i>with leg connection</i> .

Specification Information

Style Number	U.S. Base Price
MIGCR	\$107

Cable Brackets



Standard Includes		Required to Specify
-------------------	--	---------------------

▶ Need help? Product details, page 153	<ul style="list-style-type: none"> Cable brackets, quantity of four: 6527 Merle plastic 	Style number
--	--	--------------

Specification Information

Style Number	Weight	U.S. Price
MIGCBK4	0.5 lb	\$52




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Slide Glides




Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 155 	<ul style="list-style-type: none"> • Slide glides, quantity of four, basic or extended height range control box: black plastic 	Style number

Specification Information

Style Number	U.S. Price
MGSGLD	\$32

Desk and Bench Switch Kit



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 35 	<ul style="list-style-type: none"> • Up/down controller, basic or extended height range control box: black plastic 	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Controller <ul style="list-style-type: none"> • Up/down controller • 4 pre-set controller 	No cost +\$74	Specify <i>with up/down controller</i> . Specify <i>with 4 pre-set controller</i> .
Height Range <ul style="list-style-type: none"> • Basic • Extended 	No cost No cost	Specify <i>with basic range</i> . Specify <i>with extended range</i> .

Specification Information

Style Number	U.S. Base Price
MGDSKT	\$281

Migration SE



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

