


Lite Scale Specification Guide

Availability

Electronic price list updated with release 200.J (U.S.) and 156.J (Canada), dated December 18, 2023.

All specifications subject to change without notice. Reference the electronic catalog/Hedberg for current pricing.

Transitional products in this specification guide are **maintained for existing customers only** and are likely to be phased out over time. These products are indicated with a . Products that are scheduled to be culled are indicated with an , followed by the last order entry date.

Surface Materials

The surface materials team has announced the launch of the Finish Library, found at www.steelcase.com/finishlibrary/.

► For a list of all trademarks, refer to the last page of this specification guide. © 2023 Steelcase Inc.

Working With This Specification Guide

Ten Tips: How to Get the Most Out of This Book	2
Additional Resources	4



Statement of Line

6

Understanding

Framing Components	24
Lite Scale Glass Lites	38
Lite Scale Door Opening Solutions	40
Lite Scale Doors	42

Specifying

Framing Components	56
Lite Scale Glass Lites	76
Lite Scale Doors	78
Door Hardware	118

Surface Materials

133

Style Number Index

136




For Canadian Pricing

Canadian factor can be found at www.steelcase.com/CADpricing/. Calculate in the following order to avoid rounding errors:

- Multiply the base price and each option by the Canadian factor.
- Round each to the nearest dollar.
- Add base and options for total list price.


Ten Tips: How to Get the Most Out of This Book

Tip 1



Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.

Tip 2



Use the Statement of Line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.

Tip 3



Find cross references by looking for page numbers flagged with an arrow.

Tip 4


Study the product detail pages in the *Understanding* section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics

Product Drawing shows you what the product looks like and points out important features.

Product Details gives specific information on the product and how it is used.

Connections describes how the product is assembled or how it attaches to another product.



Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the power and cable-management and cable routing capabilities of the product.

Surface Materials lists what material is used for each part of the product.

Tip 5

Refer to the specifying pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- Standard Includes
- Required to Specify
- Options
- Related Products
- Specification Information
 - Dimensions
 - Style Number
 - Price

Standard Includes (under the red or dark grey band) provides a list of what comes standard with the product.

Required to Specify (under the red or dark grey band) itemizes the information that you must provide to order the standard product and the preferred sequence for specification.

Specification Information (under the teal or light grey band) provides product dimensions, style numbers, and prices for the standard product and any surface material choices that are available.

Product Drawing shows you what the product looks like.

Options (under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Related Products provide specification information for products that are directly related.

Tip 6

Required to Specify

Specify with *Customiz Stain*

Italic typeface on specifying pages usually identifies wording that you should use in your order.


i

Tip 7

To determine how many skins are needed to complete a panel, consult the table at the right.
Tip: Remember to order skins for both sides of the panel buildup.

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 8



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 9

Use the surface materials listings in the Surface Materials section of this book to find surface material color numbers.

Tip 10

Style Number	Page
TS7042BL	131
TS7042S	130
TS7048BL	131
TS7048S	130
TS7060BL	131
TS7060S	130
TS7072BL	131

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Additional Resources

Lite Scale is supported with informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Product brochures and planning tools can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Marketing Resources web site at village.steelcase.com.

Printed Materials

Surface Materials Reference Manual

This publication provides:

- An explanation of the surface materials
- “Available on” matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Computer Tools

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools—Steelcase’s design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix ProjectSymbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

For more information about these and other software tools to help you plan effective work environments, please email fsi@steelcase.com.

Digital Publications

You can access these digital publications at www.steelcase.com or village.steelcase.com.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For ordering or product assistance, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality concerns or service parts questions.

For warranty information, please go to <http://www.steelcase.com/warranty/>.

Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.


For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939, or visit our Web site: www.steelcase.com.

Sustainability

At Steelcase, we believe business can be a force for good. We create long-lasting products that are better for people and better for the planet. Our products and operations use life cycle thinking to meet our commitment to reducing climate change. This commitment is reinforced by practices such as designing to minimize global warming and other life cycle impacts, ensuring material health, and enabling end-of-use strategies. To learn more at a corporate level, visit: <https://www.steelcase.com/discover/steelcase/esg-overview/environmental/> Product Environmental Profiles, which provide key environmental attributes such as recycled content, embodied carbon and recyclability, as well as product certifications can be found by searching for Steelcase at *Origin.build*.

Statement of Line

Framing Components




Understanding
▶ Page 24
Specifying
▶ Page 56



Understanding
▶ Page 24
Specifying
▶ Page 56


Post Extension

Ceiling Track Plinth Gen2



Understanding
▶ Page 24
Specifying
▶ Page 56

Vertical Transition Hardware



No Slider Seal

With Slider Seal

Understanding
▶ Page 24
Specifying
▶ Page 57




Understanding
▶ Page 24
Specifying
▶ Page 58

Vertical Transition Lite Scale to Privacy Walls/ Glass Selections


Base Plinth Gen2

2.5"H 5"H





Understanding
 ▶ Page 26
 Specifying
 ▶ Page 59



Understanding
 ▶ Page 32
 Specifying
 ▶ Page 59


Base Plinth—Panel

2.5"H 5"H




Ceiling Track Plinth—Panel


2.25"H




L-corner




T-corner



X-corner



In-Line



135° Y

Understanding
 ▶ Page 32
 Specifying
 ▶ Page 60

Posts


122"H



Tip: Posts are cut to length in the field.



Understanding
 ▶ Page 32
 Specifying
 ▶ Page 61



Understanding
 ▶ Page 32
 Specifying
 ▶ Page 62

Feature Strips

In-line Half

121"H



Feature Strip Cover

6"H




Statement of Line, Framing Components, continued



Understanding
▶ Page 24
Specifying
▶ Page 63

Structural Vertical Post

82.24409"—120"H



Understanding
▶ Page 24
Specifying
▶ Page 64

Structural Horizontal

38"—48"W



Understanding
▶ Page 24
Specifying
▶ Page 65

Vertical Transition—Butt Glazed

122"H



Understanding
▶ Page 24
Specifying
▶ Page 65

Vertical Transition—Inner

122"H



Understanding
▶ Page 24
Specifying
▶ Page 65

Vertical Transition—Cover

122"H



Understanding
▶ Page 24
Specifying
▶ Page 65

Vertical Transition—Stop

122"H





Understanding
▶ Page 24
Specifying
▶ Page 65

Vertical Transition—Safety Spring



Understanding
▶ Page 24
Specifying
▶ Page 66

90° Junction Trim

82.24409"—120"H



Understanding
▶ Page 24
Specifying
▶ Page 66

Outer Junction Cover

82.24409"—120"H



Understanding
▶ Page 24
Specifying
▶ Page 67

Bypass Outer Junction Cover


82.24409"—120"H



Understanding
▶ Page 35
Specifying
▶ Page 67

Glass Selections Bypass

120"H



Understanding
▶ Page 36
Specifying
▶ Page 68

Lite Scale Glass to V.I.A. Junction Adapter

122"H



Understanding
▶ Page 36
Specifying
▶ Page 68

Multi-Purpose Adapter

120"H




Understanding
▶ Page 24
Specifying
▶ Page 69

Utility Panel Cover

82.24409"—120"H





Understanding
▶ Page 24
Specifying
▶ Page 70

Straight Ceiling Track

144"L



Understanding
▶ Page 24
Specifying
▶ Page 70

Ceiling Track–End Channel



Understanding
▶ Page 24
Specifying
▶ Page 71

Glass Stop–Vertical

122"L



Understanding
▶ Page 24
Specifying
▶ Page 71

Glass Channel–Vertical


122"L



Understanding
▶ Page 24
Specifying
▶ Page 71

Glass Channel–Ceiling Track, Single


122"L



Understanding
▶ Page 24
Specifying
▶ Page 71

Glass Channel–Variable Angle

122"L



Understanding
▶ Page 24
Specifying
▶ Page 71


Glass Channel Floor Track, Single

122"L




Understanding
▶ Page 24
Specifying
▶ Page 72

Finished End Cap—Small




Understanding
▶ Page 24
Specifying
▶ Page 72

Finished End Cap—Large



Understanding
▶ Page 24
Specifying
▶ Page 73


Seal—Ceiling Grid



Understanding
▶ Page 24
Specifying
▶ Page 73

Seal—Light and Sound


122"L



Understanding
▶ Page 24
Specifying
▶ Page 74

Glazing Channel—Ceiling

122"L



Understanding
▶ Page 24
Specifying
▶ Page 74

Glazing Channel—Floor

122"L



Understanding
▶ Page 24
Specifying
▶ Page 74

Glazing Strip—Vertical

122"L




Specifying
▶ Page 75

Glazing Blocks

Statement of Line

Lite Scale Glass Lites



Specifying
▶ Page 75

Glazing Shim–Small



Specifying
▶ Page 75


Glazing Shim–Medium



Understanding
▶ Page 38
Specifying
▶ Page 76

Glass Lite Butt Glazed

6"–120"H x 6"–120"W



Understanding
▶ Page 38
Specifying
▶ Page 77

Glazing Tape–Clear

54'L



Understanding
▶ Page 38
Specifying
▶ Page 77

Glazing Tape–Black

108'L



Statement of Line

Lite Scale Doors



Understanding
▶ Page 40
Specifying
▶ Page 78

Single Reversible Swing Door Frame


83.62992"—119.80315"H x 28"—44.5"W



Understanding
▶ Page 40
Specifying
▶ Page 79

Single Reversible Solid Swing Door Leaf


83.62992"—119.80315"H x 28"—44.5"W



Understanding
▶ Page 40
Specifying
▶ Page 80

Single Reversible Polished Edge Swing Door Leaf


83.62992"—119.80315"H x 28"—44.5"W



Understanding
▶ Page 40
Specifying
▶ Page 81

Pair of Reversible Swing Door Frames


83.62992"—119.80315"H x 48"—80"W



Understanding
▶ Page 40
Specifying
▶ Page 82

Pair of Reversible Solid Swing Door Leaves

83.62992"—119.80315"H x 48"—80"W



Understanding
▶ Page 40
Specifying
▶ Page 83

Pair of Reversible Polished Edge Swing Door Leaves

83.62992"—119.80315"H x 48"—80"W





Understanding
 ▶ Page 50
 Specifying
 ▶ Page 84

Single Surface Mounted Slider Door Frame

82.04724"—119.80315"H x 38"—48"W



Understanding
 ▶ Page 50
 Specifying
 ▶ Page 85

Single Surface Mounted Polished Edge Slider Door Leaf


82.04724"—119.80315"H x 38"—48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 86

Basic Single Surface Mounted Slider Door Track


6"—144"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 87

Reinforced Single Surface Mounted Slider Door Track

98.00001"—168"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 88

Frame for Pair of Surface Mounted Slider Doors


82.04724"—119.80315"H x 60"—80"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 89

Pair of Surface Mounted Polished Edge Slider Door Leaves


82.04724"—119.80315"H x 60"—80"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 90

Reinforced Track for Pair of Surface Mounted Slider Doors

106.874"—288"W




Understanding
 ▶ Page 42
 Specifying
 ▶ Page 91

Slider Door Track Bracket

82.04724"—119.80315"H





Understanding
 ▶ Page 42
 Specifying
 ▶ Page 92



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 94


Glass Selections Full—Height Polished Edge Slider Door Leaves

84"—120"H




Glass Selections Full—Height Polished Edge Slider Door Frame

84"—120"H X 38"W-48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 96




Understanding
 ▶ Page 42
 Specifying
 ▶ Page 97

Glass Selections Full—Height Polished Edge Slider Track


Door Width	Track Width
38"W-48"W	71"W-144"W



Glass Selections Full—Height Polished Edge Slider Hanger



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 98



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 99

Glass Selections Full—Height Butt-Hinged Door Frame, Glass and Solid


Ceiling Height	Door Width
84"—120.25"H	40"—42"W



Glass Selections Full—Height Butt-Hinged Door Leaf, Glass and Solid


Ceiling Height	Door Width
84"—120.25"H	40"—42"W






Understanding
▶ Page 42
Specifying
▶ Page 102

Butt Hinge Kits—Glass Selections Polished Edge



Understanding
▶ Page 42
Specifying
▶ Page 103

Slim Line Hinge Kits—Glass Selections Polished Edge Door



Understanding
▶ Page 42
Specifying
▶ Page 104


Drop Seal—Glass Selections Butt-Hinged Polished Edge Door or Solid Door

40"W–42"W



Understanding
▶ Page 42
Specifying
▶ Page 105

Roller Latch—Glass Selections Butt-Hinged Polished Edge Door




Understanding
▶ Page 42
Specifying
▶ Page 106


Swing Door—Drop Seal Assembly

28"–48"W





Understanding
 ▶ Page 42
 Specifying
 ▶ Page 107



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 108

Slider Door—Assembly Hardware

Swing Door—Assembly Hardware

84"H–120"H



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 109




Understanding
 ▶ Page 42
 Specifying
 ▶ Page 110

Door Frame—Slider, Single


84"H–120"H X 40"W–48"W

Door Frame—Swing, Single

84"H–120"H X 28"W–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 111



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 112

Door Leaf—Slider, Polished Edge

84"H–120"H X 40"W–48"W

Door Leaf—Swing, Polished Edge


84"H–120"H X 28"W–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 113

Door Leaf—Swing, Solid


84"H–120"H X 28"W–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 114

Door Track—Slider, Single


Planned Width	Width–Door
75"H–120"H	40"W–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 115

Slider Door—Drop Seal Housing


40"–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 116

Slider Door Hardware—Drop Seal

40"–48"W



Understanding
 ▶ Page 42
 Specifying
 ▶ Page 117


Vertical Transition, Everwall to Lite Scale

40"W–48"W



Statement of Line

Door Hardware



Specifying
▶ Page 118

Door Seal—Glass Selection Butt Hinged Polished Edge Door

28"—44.5"W



Specifying
▶ Page 118


Magnetic Wall Stop



Specifying
▶ Page 119


Dome Style Floor Stop

28"—44.5"W




Specifying
▶ Page 119

Base Stop




Specifying
▶ Page 120

Cylindrical Latch Set




Specifying
▶ Page 120

Mortise Latch Set




Specifying
▶ Page 121

Push/Pull Handle



Specifying
▶ Page 121

Door Closer



Specifying
▶ Page 122


Door Drop Seals

48"W-80"W



Specifying
▶ Page 122

Flush Bolts




Specifying
▶ Page 123

Electric Hinge




Specifying
▶ Page 123

Ladder Pull, Aligned




Specifying
▶ Page 124

Ladder Pull, Offset




Specifying
▶ Page 124

Cylindrical Latch Set for Use with Everwall Doors




Specifying
▶ Page 125

Mortise Latch Set for Use with Everwall Doors




Specifying
▶ Page 126

Butt Hinges for Use with Everwall Doors



Specifying
▶ Page 126

Door Closer for Use with Everwall Doors




Specifying
▶ Page 127

Electric Hinge for Use with Everwall Doors



Specifying
▶ Page 127

Roller Latch for Use with Everwall Doors



Specifying
▶ Page 128

Electric Strike for Use with Everwall Swing Doors




Specifying
▶ Page 128

Slider Lever Lock for Use with Everwall Doors



Specifying
▶ Page 130

Ladder Pull, Aligned for Use with Everwall Solid Doors




Specifying
▶ Page 132

Ladder Pull, Offset for Use with Everwall Solid Doors


Framing Components

Lite Scale framing components include horizontal and vertical channels that interface with building elements or adjacent modular walls to enable installation of Lite Scale glass.


Lite Scale framing components will interface with a variety of door frame platforms and functionality.




Product Details




Ceiling track allows for $\frac{1}{2}"$ of adjustment in each direction. Floor track allows for an increase of $\frac{1}{2}"$.




Ceiling track and glazing channel are combined during installation. Parts are provided in 122" lengths and cut to size on site as necessary.




Floor track and glazing channel are combined during installation. Parts are provided in the 122" lengths and cut to size on site as necessary.




Glazing shims, along with additional glazing blocks, can be combined to level the glass when floors are uneven. Floor track can be shimmed up to $\frac{1}{2}"$.




Ceiling height can be specified from 7'0" to 10'0" in 1/16" increments.
Tip: Specify ceiling height of your installation. Glass and door components will be fabricated to allow for ceiling track.




Lite Scale glass walls can intersect with conventional walls using vertical channels and stops.




The maximum length of the Lite Scale glass wall is 30'0". At this length, a vertical component (post, door frame, mini-end, or glass channel) must be positioned at both ends of the wall.




Vertical glass channel allows for 1/4" of adjustment.




Vertical glass channels can be used at terminations against conventional walls. Parts are provided in 122" lengths and are cut to size on site as necessary.



When installed under a suspended ceiling grid, blocking is required above ceiling tiles for structural support. Blocking materials and fasteners are provided by the installer.




Generation 2





Generation 1

The original Generation 1 ceiling track for Lite Scale is a different height (2" versus 2 3/8") and utilizes a different glass height logic. Plan accordingly if using both versions.





When installed under a suspended ceiling grid, a light and sound seal is added to the ceiling track during installation.
Tip: This seal is not required at drywall soffit or ceilings.




When installed under a suspended ceiling grid with recessed grid and regular tiles, ceiling grid seal is specified to fill potential gaps.


Framing Components, continued




A variable angle glass channel with a glass stop is used to create angles other than 90° at a termination at a conventional wall. The channel is cut to the proper angle by the installer. The minimum angle is 45°. Parts are provided in 122" lengths and cut to size on site as necessary.




Vertical channel and glass stop can be field cut and mitered to fit a perimeter sill and soft conditions. Glass can also be set above partial height conventional walls in a knee-wall or clerestory application using floor track and ceiling track.



Glass ceiling track can be field cut and mitered to fit at soffit conditions or a change in ceiling height.




Base plinths cap the end of the Privacy Wall base trim at transitions from Lite Scale glass to Privacy Wall panels.




When using Privacy Wall panels with overlapping ceiling track, ceiling track plinths cap the end of the ceiling track at transitions from Lite Scale glass to Privacy Wall panels or door frames.


Lite Scale Transitions




Lite Scale is joined to door frames and adjacent Steelcase walls with vertical transitions. There are three different vertical transition assemblies for each wall type and door platform.




Lite Scale to Everwall






Lite Scale to Privacy Wall and Glass Selections


Transition assemblies are specified with a hardware attachment kit for assembly.




Transition verticals can be used at in-line connection at panels, door frames, as well as posts and adapters to join Lite Scale glass to Privacy Wall or Glass Selections.




Transition verticals cannot be reconfigured in an X configuration.





Lite Scale to V.I.A. Flush Glazed





Lite Scale to V.I.A. at T Condition-Centered Glazed




Lite Scale to V.I.A. Centered Glazed

When blending Lite Scale V.I.A. with V.I.A. cross walls at T conditions as shown above, a center glazed vertical transition can be used at the common wall. Parts are provided in 122" lengths and cut to size as necessary.

Posts and Feature Strips

Note: All planning and application guidelines contained in this section of the specification guide are based on the requirement that ceiling track is connected to a ceiling in order to properly support the wall components as shown.

Posts join panels in a variety of configurations.
▶ Specifying, page 60




Product Details




Post heights are standard at 122" and are cut in field to accommodate different ceiling heights.

Configurations for posts include in-line, L, T, X, and Y. *Tip: Base trim projects 1/16" from the face of the panel.*



Two in-line feature strips required


In-Line post




One in-line and one half feature strip required

L-post


L-post has a square profile.



Two in-line and two half feature strips required




Two half feature strips required




Two in-line and two half feature strips required


T-post with allowable configurations.






Four half feature strips required



Two in-line and four half feature strips required





X-post with allowable configurations.



Two in-line and four half feature strips required

Y-post with allowable configuration is made up of a 90° corner and two 135° angles.




A post cannot be used for a V application. It must be Lite Scale to Lite Scale.


Connections

Any panel, door frame, or mini end can be connected to a post.


Posts are often more appropriate when planning with interior room dimensions. *Tip: Remember to allow for post dimensions when calculating the overall length of a wall.*




Feature strips, ordered separately, join panels and other components to posts and prevent light and sound leaks. Feature strips can be removed and reused. **► Page 61**



Two kinds of feature strips are available. They are available in packages of 25 (style numbers GPFS121, GPFSH121, GPFSA121, or GPFSA121) and available in 121" height only.



In-line feature strips are used when joining two surfaces on the same plane. They are 121" long and are field-cut to size.



Half feature strips are used in combination with inline feature strips for inside corner applications.

Tip: To ensure best fit for feature strips, specify a wall application option.

To rearrange panels, painted and anodized feature strips can be removed and reused.

Wiring & Cabling

Posts can be used to vertically route power and cable infeeds down from the ceiling or up from the floor.

Surface Materials



Posts

- Paint
- Anodized aluminum


Feature Strips

- Paint
- Anodized aluminum

When applying Lite Scale glass fronts with conventional fixed cross walls, it may be desirable to create an interface condition where the Lite Scale wall conceals the cross wall. The bypass assembly is designed so that it can be installed as a complete assembly and create an uninterrupted visual along a corridor.




Product Details



The planning width for a bypass assembly is 6".

Bypass surfaces can be painted or anodized aluminum.



Bypass assemblies are designed to be used with base trim along the corridor side of the wall.


Surface Materials

- Bypass**
- 8043 Clear Anodized Aluminum
 - Paint

Lite Scale Glass to V.I.A. Junction Adapter

Junction adapter

engages vertically at the end of a V.I.A. junction post that connects to Lite Scale glass (no adapter) or to a Privacy Wall or Glass Selections door frame (with adapter).




Product Details

Junction adapters are shipped in a standard height of 122" and are cut to length in the field.




Junction Adapter with no Adapter.




Junction Adapter with Adapter.

Junction adapters come in two configurations:

- with no adapter
- with adapter




Junction adapter with no adapter comes standard with attachment hardware. The "U"-channel is ordered separately using style numbers **FELGCVT** and **FELGSVT** to accept Lite Scale glass. It is assembled to the V.I.A. junction post with screws.




Junction adapter with adapter comes standard with a vertical spacer channel to accept Privacy Wall or Glass Selections door frame. It is assembled to the V.I.A. junction post with screws.


Junction adapter with no adapter will support a flush connection, center line connection, or a variable connection.




Privacy Wall installed flush to V.I.A.




Privacy Wall installed center line to V.I.A.



Privacy Wall installed at variable location to V.I.A. junction adapter will support a flush or near flush connection or center line connection.



Privacy Wall installed flush to V.I.A.



Privacy Wall installed center line to V.I.A.



Multi-purpose adapter is used in special applications.

Surface Materials

Junction adapter


- 8043 Clear Anodized Aluminum
- Paint

Multi-purpose adapter


- Black paint

Lite Scale Glass Lites


Lite Scale glass is a nominal $\frac{1}{2}$ " thick, and can be specified as tempered or laminated safety glass.



Glass thickness is $\frac{1}{2}$ ". Glass lites can be specified in widths from 6" to 60" wide. Ceiling heights can be specified from 84" to 10'.
Tip: Lite Scale glass widths of 40" or less are recommended to simplify handling and installation. Overall glass size should not exceed 40 square feet.




The maximum length of the Lite Scale glass wall is 30'. At this length, a vertical component (post, door frame, mini-end, or glass channel) must be positioned at both ends of the wall.




Various intersections can be created with Lite Scale glazing components. Framing components are shipped as straight lengths 122" long and are cut and mitered to the appropriate angle as part of the installation process.

90 degree angles use black glazing tape to join individual pieces of glass. Other angles can be joined using silicone or flexible bulb seals similar to CRL seal S1LB.
 ▶ See page 77 for black glazing tape.


Glass for Lite Scale glazing can be provided through Steelcase or sourced through local suppliers. Glass sizes can be specified in $\frac{1}{16}$ " increments.




For walls that terminate in open plan, finished end caps are ordered to cap the ceiling and floor tracks.




Black glazing tape is provided for perpendicular intersections.



An in-line glass joint can be no less than $6\frac{1}{4}$ " to the centerline of an L or T butt glass intersection.



In order to minimize the visual impact of vertical glass joints, it is recommended that an in-line joint be positioned no closer than 24" from an intersection.




At L corners, the lap joint at the glass will typically be oriented to the glass in the front wall (as defined by the door opening placement) to extend through the corner.


Lite Scale Door Opening Solutions

Lite Scale door opening solutions, which are offered specifically for use with Lite Scale walls, are derived from door unit assemblies and door hardware as designed for other architectural wall product lines.


Everwall



V.I.A.




Glass Selections



Doors

Glass Selections Design

Swing Door Butt Hinged




Lite Scale Ceiling Track

Door leaves are polished edge glass or solid in paint or veneer finishes.
Tip: Solid door leaf is only available with butt hinges.

Glass Selections butt hinged glass doors are prepped for use with slim line hinges or polished edge butt hinges.

Slider Door




Slider Track


Door leaf

Door frame


Optional drop seal




Door frames are available in full height configuration only.




Door frame headers are positioned to create a 1/4" reveal at the ceiling.



Slider door assemblies are applied by specifying door frame, door leaf, track, and hanger. Sliders are available as full height only. Door frames and doors are available in widths of 40"W, 42"W, or 48"W. Additional widths are available in 1" increments.




Slider door track is available in widths from 71"W to 144"W. The minimum width slider track = (door frame width x 2) minus 5".



Track width


Slider door track width is measured from the centerline of the strike side feature strip to the end of the track.




Track end cap conceals fastener

Slider door track hanger conceals the fastener that attaches the slider door track to the support structure above the ceiling.


Customer or GC to provide structure above the ceiling or soffit as required to support a 150 pound vertical load at the trailing edge of the slider track.



When specified adjacent to slider door with brush seal, the transition vertical will be configured to receive the brush seal.




The slider track can span across a glass front by ordering an oversized width of track (120"W or 144"W) and having the installer cut to size.




Metal bottom edge trim Polished edge

Within SmartTools, when slider doors are specified with a bottom polished edge, SmartTools may automatically adjust the door height as part of the height verification process. In order to minimize the door undercut in the closed position, the door will be specified within the "minimized" option.




When using etched and/or patterned glass on the slider doors, the glass can be oriented to either face of the wall.

► Refer to page 52 for more information regarding etched and pattern glass.




To enhance acoustical performance, polished edge doors can be specified with an optional drop seal at the bottom of the door. The drop seal automatically deploys to block the gap under the door when the door is closed, and retracts when the door is open.




40\"/>

Glass Selections butt-hinged doors are available with polished edge door leaves with 1/2\"/>




Butt Hinge




Slim Line Hinge

Polished edge butt-hinged doors can be equipped with polished edge butt hinges or slim line hinges.



Solid doors are equipped with butt hinges. Three hinges per door opening for ceiling height less than 87\"/>




When specified with the self-close feature, one of the slim line hinges includes a hold-open feature that engages the door at approximately 75° (when 90° hinge is specified) or 165° (when 180° hinge is specified). The hinge includes an adjustable control for regulating the force of the closure and fine-tuning the braking control.

The slim line hinge can also be configured as a free-swinging hinge.


An electric hinge is required when equipping a solid door with an electric lock.

The electric hinge kit includes two or three additional butt hinges depending on door size.




Electric hinge is equipped with four wire leads on each side. The leads are a minimum 8\"/>


When a solid door leaf is specified for electric hinge, a cableway will be provided from the hinge mortise to the lock mortise cutout.




When specified with polished edge slim line hinges, Lite Scale doors and frames will be configured for two hinges.




When specified with polished edge butt hinges at a height of 7'3\"/>



Glass Selections Lite Scale butt-hinged doors can be specified with mortise and cylindrical latch sets, push/pull handles, and ladder pulls.




When equipped with push/pull handles or ladder pulls, self-closing hinges or a roller latch should be specified to keep the door in the closed position.




Glass Selections polished edge Lite Scale butt-hinged door leaves include housing for latch sets and roller latches as specified.

Glass Selections Lite Scale butt-hinged door frames are field cut to the floor with no plinth or base trim.




To enhance acoustical performance, an optional drop seal can be specified at the bottom of the door. The drop seal automatically deploys to block the gap under the door when the door is closed and retracts when the door is open.


Glass Selections Lite Scale butt-hinged doors and frames are designed to provide a 1/2\"/>




Width of a single door frame is 40"W or 42"W and accommodates door leaf widths of 35¹³/₁₆" or 37¹³/₁₆". The clear opening, not including hardware is 35"W and 37"W.



When specifying a door leaf with a satin finish, the etched side of the glass can be oriented to either surface of the wall. For this purpose, the outside surface is defined as shown above.



Left- and right-hand versions of butt-hinged doors and door frames are available. Swing orientation cannot be altered.



To determine whether a door is left or right hand, imagine yourself standing in the door's frame with your back against the side of the frame where the door's hinges will be attached. If the door will swing to your left, it is a left-hand door (and frame). If it will swing to your right, it is a right-hand door (and frame).

Surface Materials

Frame

- Paint
- 8043 Anodized Aluminum

Door leaf (glass)

- 6500 Clear Tempered
- 6501 Low Iron Clear Tempered
- 6542 Satin

Door leaf (solid)

- Paint
- Veneer

Hinges

- 4710 Black
- 9200 Satin Chrome
- 9201 Polished Chrome (slim line only)

Latch set housing

- 4710 Black
- 9200 Satin Chrome
- 9201 Polished Chrome

Roller latch housing


- 4710 Black
- 9200 Satin Chrome

Drop seal


- Paint
- 8043 Anodized Aluminum

Doors


V.I.A. Design




Doors



Lite Scale door frames available in full height configuration only. The planning height for door frames and door leaves is "ceiling height" minus 0.19685".




Lite Scale slider door assemblies are applied by specifying door frame, door leaf, and track. Lite Scale sliders are available as full height only. Lite Scale door frames and doors are available in widths of 28" to 44½". Slider track must be oriented to the same side of the wall as the glass.




Lite Scale V.I.A. ceiling track is used at Lite Scale V.I.A. door frames. Lite Scale posts and Lite Scale structural horizontals are specified for use with V.I.A. Lite Scale door frames.


When Lite Scale V.I.A. posts are specified at a Lite Scale V.I.A. door frame, short leveler brackets are used to clear the inner vertical transition. Ceiling track end channel serves as a trim to transition from Lite Scale V.I.A. ceiling track above the door frame to the adjacent Lite Scale glass ceiling track.




Utility panels and in-line junctions can be positioned adjacent to Lite Scale V.I.A. door frames.



When a door frame is positioned directly adjacent to a V.I.A. wall and shares a common post, the door frame is specified as a V.I.A. (not Lite Scale) door frame. Flush vertical transitions are specified to connect V.I.A. Lite Scale door frames to adjacent Lite Scale glass walls.




Slider door track is available in widths from 76"W to 144"W. The minimum width slider track = (door frame width x 2). Slider door track width is measured from the centerline of the strike side reveal to the end of the track.



Slider door track hanger conceals the fastener that attaches the slider door track to the support structure above the ceiling.

Customer or general contractor to provide structure above the ceiling or soffit as required to support a 150 pound vertical load at the trailing edge of the slider track.




Slider doors are available with static and drop seals to make doorways as acoustically effective as possible.

Door frame seals are platinum in color. Drop seals are housed within the door bottom trim and are not visible.


Frames are available in full height configurations, and are parametric.

Planning Height Range:


Minimum – 83.62992"
Maximum – 119.80315"
Planning height = ceiling height minus 0.19695".



The door frame assembly is designed to allow for 1 1/2" of adjustment at the floor (plus/minus 3/4"), while maintaining a consistent 5/16" undercut between the bottom of the door and the floor.




Doors can be oriented to either face of the wall to position the door on either the interior or exterior of a room.



Single door frame width is parametric, and can vary from 38" to 48" planning width. Steelcase recommends using a 40" wide door frame to maximize accessibility, maintain visual continuity, and simplify the planning process during reconfigurations. Clear opening width equals the planning width minus 7 9/16".
Tip: Door frames that are less than 39 7/16" planning width will not meet ADA guidelines for minimum clear opening (32").



The maximum door frame planning width will vary according to door height.

▶ See page 55




To enhance acoustical performance, an optional drop seal can be specified in the bottom of the door. The drop seal automatically deploys to block the gap under the door when the door is closed, and retracts when the door is open.

Hardware locations for polished edge doors are parametric, and can be changed through the Alternate Pull Manager in SmartTools as part of the design/planning process.




Door handing is determined by the direction in which the door travels when opening, as viewed from the face of the wall on which the door is mounted.

Certain etched or pattern glass types are polished on one face, and rough (etched or pattern) on the other. When defining the surface orientation of a glass frame, it is also important to consider the surface orientation of these types of glass. When planning with etched glass, the polished face of the glass is most often oriented to the corridor side of the wall to minimize the buildup of dirt on the etched face. Pattern glass is most often positioned with the patterned face oriented to the corridor, as the pattern face of the glass is considered the more attractive surface. Although these are the most common preferences for surface orientation, V.I.A. will allow for any relative position and orientation.




When specifying doors with etched glass, the etched surface can be oriented to either side of the wall, regardless of handing or on which side of the wall the door is mounted.



The polished edge door includes an adjustable aluminum bottom trim, which can be adjusted during installation to ensure a minimal and consistent clearance at the bottom of the door.

Slider track is parametric, and spans the door frame and the adjacent glass as specified.




Slider track is mounted to structural posts using support brackets, which are specified in either a left, right, or T-configuration. The track is pre-drilled to fasten to the support brackets in the appropriate positions.


Slider track brackets are parametric in order to engage in post slots and set the slider track at the correct height.

Slider track brackets are painted, and can be specified to match adjacent door frames, glass frames, and skins.


The outboard edge of the slider track is supported by the door track hanger.




If visual continuity is desired along room exteriors, basic slider track width can be extended to span junctions, adapters, and mini ends.




Actual



At Junction



Support Junction
Two sections of track supported at one junction




Cuttable at Mini end


When slider track interfaces with a junction or bypass, the outboard edge of the track will be supported by a post rather than a hanger.

Slider track ends are cut to the correct length as dictated by the plan, with the appropriate hole position for track brackets.


When support junction and support bypass are specified, bracket holes will be positioned accordingly in the track.




Basic slider track can be ordered with all required hardware, including carriers and soft-close braking mechanisms.




L Junction




At Bypass



Support Bypass
Two sections of track supported at one bypass




Fixed Wall




Sections of basic slider track can be specified without hardware and installed adjacent to other sections of track for visual continuity.

Adjacent sections of slider track must meet at junction or bypass.

When the end of a basic slider track is not directly adjacent to another section of the track, the end is notched to receive an end cap.



When the end of a basic slider track butts to another section of the track, the end is not notched.





Lever locksets are available as an option on single doors, and are equipped with an ADA compliant single action lock feature, allowing for the door to be unlocked and opened in a single motion.

Locksets can be provided in one of two configurations:


- Random key with standard cylinder
- No cylinder (to allow customer to provide cylinders to specific keying requirements)

Lever locksets are provided with a standard lever handle. Locksets can be provided without handles to allow for an easy substitution of another style of lever.

Slider locksets are compatible with levers as manufactured by Schlage, Dorma, and Lawrence.





When ordering cylinders from other suppliers for use with the V.I.A. slider lever locksets, cylinders must be specified with a Schlage L cam configuration. When keyway and cylinder are oriented to the outside of the door frame, specify a 1 3/4" cylinder with a 7/16" trim ring. When keyway and cylinder are oriented to the inside of the door frame, specify a 1 1/8" cylinder with a 9/16" trim ring.




Locking ladder pulls are equipped with a random keyed, small format interchangeable core. For customers with specific keying requirements, the core can be removed and replaced with customer's locally secured cores.

Locking ladder pulls can accommodate SFIC cores (6 pin) as manufactured by Sargent, Schlage, Best, Medeco, Arrow, Yale, and Falcon.





Planning Width
Minus 14"

The clear opening dimension is planning width minus 14".




Aligned Pull



Offset Pull


Pairs of slider doors can be specified with push/pulls x 18", or ladder pulls (aligned or offset).

Pairs of slider doors cannot be equipped with drop seals.



Plinths (ordered as a service part) can be used at the bottom of the door jamb to adapt to potential floor height changes when repositioning door frames during wall reconfigurations.

In most municipalities, slider doors are not considered code compliant for use in rooms where planned occupancy is greater than ten people.



Brush seals are provided for slider door pairs.

Surface Materials

Door frame

- 8043 Clear Anodized Aluminum
- Paint

Polished glass door

- Tempered glass

Polished glass bottom trim

- 8043 Clear Anodized Aluminum
- Paint

Slider track

- 8043 Clear Anodized Aluminum
- Paint

Lockset

- 9200 Satin Chrome
- 4710 Low Gloss Black

Door pull

- 4710 Low Gloss Black
- 8031 Brushed Stainless

Slider track bracket

- Paint

Maximum Door Planning Widths Based on Height


Maximum Door Planning Widths Based on Height

Ceiling Height	Full Height Slider		Transom Height Slider	
	Planning Height	Maximum Planning Width	Planning Height	Maximum Planning Width
122"	N.A.	N.A.	120"	40"
121"	119.875"	40"	119"	42"
120"	118.875"	42"	118"	42"
119"	117.875"	42"	117"	42"
118"	116.875"	42"	116"	42"
117"	115.875"	42"	115"	42"
116"	114.875"	42"	114"	42"
115"	113.875"	42"	113"	42"
114"	112.875"	42"	112"	43"
113"	111.875"	42"	111"	43"
112"	110.875"	43"	110"	43"
111"	109.875"	43"	109"	44"
110"	108.875"	44"	108"	44"
109"	107.875"	44"	107"	45"
108"	106.875"	46"	106"	45"
107"	105.875"	46"	105"	46"
106"	104.875"	46"	104"	46"
105"	103.875"	46"	103"	46"
104"	102.875"	46"	102"	47"
103"	101.875"	47"	101"	47"
102"	100.875"	47"	100"	48"
101"	99.875"	48"	99"	48"
100"	98.875"	48"	98"	48"
99"	97.875"	48"	97"	48"
98"	96.875"	48"	96"	48"
97"	95.875"	48"	95"	48"
96"	94.875"	48"	94"	48"
95"	93.875"	48"	93"	48"
94"	92.875"	48"	92"	48"
93"	91.875"	48"	91"	48"
92"	90.875"	48"	90"	48"
91"	89.875"	48"	89"	48"
90"	88.875"	48"	88"	48"
89"	87.875"	48"	87"	48"
88"	86.875"	48"	86"	48"
87"	85.875"	48"	85"	48"
86"	84.875"	48"	84"	48"
85"	83.875"	48"	83"	48"
84"	82.875"	48"	82"	48"
83"	81.875"	48"	N.A.	N.A.

Doors


Framing Components

Post Extension




Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Post extension (pair) 	Style number
Specification Information		
• Style Number	• U.S. Price	
GPPWPE	\$31	

Ceiling Track Plinth Gen2



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Ceiling track plinth (2 pair): paint price group 1 	1 Style number 2 Paint color number for plinth 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$5	Specify paint color number.
	• Paint price group 3	+\$8	Specify paint color number.
Specification Information			
• Style Number	• U.S. Base Price		
GPLPCT2	\$291		

Vertical Transition Hardware





Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Four retaining springs, one bracket, five plastic grommets and five screws 	Style number
Specification Information		
• Style Number	• U.S. Price	
GPLVTHA	\$286	



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Vertical Transition Lite Scale to Privacy Walls/Glass Selections




Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 No slider seal: <ul style="list-style-type: none"> Inner channel: paint price group 1 Standard glass stops (2) Glazing strips (2): plastic With slider seal: <ul style="list-style-type: none"> Inner channel: paint price group 1 Standard glass stop (1) Slider glass stop (1) Glazing strips (2): plastic Slider brush seal (1) 	<ol style="list-style-type: none"> Style number Paint color number for inner channel Plastic color number for glazing strips Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134. 	

Options	U.S. Price	Required to Specify
Slider Seal <ul style="list-style-type: none"> No slider Slider seal 	No cost +\$105	Specify <i>with no slider seal</i> . Specify <i>with slider seal</i> .
Surface Materials <ul style="list-style-type: none"> Inner channel <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 Anodized aluminum Glazing strips <ul style="list-style-type: none"> Plastic 	No cost +\$ 22 +\$ 34 No cost No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify anodized aluminum. Specify plastic color number.

Specification Information		
Length	Style Number	U.S. Base Price
122"	GPLVT	\$613

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Base Plinth Gen2



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Base plinths (pair): paint price group 1 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for plinths 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Clear anodized 	<ul style="list-style-type: none"> No cost +\$5 +\$8 No cost 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number. Specify anodized aluminum.
Plinth Base Height	<ul style="list-style-type: none"> • 2½"H • 5"H 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with 2½" plinth base height. Specify with 5" plinth base height.

Specification Information	
Style Number	U.S. Base Price
GPLPB2	\$318



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Trim-Plinth


Standard Includes		Required to Specify
▶ Need help? Product details, page 24	• Plinths (pair): paint price group 1	1 Style number 2 Paint color number for plinths 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

Options	U.S. Price	Required to Specify	
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum	No cost +\$2 +\$3 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify anodized aluminum.
Plinth Base Height	• 2½"H • 5"H	No cost No cost	Specify with 2½" plinth base height. Specify with 5" plinth base height.

Specification Information		
Height	Style Number	U.S. Base Price


Plinth—Panel, Base (Pair)

	GPPWPPB	\$28
--	----------------	------



Plinth—Panel, Ceiling Track (Pair)


2¼"	GPPWPPC	\$28
-----	----------------	------



Tip: Plinth at ceiling track does not require a height selection.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Posts








Tip: X-post does not require a finish since the post is not visible.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Height: 122" • Post: paint or anodized aluminum (except X-post) 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for post 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Surface Materials Post (except X-post) <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum 	<ul style="list-style-type: none"> No cost +\$ 9 +\$23 No cost 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number. Specify anodized aluminum.

Specification Information


L-Post		T-Post		X-Post	
					
• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
GPPLL	\$232	GPPLT	\$276	GPPLX	\$313

In-Line Post		135° Y-Post	
			
• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
GPPLI	\$232	GPPL135Y	\$313



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Feature Strips



Tip: Feature strips are 121" long and are cut to size in the field. They are required when joining door frames to other components.

Tip: Half feature strips are used in combination with in-line feature strips for inside corner applications.

Tip: Painted feature strips are designed for use with other Lite Scale Glass Selection painted components.

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Feature strips: paint • Height: 121" • Quantity: 25 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for feature strips 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. 	
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 9	Specify paint color number.
	• Paint price group 3	+\$23	Specify paint color number.


Specification Information

Height	Style Number	U.S. Base Price
:	:	:

Package of 25 Feature Strips

In-Line		
121"	GPFS121	\$746
Half		
121"	GPFSH121	\$746
:	:	:

Anodized Feature Strips




Tip: Feature strips are 121" long and are cut to size in the field. They are required when joining door frames to other components.

Tip: Anodized feature strips are designed for use with other Lite Scale Glass Selection anodized components.

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Feature strips: anodized aluminum • Height: 121" • Quantity: 25 	<ul style="list-style-type: none"> Style number 	
Specification Information			
Height	Style Number	U.S. Base Price	
:	:	:	
Package of 25 Feature Strips			
In-Line			
121"	GPFSA121	\$1083	
Half			
121"	GPFSHA121	\$1083	
:	:	:	

Framing Components

Feature Strip Cover



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Feature strip cover: paint price group 1 or anodized aluminum 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for feature strip cover 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Surface Materials Post (except X-post) <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum 	<ul style="list-style-type: none"> No cost +\$ 9 +\$23 No cost 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number. Specify anodized aluminum.

Specification Information		
Length	Style Number	U.S. Base Price
48"	GPPWFSC	\$64



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.




Standard Includes		Required to Specify
▶ Need help? Product details, page 24	<ul style="list-style-type: none"> • Post • Height: 82.24409"–120" • Seal: plastic 	<ul style="list-style-type: none"> 1 Style number 2 Height 3 Plastic color number for seal ▶ See <i>Surface Materials</i>, page 134.

Specification Information		
• Style Number	• U.S. Base Price	
	Per Post	Per Inch
FELPVS	\$313.18	+\$0.21

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Structural Horizontal



Standard Includes		Required to Specify
▶ Need help? Product details, page 24	<ul style="list-style-type: none"> • Post • Width: 38"–80" 	1 Style number 2 Width

Specification Information		
Style Number	U.S. Base Price	
	Per Horizontal	Per Inch
FELRHS	\$113.81	+\$0.58



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 24	<ul style="list-style-type: none"> Vertical transition, if selected: paint price group 1 Vertical stop, if selected: paint price group 1 	1 Style number 2 Paint color number for transition or stop 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

Options	U.S. Price	Required to Specify
Bottom Prep	Available on inner and cover vertical transitions	
<ul style="list-style-type: none"> No notch Both notch 	No cost +\$31	Specify <i>with no notch</i> . Specify <i>with both notch</i> .

Specification Information		
Length	Style Number	U.S. Base Price

Vertical Transition—Butt Glazed

122"	FELVTBGSC	\$482
:	:	:

Vertical Transition—Inner

122"	FELVTIBG	\$361
:	:	:

Vertical Transition—Cover


122"	FELVTCBG	\$225
:	:	:

Vertical Transition—Stop

122"	FELVTSBG	\$148
:	:	:

Vertical Transition—Safety Spring

N.A.	FELVTSSS	\$210
:	:	:



Tip: Safety springs come in a package of 25 springs.

Junction Covers and Trim

90° Junction Trim



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Junction trim: paint • Height: 82.24409"–120" 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for trim 3 Height ▶ See <i>Surface Materials</i>, page 134.
Specification Information		
• Style Number	• U.S. Base Price	
	Per Cover	Per Inch
FELI90T	\$75.24	+\$0.26

Outer Junction Cover



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Junction cover: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.24409"–120" 	<ul style="list-style-type: none"> 1 Style number 2 Paint or anodized aluminum color number for cover 3 Height ▶ See <i>Surface Materials</i>, page 134. 	
Options		U.S. Price	Required to Specify
Fixed Angles	<ul style="list-style-type: none"> • 90° • 180° 	No cost No cost	Specify with 90° angle. Specify with 180° angle.
Specification Information			
• Style Number	• U.S. Base Price		
	Per Cover	Per Inch	
FELIJCO	\$309.39	+\$0.26	



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Bypass Outer Junction Cover



Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|---|--|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 24 | <ul style="list-style-type: none"> • Junction cover: paint or 8043 Clear Anodized Aluminum • Height: 82.24409"–120" | <ul style="list-style-type: none"> 1 Style number 2 Paint or anodized aluminum color number for cover 3 Height ▶ See <i>Surface Materials</i>, page 134. |
|---|---|--|

Specification Information		
Style Number	U.S. Base Price	
	Per Cover	Per Inch

FELIJCOB	\$387.31	+\$0.29
:	:	:
:	:	:

Glass Selections Bypass



Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 35 | <ul style="list-style-type: none"> • Bypass: 8043 Clear Anodized Aluminum or paint price group 1 • Width: 6" | <ul style="list-style-type: none"> 1 Style number 2 Paint or anodized aluminum color number for bypass ▶ See <i>Surface Materials</i>, page 134. |
|---|--|---|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Frame Finish	<ul style="list-style-type: none"> • 8043 Clear Anodized Aluminum • Paint Price Group 1 • Paint Price Group 2 • Paint Price Group 3 	<ul style="list-style-type: none"> No cost No cost +\$21.00 +\$34.00 	<ul style="list-style-type: none"> Specify with clear anodized aluminum. Specify paint price group 1. Specify paint price group 2. Specify paint price group 3.
--------------	---	--	---


Specification Information		
Height	Style Number	U.S. Base Price

120"	GPGSLBP	\$800.00
:	:	:
:	:	:



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Lite Scale Glass to V.I.A. Junction Adapter



No Adapter



With Adapter


Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 30 	<ul style="list-style-type: none"> • No adapter – Junction adapter and fasteners: 8043 Clear Anodized Aluminum or paint price group 1 • With adapter – Junction adapter with spacer channel and fasteners: 8043 Clear Anodized Aluminum or paint price group 1 • Height: 122" 	<ol style="list-style-type: none"> 1 Style number 2 Adapter (see below under Required Selections) 3 Paint or anodized aluminum color number for junction adapter <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Required Selections	U.S. Price	Required to Specify
Adapter		
<ul style="list-style-type: none"> • No adapter • With adapter 	<ul style="list-style-type: none"> No cost +\$250 	<ul style="list-style-type: none"> Specify <i>with no adapter</i>. Specify <i>with adapter</i>.

Options	U.S. Price	Required to Specify
Surface Materials		
<ul style="list-style-type: none"> • 8043 Clear Anodized Aluminum • Paint price group 1 • Paint price group 2 • Paint price group 3 	<ul style="list-style-type: none"> No cost No cost +\$ 21 +\$ 34 	<ul style="list-style-type: none"> Specify <i>with clear anodized aluminum</i>. Specify <i>paint price group 1</i>. Specify <i>paint price group 2</i>. Specify <i>paint price group 3</i>.

Specification Information	
Style Number	U.S. Base Price
FELIFE	\$565
.....

Multi-Purpose Adapter



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 30 	<ul style="list-style-type: none"> • Vertical spacer channel and fasteners: black paint • Height: 120" 	<ul style="list-style-type: none"> Style number

Specification Information	
Style Number	U.S. Price
FELAMP	\$250
.....



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.



Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Cover: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.24409"–120" 	<ul style="list-style-type: none"> 1 Style number 2 Paint or anodized aluminum color number for cover 3 Height ▶ See <i>Surface Materials</i>, page 134.


Options	U.S. Price	Required to Specify
Cable Management		
Cut-out count		
• No holes	No cost	Specify <i>with no holes</i> .
• One hole	No cost	Specify <i>with one hole</i> .
• Two holes	No cost	Specify <i>with two holes</i> .
• Three holes	No cost	Specify <i>with three holes</i> .
Cut-out position, if cut-out(s) selected		
• No cut-outs	No cost	Specify <i>with no cut-outs</i> .
• Cut-out 1 location	No cost	Specify Y dimensions for cut-out 1.
• Cut-out 2 location	No cost	Specify Y dimensions for cut-out 2.
• Cut-out 3 location	No cost	Specify Y dimensions for cut-out 3.
Cut-out type (for each cut-out specified)		
• Clearance notch	No cost	Specify <i>with clearance notch cut-out type for each applicable location</i> .
• Hardwire—2x4 rectangular	+\$ 8.04	Specify <i>with hardwire—2x4 rectangular cut-out type for each applicable location</i> .
• Modular power	+\$17.48	Specify <i>with modular power cut-out type for each applicable location</i> .

Specification Information		
Style Number	U.S. Base Price	
	Per Cover	Per Inch
FELUPC	\$323.34	+\$0.26

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Ceiling Tracks

Straight Ceiling Track



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • Ceiling track: paint • Seal to match paint color, when applicable: <ul style="list-style-type: none"> – 7190 Platinum Solid paint will default 6249 Platinum Solid plastic – 7241 Arctic White paint will default 6009 Arctic White plastic – 7360 Merle paint will receive 6527 Merle plastic – All other paint selections require a plastic to be specified 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for ceiling track 3 Plastic color number for seal, if required ▶ See <i>Surface Materials</i>, page 134.

Specification Information		
Length	Style Number	U.S. Price
144"	FELCTS	\$131

Ceiling Track–End Channel



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 	<ul style="list-style-type: none"> • End channel: paint price group 1 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for end channel ▶ See <i>Surface Materials</i>, page 134.

Specification Information	
Style Number	U.S. Price
FELCTEC	\$73



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Glass channel, if selected: paint price group 1 • Glass stop, if selected: paint price group 1 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for channels or stops ▶ See <i>Surface Materials</i>, page 134.

Specification Information		
Length	Style Number	U.S. Price



Glass Stop–Vertical

122"	FELGSVT 4/24	\$107
------	--	-------




Glass Channel–Vertical

122"	FELGCVT	\$134
------	----------------	-------




Glass Channel–Ceiling Track, Single

122"	FELGCCTS	\$281
------	-----------------	-------



Glass Channel–Variable Angle

122"	FELGCV	\$216
------	---------------	-------



Glass Channel–Floor Track, Single

122"	FELGCFTS	\$207
------	-----------------	-------

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

4/24 = Last order entry
 April 14, 2024

Finished End Caps

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Finished end cap: paint price group 1 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for finished end cap ▶ See <i>Surface Materials</i>, page 134.

Specification Information


• Style Number	• U.S. Price

Finished End Cap–Small

FELFECGCS	\$134

Finished End Cap–Large

FELFECGCL	\$134





For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Seal 	Style number

Specification Information	
• Style Number	• U.S. Price

Seal–Ceiling Grid	
FELSCG	\$ 9

Seal–Light and Sound	
FELSL	\$16



 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Glazing Accessories

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 24 • Channel or strip 	Style number

Specification Information		
Length	Style Number	U.S. Price
122"	FELGCC	\$45

Glazing Channel–Ceiling




122"	FELGCC	\$45
------	---------------	------

Glazing Channel–Floor

122"	FELGCF	\$45
------	---------------	------

Glazing Strip–Vertical

122"	FELGSV	\$26
------	---------------	------



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.


Glazing Blocks



Standard Includes	Required to Specify
<ul style="list-style-type: none"> Block: 100 pieces 	Style number

Specification Information	
Style Number	U.S. Price
FELGB	\$100


Glazing Shim–Small



Standard Includes	Required to Specify
<ul style="list-style-type: none"> Shim: 100 pieces 	Style number

Specification Information	
Style Number	U.S. Price
FELGSS	\$89

Glazing Shim–Medium



Standard Includes	Required to Specify
<ul style="list-style-type: none"> Shim: 100 pieces 	Style number

Specification Information	
Style Number	U.S. Price
FELGSM	\$84

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Glass Lite Butt Glazed



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 26 	<ul style="list-style-type: none"> • 1/2" thick clear tempered glass: 6500 Clear Glass • Height: 6"-120" • Width: 6"-120" 	<ol style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Glass color number for lite 5 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • 6500 Clear Glass • 6540 Clear Laminated Glass 	No cost +\$3.44	Specify 6500 Clear Glass. Specify 6540 Clear Laminated Glass.
Height and Width <ul style="list-style-type: none"> • Height 6"-120" • Width 6"-120" 	No cost No cost	Specify height. Specify width.

Specification Information			
Style Number	U.S. Base Price	Per sq/ft	Per height inch
FELGLBG	\$100	+\$38.36	+\$0.79

Tip: Prices are calculated based on height and width specifications.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 38 • Tape 	<ul style="list-style-type: none"> Style number

Specification Information

Length	Style Number	U.S. Price



Glazing Tape—Clear

54'	FELGTC	\$113



Glazing Tape—Black

108'	FELGTB	\$528



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Single Reversible Swing Door Frame



Tip: When the black finish is specified, the strike plate will default to the satin chrome finish.

Tip: The roller latch plate is not available in 9201 Polished Chrome, therefore, 9200 Satin Chrome will be defaulted when the hardware finish selected is either 9201 Polished Chrome or 9200 Satin Chrome.

Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Tip: Electrification option is only available when cylindrical or mortise latch prep is selected. Electrification is not available when push/pull or ladder pull handles are selected.

	Standard Includes	Required to Specify
▶ Need help? Product details, page 40	<ul style="list-style-type: none"> Door frame: paint price group 1 or 8043 Clear Anodized Aluminum Height: 83.62992"–119.80315" Width: 28"–44.5" Hinges: metal Strike plate: 9200 Satin Chrome or 9201 Polished Chrome Top mount type: ceiling 	<ol style="list-style-type: none"> Style number Height Width Paint or anodized aluminum or paint color number for frame Satin stainless or polished chrome for hinges <p>▶ See <i>Surface Materials</i>, page 134.</p>

	Options	U.S. Price	Required to Specify
Handedness	<ul style="list-style-type: none"> Right hand Left hand 	No cost No cost	Specify with <i>right hand</i> . Specify with <i>left hand</i> .
Door Type	<ul style="list-style-type: none"> Solid Polished edge (<93.71700") Polished edge (>93.71700") 	No cost +\$165.99 +\$221.32	Specify with <i>solid</i> . Specify with <i>polished edge</i> . Specify with <i>polished edge</i> .
Latch Prep	<ul style="list-style-type: none"> Cylindrical Ladder aligned Ladder offset Mortise Push/pull handles 	No cost No cost No cost No cost No cost	Specify with <i>cylindrical</i> . Specify with <i>ladder aligned</i> . Specify with <i>ladder offset</i> . Specify with <i>mortise</i> . Specify with <i>push/pull handles</i> .
Roller Latch (only if push/pull or ladder pull handles)	<ul style="list-style-type: none"> No roller latch Top roller latch 	No cost No cost	Specify with <i>no roller latch</i> . Specify with <i>roller latch</i> .
Door Hardware (hinges)	<ul style="list-style-type: none"> 4710 Low Gloss Black 9200 Satin Chrome 9201 Polished Chrome (3 hinges) Polished chrome (4 hinges) 	No cost No cost +\$102.24 +\$136.32	Specify with <i>low gloss black</i> . Specify with <i>satin chrome</i> . Specify with <i>polished chrome</i> . Specify with <i>polished chrome</i> .
Strike Plate (if latch prep is mortise)	<ul style="list-style-type: none"> Type 1 Type 2 No strike plate 	No cost No cost –\$ 73.30	Specify with <i>type 1</i> . Specify with <i>type 2</i> . Specify with <i>no strike plate</i> .
Electrification	<ul style="list-style-type: none"> No electric hinge For use with electric hinge 	No cost –\$189.15	Specify with <i>no electrification</i> . Specify with <i>electrification</i> .

Specification Information				
Style Number	U.S. Base Price	Add per inch height of frame	Add per frame when frame is not equal to 40"	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELFSWSR	\$3334.01	+\$2.17	+\$80.83	+\$227.51 (for solid door) +\$440.24 (for polished edge door)



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Single Reversible Solid Swing Door Leaf

Single Reversible Solid
Swing Door Leaf



Tip: Painted solid door leaf cannot ship to customer locations in Canada. Specify a veneer door leaf versus painted or source the door locally for shipments to Canada only.

Tip: Electrification option is only available when cylindrical or mortise latch prep is selected. Electrification is not available when push/pull or ladder pull handles are selected.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: paint price group 1 or veneer • Height: 83.62992"—119.80315" • Width: 28"—44.5" • Top mount type: ceiling 	<ul style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Paint or veneer color number for door leaf ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Door Finish	<ul style="list-style-type: none"> • Paint price group 1 No cost • Paint price group 3 +\$ 157.41 • Flat-cut wood veneer +\$ 82.85 • Quarter-cut/Rift-cut wood veneer +\$ 239.02 • Veneer price group 02 +\$ 442.78 • Veneer price group 03 +\$1547.72 • Customiz stain +\$ 82.85 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify veneer color number. Specify veneer color number. Specify veneer color number. Specify veneer color number. Specify with <i>Customiz stain</i>.
Acoustic Seal	<ul style="list-style-type: none"> • No seal No cost • Drop seal +\$ 63.92 	<ul style="list-style-type: none"> Specify with <i>no seal</i>. Specify with <i>drop seal</i>.
Latch Prep	<ul style="list-style-type: none"> • Cylindrical No cost • Ladder aligned No cost • Ladder offset No cost • Mortise +\$ 27.27 • Push/pull handles No cost 	<ul style="list-style-type: none"> Specify with <i>cylindrical</i>. Specify with <i>ladder aligned</i>. Specify with <i>ladder offset</i>. Specify with <i>mortise</i>. Specify with <i>push/pull handles</i>.
Roller Latch (only if push/pull or ladder pull handles)	<ul style="list-style-type: none"> • No roller latch (surface mounted door closer) No cost • Top roller latch (no door closer) +\$ 27.27 	<ul style="list-style-type: none"> Specify with <i>no roller latch</i>. Specify with <i>roller latch</i>.
Door Closer (only if mortise or cylindrical)	<ul style="list-style-type: none"> • No door closer No cost • Surface mounted door closer No cost 	<ul style="list-style-type: none"> Specify with <i>no door closer</i>. Specify with <i>surface mounted door closer</i>.
Electrification	<ul style="list-style-type: none"> • No electric hinge No cost • For use with electric hinge +\$ 148.90 	<ul style="list-style-type: none"> Specify with <i>no electrification</i>. Specify with <i>electrification</i>.

Specification Information				
Style Number	U.S. Base Price	Add per inch height of door when height >83.62992"	Add per frame when frame is not equal to 40"	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELLSWSSR	\$2187.81	+\$18.80	+\$79.66	+\$44.00

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Single Reversible Polished Edge Swing Door Leaf



Tip: Glass orientation applies only when 6542 Satin is specified.

Tip: The roller latch housing is not available in 9201 Polished Chrome, therefore, 9200 Satin Chrome will be defaulted when the hardware finish selected is either 9201 Polished Chrome or 9200 Satin Chrome.

Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: polished edge glass • Height: 83.62992"–119.80315" • Width: 28"–44.5" • Top mount type: ceiling 	<ul style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Glass number for door leaf ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Glass Orientation <ul style="list-style-type: none"> • Polished to inside • Polished to outside 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>polished to inside</i>. Specify with <i>polished to outside</i>.
Handedness <ul style="list-style-type: none"> • Right hand • Left hand 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>right hand</i>. Specify with <i>left hand</i>.
Latch Prep <ul style="list-style-type: none"> • Cylindrical • Ladder aligned • Ladder offset • Mortise • Push/pull handles 	<ul style="list-style-type: none"> No cost No cost No cost +\$649.89 –\$178.17 	<ul style="list-style-type: none"> Specify with <i>cylindrical</i>. Specify with <i>ladder aligned</i>. Specify with <i>ladder offset</i>. Specify with <i>mortise</i>. Specify with <i>push/pull handles</i>.
Frame Prep (only if push/pull or ladder pull handles) <ul style="list-style-type: none"> • No roller latch (surface mounted door closer) • Top roller latch (no door closer) 	<ul style="list-style-type: none"> No cost +\$614.82 	<ul style="list-style-type: none"> Specify with <i>no roller latch</i>. Specify with <i>roller latch</i>.
Door Closer (only if mortise or cylindrical) <ul style="list-style-type: none"> • No door closer • Surface mounted door closer 	<ul style="list-style-type: none"> No cost +\$161.51 	<ul style="list-style-type: none"> Specify with <i>no door closer</i>. Specify with <i>surface mounted door closer</i>.
Door Hardware (only if mortise, cylindrical or roller latch) <ul style="list-style-type: none"> • 4710 Low Gloss Black • 9200 Satin Chrome • 9201 Polished Chrome 	<ul style="list-style-type: none"> No cost No cost +\$ 52.17 	<ul style="list-style-type: none"> Specify with <i>low gloss black</i>. Specify with <i>satin chrome</i>. Specify with <i>polished chrome</i>.


Specification Information			
Style Number	U.S. Base Price	Add per sq/ft of door	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELLSWPSR	\$1258.05	+\$73.33	+\$161.51



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Pair of Reversible Swing Door Frames

Pair of Reversible Solid Swing Door Leaves



	Standard Includes	Required to Specify
▶ Need help? Product details, page 42	<ul style="list-style-type: none"> Door frame: paint price group 1 or 8043 Clear Anodized Aluminum Height: 83.62992"—119.80315" Width: 48"—80" Hinges: metal Strike plate: 9200 Satin Chrome or 9201 Polished Chrome Astragal (when solid door is specified and one hand is inactive) Top mount type: ceiling 	<ol style="list-style-type: none"> Style number Height Width Active door width Paint or anodized aluminum or paint color number for frame Satin stainless or polished chrome for hinges Paint or anodized aluminum or paint color number for astragal <p>▶ See <i>Surface Materials</i>, page 134.</p>

	Options	U.S. Price	Required to Specify
Acoustic Seal	<ul style="list-style-type: none"> No seal Drop seal Vertical seal Drop seal and vertical seal 	<p>No cost</p> <p>No cost</p> <p>+\$ 1.19 per inch</p> <p>No cost</p>	<p>Specify with <i>no seal</i>.</p> <p>Specify with <i>drop seal</i>.</p> <p>Specify with <i>vertical seal</i>.</p> <p>Specify with <i>drop and vertical seal</i>.</p>
Handedness	<ul style="list-style-type: none"> Right-hand active Left-hand active Both hands active 	<p>+\$453.11</p> <p>+\$453.11</p> <p>No cost</p>	<p>Specify with <i>right-hand</i>.</p> <p>Specify with <i>left-hand</i>.</p> <p>Specify with <i>both hands active</i>.</p>
Door Type	<ul style="list-style-type: none"> Solid Polished edge 	<p>No cost</p> <p>+\$331.98</p>	<p>Specify with <i>solid</i>.</p> <p>Specify with <i>polished edge</i>.</p>
Roller Latch	<ul style="list-style-type: none"> No roller latch Roller latch 	<p>No cost</p> <p>No cost</p>	<p>Specify with <i>no roller latch</i>.</p> <p>Specify with <i>roller latch</i>.</p>
Door Hardware	<ul style="list-style-type: none"> 4710 Low Gloss Black 9200 Satin Chrome 9201 Polished Chrome 	<p>No cost</p> <p>No cost</p> <p>+\$204.48</p>	<p>Specify with <i>low gloss black</i>.</p> <p>Specify with <i>satin chrome</i>.</p> <p>Specify with <i>polished chrome</i>.</p>
Electrification	<ul style="list-style-type: none"> No electric hinge For use with electric hinge 	<p>No cost</p> <p>-\$189.15</p>	<p>Specify with <i>no electrification</i>.</p> <p>Specify with <i>electrification</i>.</p>

Tip: Polished edge door type must have both hands active.

Tip: When the black finish is specified, the strike plate will default to the satin chrome finish.

Tip: The roller latch plate is not available in 9201 Polished Chrome, therefore, 9200 Satin Chrome will be defaulted when the hardware finish selected is either 9201 Polished Chrome or 9200 Satin Chrome.


Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Specification Information				
Style Number	U.S. Base Price	Add per inch height of frame	Add per frame when frame is not equal to 80"	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELFSWPR	\$4399.46	+\$2.17	+\$80.83	+\$455.02 (for solid door) +\$880.48 (for polished edge door)



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Pair of Reversible Solid Swing Door Leaves



Tip: Painted solid door leaf cannot ship to customer locations in Canada. Specify a veneer door leaf versus painted or source the door locally for shipments to Canada only.

Tip: Acoustic seal is available only when both hands active.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: paint price group 1 or veneer • Height: 83.62992"–119.80315" • Width: 48"–80" • Top mount type: ceiling 	<ol style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Active door width 5 Paint or veneer color number for door leaves <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Door Finish <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 3 • Flat-cut wood veneer • Quarter-cut/Rift-cut wood veneer • Veneer price group 02 • Veneer price group 03 • Customiz stain 	<ul style="list-style-type: none"> No cost +\$ 314.82 +\$ 165.70 +\$ 478.04 +\$ 885.56 +\$3095.44 +\$ 165.70 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify veneer color number. Specify veneer color number. Specify veneer color number. Specify veneer color number. Specify with <i>Customiz stain</i>.
Acoustic Seal <ul style="list-style-type: none"> • No seal • Vertical seal • Drop seal • Drop seal and vertical seal 	<ul style="list-style-type: none"> No cost +\$ 27.27 +\$ 127.84 +\$ 155.11 	<ul style="list-style-type: none"> Specify with <i>no seal</i>. Specify with <i>vertical seal</i>. Specify with <i>drop seal</i>. Specify with <i>drop and vertical seal</i>.
Handedness <ul style="list-style-type: none"> • Right-hand active • Left-hand active • Both hands active 	<ul style="list-style-type: none"> No cost No cost No cost 	<ul style="list-style-type: none"> Specify with <i>right-hand</i>. Specify with <i>left-hand</i>. Specify with <i>both hands active</i>.
Latch Prep <ul style="list-style-type: none"> • Cylindrical • Ladder, aligned • Ladder, offset • No latch prep • Push/pull handles • Mortise 	<ul style="list-style-type: none"> No cost No cost No cost No cost No cost +\$ 27.27 	<ul style="list-style-type: none"> Specify with <i>cylindrical</i>. Specify with <i>ladder, aligned</i>. Specify with <i>ladder, offset</i>. Specify with <i>no latch prep</i>. Specify with <i>push/pull handles</i>. Specify with <i>mortise</i>.
Roller Latch (only if ladder, push/pull or no latch prep) <ul style="list-style-type: none"> • No roller latch • Roller latch 	<ul style="list-style-type: none"> No cost +\$ 27.27 	<ul style="list-style-type: none"> Specify with <i>no roller latch</i>. Specify with <i>roller latch</i>.
Door Closer <ul style="list-style-type: none"> • No door closer • Surface mounted door closer 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>no door closer</i>. Specify with <i>surface mounted door closer</i>.
Electrification <ul style="list-style-type: none"> • No electric hinge • For use with electric lock • For use with electric strike 	<ul style="list-style-type: none"> No cost +\$ 148.90 +\$ 148.90 	<ul style="list-style-type: none"> Specify with <i>no electrification</i>. Specify with <i>electrification lock</i>. Specify with <i>electrification strike</i>.

Specification Information				
Style Number	U.S. Base Price	Add per inch height of door when height >83.62992"	Add per frame when frame is not equal to 80"	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELLSWSPR	\$4374.62	+\$79.66	+\$37.60	+\$88.00




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Pair of Reversible Polished Edge Swing Door Leaves

Pair of Reversible Polished
Edge Swing Door Leaves

Doors



Tip: Glass orientation applies only when 6542 Satin is specified.

Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: polished edge glass • Height: 83.62992"–119.80315" • Width: 48"–80" • Top mount type: ceiling • Handedness: both hands active 	<ol style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Active door width 5 Glass number for door leaf <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

	Options	U.S. Price	Required to Specify
Glass Orientation	• Polished to inside	No cost	Specify with <i>polished to inside</i> .
	• Polished to outside	No cost	Specify with <i>polished to outside</i> .
Latch Prep	• Ladder, aligned	No cost	Specify with <i>ladder, aligned</i> .
	• Ladder, offset	No cost	Specify with <i>ladder, offset</i> .
	• Push/pull handles	No cost	Specify with <i>push/pull handles</i> .
Roller Latch	• No roller latch	No cost	Specify with <i>no roller latch</i> .
	• Roller latch	+\$1229.64	Specify with <i>roller latch</i> .
Door Closer	• No door closer	No cost	Specify with <i>no door closer</i> .
	• Surface mounted door closer	+\$ 323.02	Specify with <i>surface mounted door closer</i> .
Door Hardware (only if roller latch)	• 4710 Low Gloss Black	+\$ 403.17	Specify with <i>low gloss black</i> .
	• 9200 Satin Chrome	No cost	Specify with <i>satin chrome</i> .

Specification Information			
Style Number	U.S. Base Price		
		Add per sq/ft of door	Add per frame for 4th hinge when ceiling height and height > 93.71700"
FELLSWPPR	\$1875.92	+\$73.33	+\$323.02

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Single Surface Mounted Slider Door Frame



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door frame: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.04724"–119.80315" • Width: 38"–48" • Door type: polished edge • Tubular door pull: metal • Top mount type: ceiling 	<ol style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Paint or anodized aluminum color number for frame <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Handedness <ul style="list-style-type: none"> • Right hand • Left hand 	No cost No cost	Specify with <i>right hand</i> . Specify with <i>left hand</i> .
Lock <ul style="list-style-type: none"> • No lever lock • Lever lock 	No cost +\$2150.63	Specify with <i>no lock</i> . Specify with <i>lever lock</i> .
Pull <ul style="list-style-type: none"> • Push/pull • Separate pull 	No cost –\$ 227.92	Specify with <i>push/pull</i> . Specify with <i>separate pull</i> .
Hardware (Lockset and Pull Finish) <ul style="list-style-type: none"> • 4710 Low Gloss Black • 8031 Brushed Stainless 	No cost No cost	Specify with <i>low gloss black</i> . Specify with <i>brushed stainless</i> .
Keying <ul style="list-style-type: none"> • No cylinder • Core, keyed random 	–\$ 63.37 No cost	Specify with <i>no cylinder</i> . Specify with <i>core</i> .
Lever <ul style="list-style-type: none"> • No lever • Lever one 	–\$ 306.49 No cost	Specify with <i>no lever</i> . Specify with <i>lever one</i> .
Cylinder Orientation <ul style="list-style-type: none"> • Key inside • Key outside 	No cost No cost	Specify with <i>key inside</i> . Specify with <i>key outside</i> .

Specification Information			
Style Number	U.S. Base Price	Add per inch height of frame	Add per inch width of frame
FELFSLSM	\$1365.66	+\$3.33	+\$3.33

Tip: Pull option only available with no lever lock.

Tip: Lock cores are only available in 9200 Satin Chrome.

Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Tip: Keying and cylinder orientation only available with lever lock option.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Single Surface Mounted Polished Edge Slider Door Leaf

Single Surface
Mounted Polished
Edge Slider Door Leaf



Tip: Glass orientation applies only when 6542 Satin is specified.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: 1/2" thick polished edge glass • Bottom trim: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.04724"–119.80315" • Width: 38"–48" • Top mount type: ceiling 	<ol style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Glass color number for door leaf 5 Paint or anodized aluminum color number for bottom trim <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Base Price	Required to Specify
Glass Surface Orientation <ul style="list-style-type: none"> • Polished to inside • Polished to outside 	No cost No cost	Specify <i>with polished to inside.</i> Specify <i>with polished to outside.</i>
Handedness <ul style="list-style-type: none"> • Right hand • Left hand 	No cost No cost	Specify <i>with right hand.</i> Specify <i>with left hand.</i>
Latch Prep <ul style="list-style-type: none"> • Ladder aligned • Ladder offset • Lever lock • Push/pull 	No cost No cost +\$311.92 No cost	Specify <i>with ladder aligned.</i> Specify <i>with ladder offset.</i> Specify <i>with lever lock.</i> Specify <i>with push/pull.</i>
Acoustic Seal <ul style="list-style-type: none"> • No seal • Drop seal 	No cost +\$221.86	Specify <i>with no seal.</i> Specify <i>with drop seal.</i>

Specification Information		
Style Number	U.S. Base Price	
		Add per sq/ft of door
FELLSLPSM	\$864.78	+\$67.34

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Basic Single Surface Mounted Slider Door Track



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door track: paint price group 1 or 8043 Clear Anodized Aluminum • Width: 6"–144" • Door type: polished edge (only when hardware selected) • Track orientation: flush 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Paint or anodized aluminum color number for door track <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Tip: Handedness, bracket hole count, and bracket hole location only required if hardware is selected.

Options	U.S. Price	Required to Specify
Hardware <ul style="list-style-type: none"> • No hardware • Hardware 	–\$1423.80 No cost	Specify <i>with no hardware</i> . Specify <i>with hardware</i> .
Handedness <ul style="list-style-type: none"> • Right hand • Left hand 	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
End Configuration, Left <ul style="list-style-type: none"> • Actual • L junction • Support junction • At junction • At bypass • Support bypass • Miniend • Fixed wall 	No cost No cost No cost No cost No cost No cost No cost No cost	Specify actual. Specify at L junction. Specify at support junction. Specify at junction. Specify at bypass. Specify at support bypass. Specify at miniend. Specify at fixed wall.
End Configuration, Right <ul style="list-style-type: none"> • Actual • L junction • Support junction • At junction • At bypass • Support bypass • Miniend • Fixed wall 	No cost No cost No cost No cost No cost No cost No cost No cost	Specify actual. Specify at L junction. Specify at support junction. Specify at junction. Specify at bypass. Specify at support bypass. Specify at miniend. Specify at fixed wall.
Utility Panel <ul style="list-style-type: none"> • No utility panel • Utility panel 	No cost No cost	Specify <i>with no utility panel</i> . Specify <i>with utility panel</i> .
End Notch <ul style="list-style-type: none"> • No notch • Left notch • Right notch • Both notch 	No cost No cost No cost No cost	Specify no notch. Specify left notch. Specify right notch. Specify both notch.
Bracket Hole Count <ul style="list-style-type: none"> • One hole • Two holes 	No cost No cost	Specify <i>with one hole</i> . Specify <i>with two holes</i> .
Bracket Hole Location <ul style="list-style-type: none"> • Hole one location • Hole two location, if selected 	No cost No cost	Specify X dimension for hole one. Specify X dimension for hole two, if selected.


Specification Information		
Style Number	U.S. Base Price	Add per sq/ft width of track
FELTSLSMB	\$1606.56	+\$3.33



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Reinforced Single Surface Mounted Slider Door Track

Reinforced Single Surface Mounted Slider Door Track



Doors


Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door track: paint price group 1 or 8043 Clear Anodized Aluminum • Width: 98.00001"–168" • Door type: polished edge • End configuration, left and right: actual • Track orientation: flush 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Paint or anodized aluminum color number for door track <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Handedness <ul style="list-style-type: none"> • Right hand • Left hand 	No cost No cost	Specify <i>with right hand</i> . Specify <i>with left hand</i> .
Utility Panel <ul style="list-style-type: none"> • No utility panel • Utility panel 	No cost No cost	Specify <i>with no utility panel</i> . Specify <i>with utility panel</i> .
End Notch <ul style="list-style-type: none"> • No notch • Left notch • Right notch • Both notch 	No cost No cost No cost No cost	Specify no notch. Specify left notch. Specify right notch. Specify both notch.
Bracket Hole Location <ul style="list-style-type: none"> • Hole one location 	No cost	Specify X dimension for hole one.

Specification Information		
Style Number . . .	U.S. Base Price . Add per sq/ft . width of track . .	
FELTSLSMR	\$3347.61	+\$8.93
.	.	.

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Frame for Pair of Surface Mounted Slider Doors



Standard Includes	Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 • Door frame: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.04724"–119.80315" • Width: 60"–80" • Door type: polished edge • Top mount type: ceiling 	<ul style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Paint or anodized aluminum color number for frame ▶ See <i>Surface Materials</i>, page 134.


Specification Information			
• Style Number	• U.S. Base Price	: Add per inch width of track	: Add per inch width of frame
FELFSLPM	\$2117.33	+\$3.33	+\$3.33



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Pair of Surface Mounted Polished Edge Slider Door Leaves

Pair of Surface Mounted Polished Edge Slider Door Leaves



Tip: Glass orientation applies only when 6542 Satin is specified.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door leaf: 1/2" thick polished edge glass • Bottom trim: paint price group 1 or 8043 Clear Anodized Aluminum • Height: 82.04724"-119.80315" • Width: 60"-80" • Top mount type: ceiling 	<ul style="list-style-type: none"> 1 Style number 2 Height 3 Width 4 Glass color number for door leaf 5 Paint or anodized aluminum color number for bottom trim ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Glass Surface Orientation <ul style="list-style-type: none"> • Polished to inside • Polished to outside 	No cost No cost	Specify with <i>polished to inside</i> . Specify with <i>polished to outside</i> .
Latch Prep <ul style="list-style-type: none"> • Ladder aligned • Ladder offset • Push/pull 	No cost No cost No cost	Specify with <i>ladder aligned</i> . Specify with <i>ladder offset</i> . Specify with <i>push/pull</i> .

Specification Information		
Style Number	U.S. Base Price	Add per sq/ft width of door
FELLSLPPM	\$1729.56	+\$67.34

Doors

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Reinforced Track for Pair of Surface Mounted Slider Doors




Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door track: paint price group 1 or 8043 Clear Anodized Aluminum • Width: 106.874" to 288" • Door type: polished edge • Track orientation: flush • End configuration, left and right: actual 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Paint or anodized aluminum color number for door track 4 End notch (see below under Options) 5 Bracket hole one location (see below under Options) 6 Bracket hole two location (see below under Options) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
End Notch <ul style="list-style-type: none"> • No notch • Left notch • Right notch • Both notch 	No cost No cost No cost No cost	Specify no notch. Specify left notch. Specify right notch. Specify both notch.
Bracket Hole Location <ul style="list-style-type: none"> • Hole one location • Hole two location 	No cost No cost	Specify X dimension for hole one. Specify X dimension for hole two.

Specification Information		
Style Number	U.S. Base Price	Add per sq/ft width of door
FELTSLPMR	\$6695.22	+\$8.93

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.




Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Bracket: paint price group 1 • Height: 82.04724"–119.80315" • Top mount type: ceiling 	<ul style="list-style-type: none"> 1 Style number 2 Paint color number for bracket 3 Height ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Bracket Type <ul style="list-style-type: none"> • L at left • L at right • T at center 	<ul style="list-style-type: none"> No cost No cost No cost 	<ul style="list-style-type: none"> Specify with <i>L at left</i>. Specify with <i>L at right</i>. Specify with <i>T at center</i>.

Specification Information	
Style Number	U.S. Price
FELTSLB	\$193

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Door Leaves



	Standard Includes	Required to Specify
▶ Need help? Product details, page 42	<ul style="list-style-type: none"> Slider door: glass with polished edges Door base: paint Ceiling height: 84"–120", in 1/16" increments Width: 38"–48", in one-inch increments Glass thickness: 3/8" 	<ol style="list-style-type: none"> Style number Ceiling height (see below under Required Selections) Door width (see below under Required Selections) Paint color number for door base Glass finish number for slider door Glass thickness Base height Handedness Glass surface orientation Lock option Door guide with no drop seal finish, if selected: <ul style="list-style-type: none"> 4710 Low Gloss Black 9200 Satin Chrome Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Tip: Height is specified in 1/16" increments and width is specified in 1" increments. Height upcharge is calculated per inch over 96". Width upcharge is calculated per inch over 40".

	Required Selections	U.S. Price	Required to Specify
Height	<ul style="list-style-type: none"> 84"–96" 97"–120" 	No cost +\$ 15 per inch	Specify ceiling height in 1/16" increments. Specify ceiling height in 1/16" increments.
Width	<ul style="list-style-type: none"> 38"–40" 41"–48" 	No cost +\$ 40 per inch	Specify width in 1" increments. Specify width in 1" increments.

	Options	U.S. Price	Required to Specify
Surface Materials	5" base <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 	No cost +\$ 9 +\$ 23	Specify paint color number. Specify paint color number. Specify paint color number.

Tip: Glass Selections Lite Scale glazing slider door frame and door leaves are ordered separately.


Tip: When specified without drop seal (no seal), the door guide can be specified in either satin chrome or black. When specified with drop seal, the door guide will automatically be finished to match the drop seal and base selection.

	Options	U.S. Price	Required to Specify
	Full-height slider door leaves <ul style="list-style-type: none"> Glass price group 1 Glass price group 3 	No cost +\$1734	Specify glass number for leaves. Specify glass number for leaves.
Door guide with No Drop Seal	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 	No cost +\$ 36	Specify <i>with satin chrome</i> . Specify <i>with low gloss black</i> .
Glass Thickness	<ul style="list-style-type: none"> 3/8" — thick glass 1/2" — thick glass 	No cost +\$ 320	Specify <i>with 3/8" glass thickness</i> . Specify <i>with 1/2" glass thickness</i> .
Base Height	<ul style="list-style-type: none"> No base 2 1/2" 5" 	–\$ 232 –\$ 232 No cost	Specify <i>with no base</i> . Specify <i>with 2 1/2" base height</i> . Specify <i>with 5" base height</i> .
Drop Seal	<ul style="list-style-type: none"> No seal Drop seal 	No cost +\$ 392	Specify <i>with no seal</i> . Specify <i>with drop seal</i> .
Door Undercut	<ul style="list-style-type: none"> Not minimized Minimized 	No cost No cost	Specify <i>with not minimized</i> . Specify <i>with minimized</i> .
Handedness	<ul style="list-style-type: none"> Left handed Right handed 	No cost No cost	Specify <i>with left handedness</i> . Specify <i>with right handedness</i> .
Glass Orientation	<ul style="list-style-type: none"> Polished on track Polished away from track 	No cost No cost	Specify <i>with polished on track</i> . Specify <i>with polished away from track</i> .
Lock	<ul style="list-style-type: none"> No lock Door lock 	No cost +\$ 57	Specify <i>with no lock</i> . Specify <i>with lock</i> .
Non-standard Width	<ul style="list-style-type: none"> Standard widths Non-standard widths 	No cost +\$ 76	Specify width. Specify width.

Tip: Standard widths are 40", 42", or 48". Non-standard widths are available in one-inch increments.

Related Products	<ul style="list-style-type: none"> Full-height polished edge slider track Full-height polished edge slider frame Full-height polished edge slider hanger 	<ul style="list-style-type: none"> ▶ Page 96 ▶ Page 94 ▶ Page 97
-------------------------	---	---


Tip: Bases prices are calculated based on height and width specification. See height and width upcharges above. All prices can be validated using SmartTools.



Specification Information			
Style Number	Dimensions		U.S. Base Price
	H	W	
GP GSDFHSS	96"	40"	\$2020

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Frame



Tip: Glass Selections Lite Scale slider door frame and door leaves are ordered separately.

Tip: Finishes for door hardware can vary slightly from one component to another depending on base metal materiality and finishing processes. When hardware is specified for common assemblies, all hardware components may not match exactly, but are designed to be compatible within a common door opening.

Tip: Standard widths are 40", 42", or 48". Non-standard widths are available in one-inch increments.


Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Ceiling height: 84"–120", in one-inch increments • Width: 38"–48", in one-inch increments • Frame: paint or anodized aluminum • Hardware (door pull, slider cylinder, and thumbturn): metal 	<ol style="list-style-type: none"> 1 Style number 2 Ceiling height 3 Door width 4 Paint color number for frame 5 Paint color number for base 6 Base height 7 Handedness 8 Lock option 9 Paint color lock housing finish 10 Hardware (door pull, slider cylinder, and thumbturn), if selected: <ul style="list-style-type: none"> 4710 Low Gloss Black 9200 Satin Chrome 11 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

	Options	U.S. Price	Required to Specify	
Surface Materials	Frame			
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum 	No cost +\$ 41 +\$ 72 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify with anodized aluminum.	
	2½" base and 5" base			
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum 	No cost +\$ 9 +\$ 23 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify with anodized aluminum.	
Hardware (Pull, Slider, Cylinder, and Thumbturn)	<ul style="list-style-type: none"> • 8031 Brushed Stainless • 4710 Low Gloss Black – No lock – Lock 	No cost +\$ 32 +\$ 407	Specify with brushed stainless. Specify with low gloss black. Specify with low gloss black.	
	Base Height	<ul style="list-style-type: none"> • No base • 2½" • 5" 	–\$ 187 No cost No cost	Specify with no base. Specify 2½" base height. Specify 5" base height.
	Handedness	<ul style="list-style-type: none"> • Left handed • Right handed 	No cost No cost	Specify with left handedness. Specify with right handedness.
Glass Orientation	<ul style="list-style-type: none"> • Polished on track • Polished away from track 	No cost No cost	Specify with polished on track. Specify with polished away from track.	
	Lock	<ul style="list-style-type: none"> • No lock • Door lock 	No cost +\$1724	Specify with no lock. Specify with door lock.
	Lock housing			
	<ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost +\$ 9 +\$ 23	Specify paint color number. Specify paint color number. Specify paint color number.	
	Ceiling Height	<ul style="list-style-type: none"> • 84"–108" • 109"–120" 	No cost +\$ 72	Specify ceiling height in 1" increments. Specify ceiling height in 1" increments.
Non-standard Width	<ul style="list-style-type: none"> • Standard widths • Non-standard widths 	No cost +\$ 108	Specify width. Specify width.	
Related Products	<ul style="list-style-type: none"> • Full-height polished edge slider door leaves • Full-height polished edge slider track • Full-height polished edge slider hanger 		<ul style="list-style-type: none"> ▶ Page 96 ▶ Page 94 ▶ Page 97 	

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Specification Information

Style Number	Dimensions		U.S. Base Price
	H	W	
GPGSDFHSS	96"	40"	\$1348




Tip: Bases prices are calculated based on height and width specification. See height and width upcharges above. All prices can be validated using SmartTools.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Track



Tip: Glass Selections Lite Scale slider door frame and door leaves are ordered separately.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Slider track: paint or anodized aluminum • Track width: 71"–144" in one-inch increments • Door width: 38"–45" in one-inch increments • Slider hardware • Trolley covers: metal • Close assist, leading and trailing edge 	<ol style="list-style-type: none"> 1 Style number 2 Track width 3 Door width 4 Paint color number for track 5 Cover (Trolley covers) finish: <ul style="list-style-type: none"> 4710 Low Gloss Black 8043 Clear Anodized Aluminum 6 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Trim <ul style="list-style-type: none"> • Paint price group 1 • Paint price group 2 • Paint price group 3 • Anodized aluminum 	<ul style="list-style-type: none"> No cost +\$ 41 +\$ 72 No cost 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number. Specify with anodized aluminum.
Cover (Trolley Covers) <ul style="list-style-type: none"> • 8043 Anodized Aluminum • 4710 Low Gloss Black 	<ul style="list-style-type: none"> No cost +\$ 68 	<ul style="list-style-type: none"> Specify with <i>clear Anodized Aluminum</i>. Specify with <i>low gloss black</i>.
Track Width <ul style="list-style-type: none"> • 71"–96" • 97"–144" 	<ul style="list-style-type: none"> No cost +\$137 	<ul style="list-style-type: none"> Specify track width. Specify track width.
Related Products <ul style="list-style-type: none"> • Full-height polished edge slider door leaves • Full-height polished edge slider frame • Full-height polished edge slider hanger 		<ul style="list-style-type: none"> ▶ Page 92 ▶ Page 94 ▶ Page 97

Specification Information		
Style Number	Width	U.S. Base Price
GPGSDTSS	75"	\$2977

Tip: Bases prices are calculated based on width specification. See width upcharges above. All prices can be validated using SmartTools.




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Glass Selections Full-Height Polished Edge Slider Hanger

Glass Selections Full-Height Polished Edge Slider Hanger

Doors



Tip: This hanger is used only with product that was shipped prior to June 2019.

Tip: Hangers are shipped in 24" lengths and cut to length by the installer. One hanger will accommodate ten doors.


Standard Includes		Required to Specify
▶ Need help? Product details, page 42	• 24" hanger for slider track: paint	1 Style number 2 Paint color number for hanger 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

Options	U.S. Price	Required to Specify
Surface Materials	Trim	
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$23	Specify paint color number.
• Paint price group 3	+\$33	Specify paint color number.
• Anodized aluminum	No cost	Specify <i>with anodized aluminum</i> .
Related	• Full-height polished edge slider door leaves • Full-height polished edge slider track • Full-height polished edge slider frame	▶ Page 92 ▶ Page 96 ▶ Page 94

Specification Information	
Style Number	U.S. Base Price
GPGSDTH	\$51
.	.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Butt-Hinged Door Frame



Tip: 42" wide door frame has maximum height 108 1/4".

Tip: When specifying Lite Scale butt hinges, doors that are less than 7'4" in ceiling height require only three hinges.

Tip: As an alternative to a frame with switch cutout, you can position a low-voltage switch in an in-line feature strip adjacent to the door frame.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> Ceiling height from 7'0"H to 10'1/4"H, in 1/8" increments <i>Exception: maximum height of 42" wide door is 9'1/4" ceiling height.</i> Factory prep for hinges <i>Tip: Door hardware is ordered separately.</i> 	<ol style="list-style-type: none"> Style number Ceiling height (see below under Required Selections) Width (see below under Required Selections) Paint color number for door frame Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

	Required Selections	U.S. Price	Required to Specify
Ceiling Height	• 7'0"–10'1/4"	No cost	Specify ceiling height in 1/4" increments.
Width	• 40" • 42"	No cost No cost	Specify 40"W. Specify 42"W.

	Options	U.S. Price	Required to Specify
Surface Materials	Door frame <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 Anodized aluminum 	No cost +\$39 +\$65 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify <i>with anodized aluminum</i> .
Swing Orientation	<ul style="list-style-type: none"> Left hand door leaf Right hand door leaf 	No cost No cost	Specify <i>with left hand door leaf</i> . Specify <i>with right hand door leaf</i> .
Latch prep	<ul style="list-style-type: none"> Cylindrical Mortise Push/pull Ladder aligned Ladder offset Custom pull 	No cost No cost No cost No cost No cost No cost	Specify <i>with cylindrical</i> . Specify <i>with mortise</i> . Specify <i>with push/pull</i> . Specify <i>with ladder aligned</i> . Specify <i>with ladder offset</i> . Specify <i>with custom pull</i> .
Roller Latch	<ul style="list-style-type: none"> No roller latch Top roller latch 	No cost No cost	Specify <i>with no roller latch</i> . Specify <i>with top roller latch</i>
Hinge Type	<ul style="list-style-type: none"> Butt hinge Slim line hinge Solid butt hinge 	No cost No cost No cost	Specify <i>with butt hinge</i> . Specify <i>with slim line hinge</i> . Specify <i>with solid butt hinge</i> .
Switch Cutout	<ul style="list-style-type: none"> No switch cutout Low voltage cutout 	No cost +\$41	Specify <i>with no switch cutout</i> . Specify <i>with low voltage switch cutout</i> .

Specification Information		
Width	Style Number	U.S. Base Price
40" or 42"	GPLDSBF	\$1903

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Butt-Hinged Door Leaf

Glass Selections
Full-Height Butt-Hinged
Door Leaf



Tip: 42" wide door frame has maximum height 108 1/4".

Tip: When specifying Lite Scale butt hinges, doors that are less than 7'4" in ceiling height require only three hinges.

Tip: Drop seal must be ordered separately.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> Ceiling height from 7'0"H to 10'1/4"H, in 1/8" increments <i>Exception: maximum height of 42" wide door is 9'1/4" ceiling height.</i> Polished edge butt-hinged door with 1/2" tempered glass Housing for latch set or roller latch as specified Factory prep for hinges <i>Tip: Door hardware is ordered separately.</i> 	<ol style="list-style-type: none"> Style number Ceiling height (see below under Required Selections) Width (see below under Required Selections) Hardware finish for housings Glass color number for door Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Required Selections	U.S. Price	Required to Specify
Ceiling Height	• 7'0"–10'1/4"	+ \$ 48 for every 4" increment over 84"

Width	• 40" • 42"	No cost + \$ 61	Specify 40". Specify 42".
--------------	----------------	--------------------	------------------------------

Options	U.S. Price	Required to Specify	
Surface Materials	Glass door surface		
	• Glass group 1 • Glass group 3	No cost + \$ 32.90 per SF (round up to nearest SF)	Specify paint color number. Specify paint color number.

	Hardware		
	• Satin chrome • Polished chrome • Black	No cost + \$ 49 + \$ 62	Specify with <i>satin chrome</i> . Specify with <i>polished chrome</i> . Specify with <i>black</i> .

Glass Surface Orientation	• Polished to inside • Polished to outside	No cost No cost	Specify with <i>polished to inside</i> . Specify with <i>polished to outside</i> .
----------------------------------	---	--------------------	---

Swing Orientation	• Left hand door leaf • Right hand door leaf	No cost No cost	Specify with <i>left hand door leaf</i> . Specify with <i>right hand door leaf</i> .
--------------------------	---	--------------------	---

Latch prep	• Cylindrical • Mortise • Push/pull • Ladder aligned • Ladder offset	No cost +\$544 -\$534 -\$534 -\$534	Specify with <i>cylindrical</i> . Specify with <i>mortise</i> . Specify with <i>push/pull</i> . Specify with <i>ladder aligned</i> . Specify with <i>ladder offset</i> .
-------------------	--	---	--

Roller Latch	• No roller latch • Top roller latch	No cost +\$535	Specify with <i>no roller latch</i> . Specify with <i>top roller latch</i>
---------------------	---	-------------------	---

Hinge Type	• Butt hinge • Slim line hinge	No cost No cost	Specify with <i>butt hinge</i> . Specify with <i>slim line hinge</i> .
-------------------	-----------------------------------	--------------------	---

Specification Information		
Width	Style Number	U.S. Base Price
40" or 42"	GPLLPEBFB	\$2383

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Glass Selections Full-Height Butt-Hinged Solid Door Leaf



Tip: 42" wide door frame has maximum height 108 1/4".

Tip: When specifying doors that are less than 87" in ceiling height require only three hinges. Doors 87" and higher will require four hinges.

Tip: When push/pull and ladder pulls are specified, a roller latch must be selected.

Tip: Stanchion upcharges are only applied if latch prep selection is custom pull.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 42	<ul style="list-style-type: none"> Ceiling height from 7'0"H to 10' 1/4"H, in 1/8" increments <i>Exception: maximum height of 42" wide door is 9 1/4" ceiling height.</i> Solid butt-hinged door: paint price group 01 Housing for latch set or roller latch as specified Factory prep for hinges <i>Tip: Door hardware is ordered separately.</i> 	<ol style="list-style-type: none"> Style number Ceiling height (see below under Required Selections) Width (see below under Required Selections) Hardware finish for housings Paint color number for door Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Required Selections	U.S. Price	Required to Specify
Ceiling Height	• 7'0"–10' 1/4"	+\$ 16.88 per 1" increment over 84"

Width	• 40" • 42"	See price below See price below	Specify 40"W. Specify 42"W.
--------------	----------------	------------------------------------	--------------------------------

Options	U.S. Price	Required to Specify	
Door Finish	<ul style="list-style-type: none"> Paint price group 1 Paint price group 3 Veneer price group 01 Veneer price group 02 Veneer price group 03 Customiz stain 	<ul style="list-style-type: none"> No cost +\$150.50 +\$ 83.05 +\$236.61 +\$236.61 +\$ 83.05 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify veneer color number. Specify veneer color number. Specify veneer color number. Specify with <i>Customiz stain</i>.

Handedness	• Left hand • Right hand	No cost No cost	Specify with <i>left hand door leaf</i> . Specify with <i>right hand door leaf</i> .
-------------------	-----------------------------	--------------------	---

Latch prep	<ul style="list-style-type: none"> Cylindrical PBA ladder aligned locking PBA ladder aligned non-locking PBA ladder offset locking PBA ladder offset non-locking Push/pull Ladder aligned TCS ladder aligned locking TCS ladder aligned non-locking TCS ladder offset locking Custom pull Mortise 	<ul style="list-style-type: none"> No cost No cost No cost No cost No cost No cost No cost No cost No cost No cost No cost No cost +\$ 26.79 	<ul style="list-style-type: none"> Specify with <i>cylindrical</i>. Specify with <i>ladder aligned locking</i>. Specify with <i>ladder aligned non-locking</i>. Specify with <i>PBA ladder offset locking</i>. Specify with <i>PBA ladder offset non-locking</i>. Specify with <i>push/pull</i>. Specify with <i>ladder aligned</i>. Specify with <i>TCS ladder aligned locking</i>. Specify with <i>TCS ladder aligned non-locking</i>. Specify with <i>TCS ladder offset locking</i>. Specify with <i>custom pull</i>. Specify with <i>mortise</i>.
-------------------	---	---	---

Pull Size	• 18" • 24" • 36" • 48" • 60" • 72"	No cost No cost No cost No cost No cost No cost	Specify with <i>18" pull</i> . Specify with <i>24" pull</i> . Specify with <i>36" pull</i> . Specify with <i>48" pull</i> . Specify with <i>60" pull</i> . Specify with <i>72" pull</i> .
------------------	--	--	--

Number of Stanchions	• 2 • 3 • 4	No cost +\$ 57.00 +\$114.00	Specify with <i>2 stanchions</i> . Specify with <i>3 stanchions</i> . Specify with <i>4 stanchions</i> .
-----------------------------	-------------------	-----------------------------------	--

Acoustical Seal	• No drop seal • Drop seal	No cost +\$ 63.32	Specify with <i>no drop seal</i> . Specify with <i>drop seal</i> .
------------------------	-------------------------------	----------------------	---

Roller Latch	• No roller latch • Top roller latch	No cost No cost	Specify with <i>no roller latch</i> . Specify with <i>top roller latch</i> .
---------------------	---	--------------------	---


Specification Information

Style Number	U.S. Base Price	
	40"W	42"W
GPGGSLSSBF	\$2164.64	\$2282.40



 **For Canadian Pricing**
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

Butt Hinge Kits—Glass Selections Polished Edge Door



Tip: Doors that are less than 7'3" in ceiling height require only three hinges.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Set of hinges for use with Glass Selections butt-hinged door 	<ol style="list-style-type: none"> 1 Style number 2 Hinge quantity (see below under Required Selections) 3 Paint or metal color number for hinge 4 Swing orientation 5 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

	Required Selections	U.S. Price	Required to Specify
Hinge Quantity	<ul style="list-style-type: none"> • Three hinges • Four hinges 	<ul style="list-style-type: none"> No cost +\$479 	<ul style="list-style-type: none"> Specify with two hinges. Specify with three hinges.


	Options	U.S. Price	Required to Specify
Surface Materials	Hinge <ul style="list-style-type: none"> • Satin chrome • Black 	<ul style="list-style-type: none"> No cost +\$215 	<ul style="list-style-type: none"> Specify with satin chrome. Specify with black.
Swing Orientation	<ul style="list-style-type: none"> • Left hand door leaf • Right hand door leaf 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with left hand door leaf. Specify with right hand door leaf.

Specification Information	
Style Number	U.S. Base Price
GPLDBHPE	\$1439
.	.
.	.

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Slim Line Hinge Kits—Glass Selections Polished Edge Door

Slim Line Hinge Kits—
Glass Selections
Polished Edge Door



Doors


Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Set of two hinges for use with Glass Selections polished edge butt-hinged door • Self close functionality, if specified 	<ul style="list-style-type: none"> 1 Style number 2 Hardware paint or metal color number 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.

Options	U.S. Price	Required to Specify
Surface Materials <ul style="list-style-type: none"> • Hardware • Satin chrome • Polished chrome • Black 	<ul style="list-style-type: none"> No cost +\$ 85 +\$117 	<ul style="list-style-type: none"> Specify with <i>satin chrome</i>. Specify with <i>polished chrome</i>. Specify with <i>black</i>.
Swing Orientation <ul style="list-style-type: none"> • Left hand door leaf • Right hand door leaf 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>left hand door leaf</i>. Specify with <i>right hand door leaf</i>.
Hinge Functionality <ul style="list-style-type: none"> • Free-swinging • Self-closing 90° • Self-closing 180° 	<ul style="list-style-type: none"> No cost +\$281 +\$281 	<ul style="list-style-type: none"> Specify with <i>free-swinging</i>. Specify with <i>self-closing 90°</i>. Specify with <i>self-closing 180°</i>.

Specification Information	
Style Number	U.S. Base Price
GPLDSHPE	\$1925

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Drop Seal—Glass Selections Butt-Hinged Polished Edge Door or Solid Door



	Standard Includes	Required to Specify
▶ Need help? Product details, page 42	<ul style="list-style-type: none"> Drop seal for butt-hinged polished edge door or solid door 	<ol style="list-style-type: none"> Style number Width (see below under Required Selections) Door type (see below under Required Selections) Paint or metal color number for drop seal Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

	Required Selections	U.S. Price	Required to Specify
Width	<ul style="list-style-type: none"> 40" 42" 	No cost No cost	Specify 40". Specify 42".
Door Type	<ul style="list-style-type: none"> Polished edge Solid 	No cost No cost	Specify polished edge door. Specify solid door.

	Options	U.S. Price	Required to Specify
Surface Materials	Drop seal <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 Anodized aluminum 	No cost +\$23 +\$34 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify <i>with anodized aluminum</i> .


Specification Information	
Style Number	U.S. Base Price
GPLDDS	\$380



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Roller Latch—Glass Selections Butt-Hinged Polished Edge Door

Roller Latch—Glass
Selections Butt-Hinged
Polished Edge Door




Tip: Roller latch housing is included with polished edge door leaf when specified.

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Roller latch, includes roller latch housing: 8031 Brushed Stainless 	<ul style="list-style-type: none"> Style number
Specification Information		
Style Number	U.S. Price	
GPLDRL	\$198	

Doors

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Swing Door—Drop Seal Assembly



Standard Includes	Required to Specify
-------------------	---------------------

<ul style="list-style-type: none"> Drop seal assembly: paint price group 01 or 8043 Clear Anodized Aluminum Width: 28"–48" 	<ul style="list-style-type: none"> 1 Style number 2 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.
--	---

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Door Type	• Polished edge	No cost	Specify <i>with polished edge</i> .
	• Solid	No cost	Specify <i>with solid</i> .
Bottom Trim Finish	• Anodized aluminum	No cost	Specify <i>with anodized aluminum</i> .
	• Paint price group 01	No cost	Specify paint color number.
	• Paint price group 02	+\$0.14 per inch width	Specify paint color number.
	• Paint price group 03	+\$0.57 per inch width	Specify paint color number.

Specification Information	
---------------------------	--

Style Number	U.S. Base Price
NESWDSALS	\$373.78




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Slider Door—Assembly Hardware

Slider Door—Assembly Hardware

Doors




Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Assembly hardware for slider door frame • Two post extensions, clips, and hardware • Two alignment clips and hardware • Left- or right-hand leading edge plate and hardware • Left- or right-hand trailing edge plate and hardware 	<ul style="list-style-type: none"> 1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Handedness		
• Left hand	No cost	Specify <i>with left hand</i> .
• Right hand	No cost	Specify <i>with right hand</i> .

Specification Information	
Style Number	U.S. Price
NEAHSLLS	\$89.36

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Swing Door—Assembly Hardware



Tip: Hardware offering will vary depending on the options that are specified.

Tip: If a push/pull or ladder pull is selected, choose a roller latch or self closing hinge to keep door closed.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|---|
| <ul style="list-style-type: none"> • Two hinges/trucks and hardware for swing door frame: paint price group 01 • Strike bracket and hardware • Strike plate and hardware: 9200 Satin Chrome • Alignment clips • Post extensions, clips, and hardware • Floor brackets • Crush block • Height: 84"-120" | <ul style="list-style-type: none"> 1 Style number 2 Height 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. |
|--|---|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	Hinge <ul style="list-style-type: none"> • Satin chrome No cost • Polished chrome +\$ 43.86 per hinge 	Specify with <i>satin chrome</i> . Specify with <i>polished chrome</i> .
Door Type	<ul style="list-style-type: none"> • Polished edge No cost • Solid No cost 	Specify with <i>polished edge</i> . Specify with <i>solid</i> .
Latch Prep	<ul style="list-style-type: none"> • Custom pull No cost • Cylindrical No cost • Mortise No cost • PBA ladder aligned locking No cost • PBA ladder aligned non-locking No cost • PBA ladder offset locking No cost • PBA ladder offset non-locking No cost • Push/pull No cost • TCS ladder aligned locking No cost • TCS ladder aligned non-locking No cost • TCS ladder offset locking No cost 	Specify with <i>custom pull</i> . Specify with <i>cylindrical</i> . Specify with <i>mortise</i> . Specify with <i>PBA ladder aligned locking</i> . Specify with <i>PBA ladder aligned non-locking</i> . Specify with <i>PBA ladder offset locking</i> . Specify with <i>PBA ladder offset non-locking</i> . Specify with <i>push/pull</i> . Specify with <i>TCS ladder aligned locking</i> . Specify with <i>TCS ladder aligned non-locking</i> . Specify with <i>TCS ladder offset locking</i> .
Roller Latch	<ul style="list-style-type: none"> • No roller latch No cost • Roller latch No cost 	Specify with <i>no roller latch</i> . Specify with <i>roller latch</i> .
Hinge Type	<ul style="list-style-type: none"> • Electric No cost • TCS ladder edge butt No cost • Slim line No cost • Solid butt No cost 	Specify with <i>electric</i> . Specify with <i>polished edge butt</i> . Specify with <i>slim line</i> . Specify with <i>solid butt</i> .
Hinge Quantity	<ul style="list-style-type: none"> • Two No cost • Three +\$ 71.92 • Four +\$143.83 	Specify with <i>2</i> . Specify with <i>3</i> . Specify with <i>4</i> .
Electrification	<ul style="list-style-type: none"> • Electric strike No cost • No electrification No cost 	Specify with <i>electric strike</i> . Specify with <i>no electrification</i> .
Strike Plate	<ul style="list-style-type: none"> • No strike plate No cost • Type 1 No cost • Type 2 No cost 	Specify with <i>no strike plate</i> . Specify with <i>type 1</i> . Specify with <i>type 2</i> .

Specification Information	
---------------------------	--

Style Number	U.S. Base Price
NEAHSWLS	\$143.83



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Door Frame—Slider, Single

Door Frame—Slider, Single



Doors

Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Door frame: paint price group 01 or 8043 Clear Anodized Aluminum • Width: 40"–48" • Height: 84"–120" • Seal: plastic 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Height 4 Plastic color number for seal 5 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Frame Finish <ul style="list-style-type: none"> • Anodized aluminum • Paint price group 1 • Paint price group 2 <ul style="list-style-type: none"> – Height – Width • Paint price group 3 <ul style="list-style-type: none"> – Height – Width 	No cost No cost +\$0.34 per inch +\$0.14 per inch +\$1.38 per inch +\$0.58 per inch	Specify <i>with anodized aluminum</i> . Specify paint color number. Specify paint color number. Specify paint color number.
Seal Finish <ul style="list-style-type: none"> • Plastic 	No cost	Specify <i>with plastic</i> .
Handedness <ul style="list-style-type: none"> • Left hand • Right hand 	No cost No cost	Specify <i>with left hand</i> . Specify <i>with right hand</i> .
Latch Prep <ul style="list-style-type: none"> • Lever lock • No latch prep 	No cost No cost	Specify <i>with lever lock</i> . Specify <i>with no latch prep</i> .

Specification Information	
Style Number	U.S. Base Price
NEDFSLSL	\$1787.12

For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Frame—Swing, Single



Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Door frame: paint price group 01 or 8043 Clear Anodized Aluminum • Width: 28"–48" • Height: 84"–120" • Seal: plastic 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Height 4 Paint or anodized aluminum for frame 5 Plastic color number for seal 6 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Frame Finish		
• Anodized aluminum	No cost	Specify <i>with anodized aluminum</i> .
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2		Specify paint color number.
– Height	+\$ 0.34 per inch	
– Width	+\$ 0.14 per inch	
• Paint price group 3		Specify paint color number.
– Height	+\$ 1.38 per inch	
– Width	+\$ 0.58 per inch	
Seal Finish		
• Plastic	No cost	Specify <i>with plastic</i> .
Door Type		
• Polished edge	No cost	Specify <i>with polished edge</i> .
• Solid	No cost	Specify <i>with solid</i> .
Latch Prep		
• Custom pull	No cost	Specify <i>with custom pull</i> .
• Cylindrical	No cost	Specify <i>with cylindrical</i> .
• Mortise	No cost	Specify <i>with mortise</i> .
• PBA ladder aligned locking	No cost	Specify <i>with PBA ladder aligned locking</i> .
• PBA ladder aligned non-locking	No cost	Specify <i>with PBA ladder aligned non-locking</i> .
• PBA ladder offset locking	No cost	Specify <i>with PBA ladder offset locking</i> .
• PBA ladder offset non-locking	No cost	Specify <i>with PBA ladder offset non-locking</i> .
• Push/pull	No cost	Specify <i>with push/pull</i> .
• TCS ladder aligned locking	No cost	Specify <i>with TCS ladder aligned locking</i> .
• TCS ladder aligned non-locking	No cost	Specify <i>with TCS ladder aligned non-locking</i> .
• TCS ladder offset locking	No cost	Specify <i>with TCS ladder offset locking</i> .
Roller Latch		
• No roller latch	No cost	Specify <i>with no roller latch</i> .
• Roller latch	No cost	Specify <i>with roller latch</i> .
Hinge Type		
• Electric	No cost	Specify <i>with electric</i> .
• Polished edge butt	No cost	Specify <i>with polished edge butt</i> .
• Slim line	No cost	Specify <i>with slim line</i> .
• Solid butt	No cost	Specify <i>with solid butt</i> .
Hinge Quantity		
• Two	No cost	Specify <i>with 2</i> .
• Three	No cost	Specify <i>with 3</i> .
• Four	No cost	Specify <i>with 4</i> .


Specification Information	
Style Number	U.S. Base Price
NEDFSWSLS	\$2200.75



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Leaf—Slider, Polished Edge

Door Leaf—Slider,
Polished Edge



Doors

Standard Includes	Required to Specify
<ul style="list-style-type: none"> • 3/8" thick glass door leaf: 6500 Clear glass • Width: 40"—48" • Height: 84"—120" 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Height 4 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Glass Finish <ul style="list-style-type: none"> • Customer's Own Glass • Glass Price Group 1 • Glass Price Group 3 <ul style="list-style-type: none"> – 3/8" – 1/2" 	No cost No cost +\$ 50.74 +\$ 34.41	Specify with <i>customer's own glass</i> . Specify glass color number. Specify glass color number.
Glass Thickness <ul style="list-style-type: none"> • 1/2" • 3/8" 	+\$ 18.28 per sq/ft No cost	Specify with <i>1/2"</i> . Specify with <i>3/8"</i> .
Glass Surface Orientation <ul style="list-style-type: none"> • Polished to inside • Polished to outside 	No cost No cost	Specify with <i>polished to inside</i> . Specify with <i>polished to outside</i> .
Handedness <ul style="list-style-type: none"> • Left hand • Right hand 	No cost No cost	Specify with <i>left hand</i> . Specify with <i>right hand</i> .
Latch Prep <ul style="list-style-type: none"> • Custom pull • PBA ladder aligned locking • PBA ladder aligned non-locking • PBA ladder offset locking • PBA ladder offset non-locking • Pus/hpull • TCS ladder aligned locking • TCS ladder aligned non-locking • TCS ladder offset locking • Lever lock 	No cost +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 99.57	Specify with <i>custom pull</i> . Specify with <i>PBA ladder aligned locking</i> . Specify with <i>PBA ladder aligned non-locking</i> . Specify with <i>PBA ladder offset locking</i> . Specify with <i>PBA ladder offset non-locking</i> . Specify with <i>push/pull</i> . Specify with <i>TCS ladder aligned locking</i> . Specify with <i>TCS ladder aligned non-locking</i> . Specify with <i>TCS ladder offset locking</i> . Specify with <i>lever lock</i> .
Pull Size <ul style="list-style-type: none"> • 18" • 24" • 36" • 48" • 60" • 72" 	No cost No cost No cost No cost No cost No cost	Specify with <i>18"</i> . Specify with <i>24"</i> . Specify with <i>36"</i> . Specify with <i>48"</i> . Specify with <i>60"</i> . Specify with <i>72"</i> .
Number of Stanchions <ul style="list-style-type: none"> • Two • Three • Four 	No cost +\$ 56.68 +\$114.45	Specify with <i>2</i> . Specify with <i>3</i> . Specify with <i>4</i> .

Specification Information		
Style Number	U.S. Base Price	
	Per leaf	Per sq/ft leaf
NEDLSPELS	\$199.14	+\$32.31

For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Leaf—Swing, Polished Edge



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> • 3/8" thick glass: glass price group 1 • Width: 28"—48" • Height: 84"—120" 		<ul style="list-style-type: none"> 1 Style number 2 Width 3 Height 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. 	
Options		U.S. Price	Required to Specify
Glass Finish	<ul style="list-style-type: none"> • Customer's Own Glass • Glass price group 01 • Glass price group 03 – 3/8" – 1/2" 	<ul style="list-style-type: none"> No cost No cost +\$ 50.74 per sq/ft +\$ 34.41 per sq/ft 	<ul style="list-style-type: none"> Specify with <i>anodized aluminum</i>. Specify paint color number. Specify paint color number.
Glass Thickness	<ul style="list-style-type: none"> • 1/2" • 3/8" 	<ul style="list-style-type: none"> +\$ 18.28 per sq/ft No cost 	<ul style="list-style-type: none"> Specify with 1/2". Specify with 3/8".
Glass Surface Orientation	<ul style="list-style-type: none"> • Polished to inside • Polished to outside 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>polished to inside</i>. Specify with <i>polished to outside</i>.
Handedness	<ul style="list-style-type: none"> • Left hand • Right hand 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify with <i>left hand</i>. Specify with <i>right hand</i>.
Latch Prep	<ul style="list-style-type: none"> • Custom pull • PBA ladder aligned locking • PBA ladder aligned non-locking • PBA ladder offset locking • PBA ladder offset non-locking • Push/pull • TCS ladder aligned locking • TCS ladder aligned non-locking • TCS ladder offset locking • Cylindrical • Mortise 	<ul style="list-style-type: none"> No cost +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 26.55 +\$ 99.57 +\$ 99.57 	<ul style="list-style-type: none"> Specify with <i>custom pull</i>. Specify with <i>PBA ladder aligned locking</i>. Specify with <i>PBA ladder aligned non-locking</i>. Specify with <i>PBA ladder offset locking</i>. Specify with <i>PBA ladder offset non-locking</i>. Specify with <i>push/pull</i>. Specify with <i>TCS ladder aligned locking</i>. Specify with <i>TCS ladder aligned non-locking</i>. Specify with <i>TCS ladder offset locking</i>. Specify with <i>cylindrical</i>. Specify with <i>mortise</i>.
Pull Size	<ul style="list-style-type: none"> • 18" • 24" • 36" • 48" • 60" • 72" 	<ul style="list-style-type: none"> No cost No cost No cost No cost No cost TCS Aligned Locking +\$ 13.28 TCS Aligned Non-Locking +\$ 13.28 	<ul style="list-style-type: none"> Specify with 18". Specify with 24". Specify with 36". Specify with 48". Specify with 60". Specify with 72".
Hinge Type	<ul style="list-style-type: none"> • Slim line • Polished edge butt 	<ul style="list-style-type: none"> +\$ 53.10 +\$ 99.57 	<ul style="list-style-type: none"> Specify with <i>slime line</i>. Specify with <i>solid butt</i>.
Hinge Quantity	<ul style="list-style-type: none"> • Two • Three • Four 	<ul style="list-style-type: none"> No cost +\$ 53.10 +\$106.21 	<ul style="list-style-type: none"> Specify with 2. Specify with 3. Specify with 4.
Number of Stanchions	<ul style="list-style-type: none"> • Two • Three • Four 	<ul style="list-style-type: none"> No cost +\$ 56.68 +\$114.45 	<ul style="list-style-type: none"> Specify with 2. Specify with 3. Specify with 4.
Roller Latch	<ul style="list-style-type: none"> • No roller latch • Roller latch 	<ul style="list-style-type: none"> No cost +\$ 99.60 	<ul style="list-style-type: none"> Specify with <i>no roller latch</i>. Specify with <i>roller latch</i>.

Specification Information

Style Number	U.S. Base Price (per square foot)
NEDLSWPELS	\$34.32

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Leaf—Swing, Solid

Door Leaf—Swing, Solid



Doors


Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Door leaf: paint price group 01 • Width: 28" – 48" • Height: 84" – 120" 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Height 4 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Door Finish	<ul style="list-style-type: none"> • Paint price group 1 No cost • Paint price group 3 +\$ 5.02 per sq ft • Veneer customiz stain +\$ 55.91 per sq ft • Veneer price group 1 +\$ 25.08 per sq ft • Veneer price group 3 +\$ 55.91 per sq ft 	<ul style="list-style-type: none"> Specify paint color number. Specify paint color number. Specify paint color number. Specify paint color number.
Handedness	<ul style="list-style-type: none"> • Left hand No cost • Right hand No cost 	<ul style="list-style-type: none"> Specify <i>with left hand</i>. Specify <i>with right hand</i>.
Latch Prep	<ul style="list-style-type: none"> • Custom pull No cost • Cylindrical No cost • Mortise No cost • No latch prep No cost • PBA ladder aligned locking No cost • PBA ladder aligned non-locking No cost • PBA ladder offset locking No cost • PBA ladder offset non-locking No cost • Push/pull No cost • TCS ladder aligned locking No cost • TCS ladder aligned non-locking No cost • TCS ladder offset locking No cost 	<ul style="list-style-type: none"> Specify <i>with custom pull</i>. Specify <i>with cylindrical</i>. Specify <i>with mortise</i>. Specify <i>with no latch prep</i>. Specify <i>with PBA ladder aligned locking</i>. Specify <i>with PBA ladder aligned non-locking</i>. Specify <i>with PBA ladder offset locking</i>. Specify <i>with PBA ladder offset non-locking</i>. Specify <i>with push/pull</i>. Specify <i>with TCS ladder aligned locking</i>. Specify <i>with TCS ladder aligned non-locking</i>. Specify <i>with TCS ladder offset locking</i>.
Pull Size	<ul style="list-style-type: none"> • 18" No cost • 24" No cost • 36" No cost • 48" No cost • 60" No cost • 72" No cost 	<ul style="list-style-type: none"> Specify <i>with 18"</i>. Specify <i>with 24"</i>. Specify <i>with 36"</i>. Specify <i>with 48"</i>. Specify <i>with 60"</i>. Specify <i>with 72"</i>.
Hinge Type	<ul style="list-style-type: none"> • Two No cost • Three No cost 	<ul style="list-style-type: none"> Specify <i>with two</i>. Specify <i>with three</i>.
Hinge Quantity	<ul style="list-style-type: none"> • Two No cost • Three No cost 	<ul style="list-style-type: none"> Specify <i>with two</i>. Specify <i>with three</i>.
Number of Stanchions	<ul style="list-style-type: none"> • Two No cost • Three +\$ 56.68 • Four +\$114.45 	<ul style="list-style-type: none"> Specify <i>with two</i>. Specify <i>with three</i>. Specify <i>with four</i>.
Acoustic Seal	<ul style="list-style-type: none"> • Drop seal No cost • No seal No cost 	<ul style="list-style-type: none"> Specify <i>with drop seal</i>. Specify <i>with no seal</i>.
Roller Latch	<ul style="list-style-type: none"> • No roller latch No cost • Roller latch No cost 	<ul style="list-style-type: none"> Specify <i>with no roller latch</i>. Specify <i>with roller latch</i>.

Specification Information	
Style Number	U.S. Base Price (per square foot)
NEDLSWSLS	\$156.15

For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Track—Slider, Single



Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Door track: paint price group 01 or 8043 Clear Anodized Aluminum • Width: 75" – 120" 	<ol style="list-style-type: none"> 1 Style number 2 Width 3 Paint or anodized aluminum for track 4 Options, if selected (see below) <ul style="list-style-type: none"> ▶ See <i>Surface Materials</i>, page 134.

	Options	U.S. Price	Required to Specify
Track Finish	<ul style="list-style-type: none"> • Anodized aluminium • Paint price group 1 • Paint price group 2 • Paint price group 3 	<ul style="list-style-type: none"> No cost No cost +\$18.48 +\$76.91 	<ul style="list-style-type: none"> Specify <i>with anodized aluminium</i>. Specify paint color number. Specify paint color number. Specify paint color number.
Glass Thickness	<ul style="list-style-type: none"> • 1/2" • 3/8" 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify <i>with 1/2"</i>. Specify <i>with 3/8"</i>.
End Configuration – Left	<ul style="list-style-type: none"> • Actual • Fixed wall 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify <i>with actual</i>. Specify <i>with fixed wall</i>.
End Configuration – Right	<ul style="list-style-type: none"> • Actual • Fixed wall 	<ul style="list-style-type: none"> No cost No cost 	<ul style="list-style-type: none"> Specify <i>with actual</i>. Specify <i>with fixed wall</i>.


Specification Information	
• Style Number	• U.S. Base Price
NEDTSLSL	\$2626.32



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Slider Door—Drop Seal Housing

Slider Door—Drop Seal Housing



Doors

Standard Includes		Required to Specify
<ul style="list-style-type: none"> ▶ Need help? Product details, page 42 	<ul style="list-style-type: none"> • Drop seal housing: paint price group 01 or 8043 Clear Anodized Aluminum • Width: 40" – 48" 	<ul style="list-style-type: none"> 1 Style number 2 Width 3 Paint or anodized aluminum for track 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134.


Options	U.S. Price	Required to Specify
Bottom Trim Finish <ul style="list-style-type: none"> • Anodized aluminium • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost No cost +\$0.13 per inch width +\$0.53 per inch width	Specify <i>with anodized aluminium</i> . Specify paint color number. Specify paint color number. Specify paint color number.
Glass Thickness <ul style="list-style-type: none"> • 1/2" • 3/8" 	No cost No cost	Specify <i>with 1/2"</i> . Specify <i>with 3/8"</i> .
Handedness <ul style="list-style-type: none"> • Left hand • Right hand 	No cost No cost	Specify <i>with left hand</i> . Specify <i>with right hand</i> .

Specification Information	
Style Number	U.S. Base Price
NELSHLS	\$669.06



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Slider Door Hardware—Drop Seal



Tip: When the standard pre-set widths are specified the list price will be reduced by 5% from the formula factors as shown above. This discount applies only to the base price per panel and the per square foot of panel add.

Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 42 | <ul style="list-style-type: none"> • Drop seal for slider door • Width: 40" – 48" | <ul style="list-style-type: none"> 1 Style number 2 Width |
|---|---|---|

Specification Information	
---------------------------	--

• Style Number	• U.S. Price
NESLDHDSLS	\$362.80




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Vertical Transition, Everwall to Lite Scale

Vertical Transition,
Everwall to Lite Scale




Doors

Standard Includes	Required to Specify
<ul style="list-style-type: none"> Trim: paint price group 01 or 8043 Clear Anodized Aluminum Seal: plastic 	<ol style="list-style-type: none"> Style number Paint or anodized aluminum color number for transition Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>


Options	U.S. Price	Required to Specify
Trim Finish <ul style="list-style-type: none"> Anodized aluminum Paint price group 01 Paint price group 02 Paint price group 03 	No cost No cost +\$ 39.24 +\$156.96	Specify <i>with anodized aluminum</i> . Specify paint color number. Specify paint color number. Specify paint color number.
Seal Finish <ul style="list-style-type: none"> Plastic 	No cost	Specify <i>with plastic</i> .
Attachment Brackets <ul style="list-style-type: none"> Door Panel 	No cost No cost	Specify <i>with door</i> . Specify <i>with panel</i> .
Glass Alignment <ul style="list-style-type: none"> Center glaze 	No cost	Specify <i>with center glaze</i> .

Specification Information	
Style Number	U.S. Base Price
NEVTVLS	\$911.97

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Door Hardware

Drop Seal—Glass Selections Butt-Hinged Polished Edge Door



Tip: In order to ensure proper engagement at the drop seal, door frame cannot accommodate any fluctuation in floor height when drop seal is specified.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> Drop seal for butt-hinged polished edge door Width: 28"–44½" 	<ol style="list-style-type: none"> Style number Width Paint or metal color number for drop seal Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Surface Materials Drop seal <ul style="list-style-type: none"> Paint price group 1 Paint price group 2 Paint price group 3 Anodized aluminum 	No cost +\$ 6.60 +\$25.07 No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify <i>with anodized aluminum</i> .

Specification Information	
Style Number	U.S. Base Price
FELDDS	\$458.00
.	.

Magnetic Wall Stop



Tip: For use with painted solid or Clerestory panels only.

Standard Includes	Required to Specify
<ul style="list-style-type: none"> Magnetic wall stop 	<ol style="list-style-type: none"> Style number Paint or metal color number for wall stop Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 134.</p>

Options	U.S. Price	Required to Specify
Hardware Finish <ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 9201 Polished Chrome 	No cost +\$ 2.50 +\$36.00	Specify <i>with satin chrome</i> . Specify <i>with low gloss black</i> . Specify <i>with polished chrome</i> .

Specification Information	
Style Number	U.S. Base Price
GPLDMWS	\$59.00
.	.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Dome Style Floor Stop




Standard Includes		Required to Specify
<ul style="list-style-type: none"> Dome-style floor stop 		1 Style number 2 Paint or metal color number for floor stop 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

	Options	U.S. Price	Required to Specify
Hardware	<ul style="list-style-type: none"> 9200 Satin Chrome 	No cost	Specify with <i>satin chrome</i> .
Finish	<ul style="list-style-type: none"> 4710 Low Gloss Black 	+\$24.00	Specify with <i>low gloss black</i> .
	<ul style="list-style-type: none"> 9201 Polished Chrome 	+\$36.00	Specify with <i>polished chrome</i> .

Specification Information	
Style Number	U.S. Base Price
GPLDDFS	\$26.00

Base Stop




Standard Includes		Required to Specify
<ul style="list-style-type: none"> Screw-in base stop 		1 Style number 2 Paint or metal color number for base stop 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

	Options	U.S. Price	Required to Specify
Hardware	<ul style="list-style-type: none"> 9200 Satin Chrome 	No cost	Specify with <i>satin chrome</i> .
Finish	<ul style="list-style-type: none"> 9201 Polished Chrome 	+\$36.00	Specify with <i>polished chrome</i> .
	<ul style="list-style-type: none"> 4710 Low Gloss Black 	+\$70.50	Specify with <i>low gloss black</i> .

Specification Information	
Style Number	U.S. Base Price
GPLDSBS	\$100.00

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Cylindrical Latch Set




Tip: When the black finish is specified on latch sets, the strike plate will default to the satin chrome finish.

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Cylindrical latch set Strike plate 		1 Style number 2 Finish color number for cylindrical latch set 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 9201 Polished Chrome 	No cost No cost +\$ 34.97	Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> . Specify with <i>polished chrome</i> .
Latch Prep	<ul style="list-style-type: none"> Passage Passage, black Lockset Lockset, black 	No cost +\$679.14 +\$320.72 +\$311.51	Specify with <i>passage</i> . Specify with <i>black passage</i> . Specify with <i>lockset</i> . Specify with <i>black lockset</i> .
Keying	<ul style="list-style-type: none"> Core, keyed random Core, keyed random, black No core No core, black No key 	No cost +\$456.52 No cost +\$371.89 No cost	Specify with <i>core</i> . Specify with <i>black core</i> . Specify with <i>no core</i> . Specify with <i>black no core</i> . Specify with <i>no key</i> .

Specification Information	
Style Number	U.S. Base Price
FELDCLO	\$849.92

Mortise Latch Set



Tip: When using mortise latch sets, once a wood door or a glass door lock housing has been face drilled, it will not be reversible.

Tip: When the black finish is specified on latch sets, the strike plate will default to the satin chrome finish.


Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Mortise latch set Strike plate 		1 Style number 2 Finish color number for mortise latch set 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 9201 Polished Chrome 	No cost No cost +\$ 51.00	Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> . Specify with <i>polished chrome</i> .
Latch Prep	<ul style="list-style-type: none"> Passage Passage, black Lockset Lockset, black 	No cost +\$204.23 +\$287.00 +\$279.35	Specify with <i>passage</i> . Specify with <i>black passage</i> . Specify with <i>lockset</i> . Specify with <i>black lockset</i> .
Keying	<ul style="list-style-type: none"> Core, keyed random Core, keyed random, black No cylinder No cylinder, black No key 	No cost +\$108.81 No cost +\$ 45.98 No cost	Specify with <i>core</i> . Specify with <i>black core</i> . Specify with <i>no cylinder</i> . Specify with <i>black no cylinder</i> . Specify with <i>no key</i> .

Specification Information	
Style Number	U.S. Base Price
FELDMLO	\$1439.64



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Push/Pull Handle



Standard Includes		Required to Specify	
-------------------	--	---------------------	--

<ul style="list-style-type: none"> • Push/pull handle 		1 Style number 2 Finish color number for handle 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
--	--	--	--


	Options	U.S. Price	Required to Specify
--	---------	------------	---------------------

Hardware Finish	<ul style="list-style-type: none"> • 8031 Brushed Stainless • 4710 Low Gloss Black 	No cost +\$43.41	Specify with <i>brushed stainless</i> . Specify with <i>low gloss black</i> .
------------------------	--	---------------------	--

Specification Information

• Style Number	• U.S. Base Price
FELDPPH	\$208.03

Door Closer



Standard Includes		Required to Specify	
-------------------	--	---------------------	--

▶ Need help? Product details, page 42	<ul style="list-style-type: none"> • Surface mounted door closer 	1 Style number 2 Finish color number for door closer 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
---	---	---	--

	Options	U.S. Price	Required to Specify
--	---------	------------	---------------------

Hardware Finish	<ul style="list-style-type: none"> • 4799 Platinum Metallic • 4710 Low Gloss Black 	No cost +\$217.91	Specify with <i>platinum metallic</i> . Specify with <i>low gloss black</i> .
------------------------	--	----------------------	--


Specification Information

• Style Number	• U.S. Base Price
FELDCLS	\$928.29



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

Door Drop Seals



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> • Pair of door drop seals • Width: 48" – 80" 		1 Style number 2 Finish color number for drop seals 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> • 8031 Brushed Stainless • Paint price group 1 • Paint price group 2 • Paint price group 3 	No cost No cost +\$12.20 +\$50.14	Specify <i>with brushed stainless</i> . Specify paint color number. Specify paint color number. Specify paint color number.
Specification Information			
Style Number	U.S. Base Price		
FELDDSP	\$458.00		

Flush Bolts




Standard Includes		Required to Specify	
<ul style="list-style-type: none"> • Pair of flush bolts: paint or metal 		1 Style number 2 Finish color number for flush bolts 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> • 9200 Satin Chrome • 9201 Polished Chrome • 4710 Low Gloss Black 	No cost +\$67.00 +\$92.96	Specify <i>with satin chrome</i> . Specify <i>with polished chrome</i> . Specify <i>with low gloss black</i> .
Specification Information			
Style Number	U.S. Base Price		
FELDFBP	\$400.21		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Electric Hinge



Standard Includes	Required to Specify
-------------------	---------------------

- One electric hinge with wire conductors and modular connectors: paint or metal
- Low voltage harness 132"

- 1 Style number
- 2 Finish color number for electric hinge
- 3 Options, if selected (see below)
- ▶ See *Surface Materials*, page 134.

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Hardware Finish

- | | |
|------------------------|-----------|
| • 9200 Satin Chrome | No cost |
| • 9201 Polished Chrome | +\$ 34.97 |
| • 4710 Low Gloss Black | +\$122.00 |

- Specify with *satin chrome*.
- Specify with *polished chrome*.
- Specify with *low gloss black*.

Specification Information	
---------------------------	--

Style Number	U.S. Base Price
--------------	-----------------

FELDHE	\$985.22
---------------	----------

Ladder Pull, Aligned



Tip: Latch prep with lockset includes cylinder with random keyed removable core.

Standard Includes	Required to Specify
-------------------	---------------------

- Ladder pull, aligned

- 1 Style number
- 2 Finish color number for base stop
- 3 Options, if selected (see below)
- ▶ See *Surface Materials*, page 134.

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Hardware Finish

- | | |
|--------------------------|------------|
| • 8031 Brushed Stainless | No cost |
| • 4710 Low Gloss Black | +\$ 830.79 |

- Specify with *brushed stainless*.
- Specify with *low gloss black*.

Latch Prep

- | | |
|-----------|------------|
| • Passage | No cost |
| • Lockset | +\$2734.59 |

- Specify with *passage*.
- Specify with *lockset*.

Door Type

- | | |
|-----------------|------------|
| • Polished edge | No cost |
| • Solid | +\$ 319.67 |

- Specify with *polished edge*.
- Specify with *solid*.

Specification Information	
---------------------------	--

Style Number	U.S. Base Price
--------------	-----------------

FELDLPA	\$2134.49
----------------	-----------




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Lite Scale—Ladder Pull, Offset



Tip: Latch prep with lockset includes cylinder with random keyed removable core.

Standard Includes		Required to Specify	
-------------------	--	---------------------	--

<ul style="list-style-type: none"> Ladder pull, offset 		1 Style number 2 Finish color number for base stop 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
---	--	---	--


	Options	U.S. Price	Required to Specify
--	---------	------------	---------------------

Hardware Finish	<ul style="list-style-type: none"> 8031 Brushed Stainless 4710 Low Gloss Black 	No cost +\$ 612.79	Specify with <i>brushed stainless</i> . Specify with <i>low gloss black</i> .
Latch Prep	<ul style="list-style-type: none"> Passage Lockset 	No cost +\$2734.59	Specify with <i>passage</i> . Specify with <i>lockset</i> .
Door Type	<ul style="list-style-type: none"> Polished edge Solid 	No cost +\$ 320.67	Specify with <i>polished edge</i> . Specify with <i>solid</i> .


Specification Information

Style Number	U.S. Base Price
FELDLPO	\$2134.49

Cylindrical Latch Set for Use with Everwall Doors



Cylindrical Latchset for Solid Door



Cylindrical Latchset for Polished Edge Door

Standard Includes		Required to Specify	
-------------------	--	---------------------	--

<ul style="list-style-type: none"> Cylindrical latch set for solid door: 9200 Satin Chrome Cylindrical latch set for polished edge door, includes latch set and cover assembly: 9200 Satin Chrome Strike plate 		1 Style number 2 Finish color number for cylindrical latch set 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
---	--	---	--

	Options	U.S. Price	Required to Specify
--	---------	------------	---------------------


Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black <ul style="list-style-type: none"> – Passage +\$689.32 – No core +\$779.55 – With core, random keyed +\$779.55 9201 Polished Chrome <ul style="list-style-type: none"> – Passage +\$ 51.80 – No core +\$110.45 – With core, random keyed +\$110.45 		Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> . Specify with <i>low gloss black</i> . Specify with <i>low gloss black</i> . Specify with <i>polished chrome</i> . Specify with <i>polished chrome</i> . Specify with <i>polished chrome</i> .
Door Type	<ul style="list-style-type: none"> Solid Polished edge 	No cost +\$423.54	Specify with <i>solid</i> . Specify with <i>polished edge</i> .
Key Option	<ul style="list-style-type: none"> Passage No core With core, keyed random 	No cost +\$160.53 +\$290.82	Specify with <i>passage</i> . Specify with <i>no core</i> . Specify with <i>core, random keyed</i> .

Specification Information

Style Number	U.S. Base Price
NEDHCLS	\$793.34

Tip: When the black finish is specified on latch sets, the strike plate will default to the satin chrome finish.

Mortise Latch Set for Use with Everwall Doors



Mortise Latchset for Solid Door



Mortise Latchset for Polished Edge Door

Tip: When using mortise latch sets, once a wood door or a glass door lock housing has been face drilled, it will not be reversible.

Tip: When the black finish is specified on latch sets, the strike plate will default to the satin chrome finish.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|--|
| Standard Includes | Required to Specify |
| <ul style="list-style-type: none"> Mortise latch set for solid door: 9200 Satin Chrome Mortise latch set for polished edge door, includes latch set and cover assembly: 9200 Satin Chrome Strike plate | <ul style="list-style-type: none"> 1 Style number 2 Finish color number for mortise latch set 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. |

Options	U.S. Price	Required to Specify
---------	------------	---------------------


Options	U.S. Price	Required to Specify
Hardware Finish <ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black <ul style="list-style-type: none"> – Passage +\$207.30 – Random keyed +\$110.45 – No cylinder +\$110.45 9201 Polished Chrome <ul style="list-style-type: none"> – Passage +\$ 51.80 – Random keyed +\$110.45 – No cylinder +\$110.45 		Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> . Specify with <i>low gloss black</i> . Specify with <i>low gloss black</i> . Specify with <i>polished chrome</i> . Specify with <i>polished chrome</i> . Specify with <i>polished chrome</i> .
Door Type <ul style="list-style-type: none"> Solid Polished edge 	No cost +\$599.26	Specify with <i>solid</i> . Specify with <i>polished edge</i> .
Key Option <ul style="list-style-type: none"> Passage No cylinder With core, random keyed 	No cost –\$130.29 +\$260.57	Specify with <i>passage</i> . Specify with <i>no cylinder</i> . Specify with <i>core, random keyed</i> .
Lever Option <ul style="list-style-type: none"> L lever No lever MB lever <ul style="list-style-type: none"> – Passage +\$420.26 – No cylinder +\$420.26 – Random keyed +\$690.87 REM lever <ul style="list-style-type: none"> – Passage +\$774.85 – No cylinder +\$774.85 – Random keyed +\$954.62 	No cost –\$389.09	Specify with <i>L lever</i> . Specify with <i>no lever</i> . Specify with <i>MB lever</i> . Specify with <i>MB lever</i> . Specify with <i>MB lever</i> . Specify with <i>REM lever</i> . Specify with <i>REM lever</i> . Specify with <i>REM lever</i> .

Specification Information	
Style Number	U.S. Base Price

Style Number	U.S. Base Price
NEDHMLLS	\$1343.30


For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Butt Hinges for Use with Everwall Doors



Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Set of three butt hinges: 9200 Satin Chrome 		<ul style="list-style-type: none"> 1 Style number 2 Paint or metal color number for hinge 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. 	
Options		U.S. Price	Required to Specify
Hardware Finish	• 9200 Satin Chrome	No cost	Specify with <i>satin chrome</i> .
	• 9201 Polished Chrome	+\$ 25.92 per hinge	Specify with <i>polished chrome</i> .
	• 4710 Low Gloss Black	+\$ 52.86 per hinge	Specify with <i>low gloss black</i> .
Door Type	• Polished edge	No cost	Specify with <i>polished edge</i> .
	• Solid		
	– 3 hinges	–\$336.86	Specify with <i>solid</i> .
	– 4 hinges	–\$449.15	Specify with <i>solid</i> .
Handedness	• Left hand	No cost	Specify with <i>left hand</i> .
	• Right hand	No cost	Specify with <i>right hand</i> .
Hinge Quantity	• 3 hinges	No cost	Specify with <i>3 hinges</i> .
	• 4 hinges	+\$181.72	Specify with <i>4 hinges</i> .
Specification Information			
Style Number	U.S. Base Price		
•	•		
•	•		
•	•		
NESWDHBHLS	\$545.16		
•	•		
•	•		

Door Closer for Use with Everwall Doors




Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Surface mounted door closer: 4799 Platinum 		<ul style="list-style-type: none"> 1 Style number 2 Finish color number for door closer 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 134. 	
Options		U.S. Price	Required to Specify
Hardware Finish	• 4799 Platinum Metallic	No cost	Specify with <i>platinum metallic</i> .
	• 4710 Low Gloss Black	+\$110.53	Specify with <i>low gloss black</i> .
Specification Information			
Style Number	U.S. Base Price		
•	•		
•	•		
•	•		
NESWDHCLSRLS	\$986.97		
•	•		
•	•		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Electric Hinge for Use with Everwall Doors




Standard Includes		Required to Specify	
<ul style="list-style-type: none"> One electric hinge with wire conductors and two or three standard butt hinges: 9200 Satin Chrome 		1 Style number 2 Finish color number for electric hinge 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 9201 Polished Chrome 4710 Low Gloss Black 	No cost +\$25.92 per hinge +\$52.86 per hinge	Specify with <i>satin chrome</i> . Specify with <i>polished chrome</i> . Specify with <i>low gloss black</i> .
Hinge Quantity	<ul style="list-style-type: none"> 3 hinges 4 hinges 	No cost No cost	Specify with <i>3 hinges</i> . Specify with <i>4 hinges</i> .
Specification Information			
Style Number	U.S. Base Price		
NESWDHELECHNGLS	\$1414.33		

Roller Latch for Use with Everwall Doors



Roller Latchset for Solid Door




Roller Latchset for Polished Edge Door

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Roller latch for solid door: 9200 Satin Chrome Roller latch for polished edge door, includes roller latch and housing: 9200 Satin Chrome 		1 Style number 2 Finish color number for roller latch 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.	
Options		U.S. Price	Required to Specify
Door Type	<ul style="list-style-type: none"> Solid Polished edge 	No cost +\$458.11	Specify with <i>solid</i> . Specify with <i>polished edge</i> .
Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 	No cost +\$204.60	Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> .
Specification Information			
Style Number	U.S. Base Price		
NESWDHRLLS	\$214.46		

 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Electric Strike for Use with Everwall Doors



Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Electric strike • Multi-voltage single solenoid • Selectable lock mode • Horizontal adjustment • Plug-in wire connectors 	1 Style number 2 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.

Options	U.S. Price	Required to Specify
Latch Prep <ul style="list-style-type: none"> • Cylindrical • Mortise 	No cost No cost	Specify <i>with cylindrical</i> . Specify <i>with mortise</i> .

Specification Information	
Style Number	U.S. Price
NESESTKLS	\$829.21

Slider Lever Lock for Use with Everwall Doors



Standard Includes	Required to Specify
<ul style="list-style-type: none"> • Slider lever lock: 4710 Low Gloss Black or 9200 Satin Chrome 	1 Style number 2 Finish color number for lever lock 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 134.


Options	U.S. Price	Required to Specify
Lever Option <ul style="list-style-type: none"> • L lever • No lever <ul style="list-style-type: none"> – No cylinder – With core, random keyed • MB lever <ul style="list-style-type: none"> – With core, random keyed • REM lever <ul style="list-style-type: none"> – With core, random keyed 	No cost –\$389.09 –\$389.09 +\$690.87 +\$954.62	Specify <i>with L lever</i> . Specify <i>with no lever</i> . Specify <i>with no lever</i> . Specify <i>with MB lever</i> . Specify <i>with REM lever</i> .
Cylinder Orientation <ul style="list-style-type: none"> • Key inside • Key outside 	No cost No cost	Specify <i>with key inside</i> . Specify <i>with key outside</i> .

Specification Information	
Style Number	U.S. Base Price
NEDHSSLLS	\$1411.91



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Ladder Pull, Aligned for Use with Everwall Doors



Tip: Latch prep with lockset includes cylinder with random keyed removable core.

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Ladder pull, aligned: metal Solid door type 		<ol style="list-style-type: none"> Style number Hardware finish (see below under Required Selections) Door type (see below under Required Selections) Latch prep (see below under Required Selections) Key option (see below under Required Selections) <p>▶ See <i>Surface Materials</i>, page 134.</p>	
Hardware Finish	Required Selections	U.S. Price	Required to Specify
	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 	Prices at right Prices at right	Specify <i>with satin chrome</i> . Specify <i>with low gloss black</i> .
Door Type	Required Selections	U.S. Price	Required to Specify
	<ul style="list-style-type: none"> Solid Polished edge 	No cost –\$ 320.83	Specify <i>with solid</i> . Specify <i>with polished edge</i> .
Latch Prep	Required Selections	U.S. Price	Required to Specify
	<ul style="list-style-type: none"> PBA ladder aligned locking <ul style="list-style-type: none"> – 9200 Satin Chrome – 4710 Low Gloss PBA ladder aligned non-locking <ul style="list-style-type: none"> – 9200 Satin Chrome – 4710 Low Gloss TCS ladder aligned locking <ul style="list-style-type: none"> – 48": 9200 Satin Chrome – 48": 4710 Low Gloss – 60": 9200 Satin Chrome – 60": 4710 Low Gloss – 72": 9200 Satin Chrome – 72": 4710 Low Gloss 	+\$5101.23 +\$5957.76 +\$2271.74 +\$2893.72 +\$3494.37 +\$3785.96 +\$4062.72 +\$4529.48 +\$4392.80 +\$4698.64	Specify <i>with PBA ladder aligned locking</i> . Specify <i>with PBA ladder aligned locking</i> . Specify <i>with PBA ladder aligned non-locking</i> . Specify <i>with PBA ladder aligned non-locking</i> . Specify <i>with 48" TCS ladder aligned locking</i> . Specify <i>with 48" TCS ladder aligned locking</i> . Specify <i>with 60" TCS ladder aligned locking</i> . Specify <i>with 60" TCS ladder aligned locking</i> . Specify <i>with 72" TCS ladder aligned locking</i> . Specify <i>with 72" TCS ladder aligned locking</i> .

▶ **Required Selections, continued on next page**



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


► **Required Selections, continued from previous page**

	Required Selections	U.S. Price	Required to Specify
Latch Prep, continued	• TCS ladder aligned non-locking		
	– 18": 9200 Satin Chrome	+\$ 611.19	Specify with 18" TCS ladder aligned non-locking.
	– 18": 4710 Low Gloss Black	+\$ 891.49	Specify with 18" TCS ladder aligned non-locking.
	– 24": 9200 Satin Chrome	+\$ 787.21	Specify with 24" TCS ladder aligned non-locking.
	– 24": 4710 Low Gloss Black	+\$1067.36	Specify with 24" TCS ladder aligned non-locking.
	– 36": 9200 Satin Chrome	+\$ 922.76	Specify with 36" TCS ladder aligned non-locking.
	– 36": 4710 Low Gloss Black	+\$1202.35	Specify with 36" TCS ladder aligned non-locking.
	– 48": 9200 Satin Chrome	+\$1084.49	Specify with 48" TCS ladder aligned non-locking.
	– 48": 4710 Low Gloss Black	+\$1363.14	Specify with 48" TCS ladder aligned non-locking.
	– 60": 9200 Satin Chrome	+\$1295.96	Specify with 60" TCS ladder aligned non-locking.
	– 60": 4710 Low Gloss Black	+\$1563.69	Specify with 60" TCS ladder aligned non-locking.
	– 72": 9200 Satin Chrome	+\$1879.76	Specify with 72" TCS ladder aligned non-locking.
– 72": 4710 Low Gloss Black	+\$2161.16	Specify with 72" TCS ladder aligned non-locking.	
Key Option	• No keying option	No cost	Specify with no keying option.
	• With core, random keyed	No cost	Specify with core, random keyed.
	• No cylinder	–\$ 130.29	Specify with no cylinder.

Specification Information


Style Number	U.S. Base Price
NEDHLPALS	\$320.83

Door Hardware



 **For Canadian Pricing**
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Ladder Pull, Offset for Use with Everwall Doors



Tip: Latch prep with lockset includes cylinder with random keyed removable core.

Standard Includes		Required to Specify	
<ul style="list-style-type: none"> Ladder pull, offset: metal Solid door type 		<ol style="list-style-type: none"> Style number Hardware finish (see below under Required Selections) Door type (see below under Required Selections) Latch prep (see below under Required Selections) Key option (see below under Required Selections) <p>▶ See <i>Surface Materials</i>, page 134.</p>	
Required Selections		U.S. Price	Required to Specify
Hardware Finish	<ul style="list-style-type: none"> 9200 Satin Chrome 4710 Low Gloss Black 	Prices below Prices below	Specify with <i>satin chrome</i> . Specify with <i>low gloss black</i> .
Door Type	<ul style="list-style-type: none"> Solid Polished edge 	No cost -\$ 320.83	Specify with <i>solid</i> . Specify with <i>polished edge</i> .
Latch Prep	<ul style="list-style-type: none"> PBA ladder offset locking <ul style="list-style-type: none"> - 9200 Satin Chrome +\$5101.23 - 4710 Low Gloss +\$5957.76 PBA ladder offset non-locking <ul style="list-style-type: none"> - 9200 Satin Chrome +\$2789.86 - 4710 Low Gloss +\$3646.40 TCS ladder offset locking <ul style="list-style-type: none"> - 48": 9200 Satin Chrome +\$3508.31 - 48": 4710 Low Gloss +\$3785.96 - 60": 9200 Satin Chrome +\$4062.72 - 60": 4710 Low Gloss +\$4529.48 		Specify with <i>PBA ladder offset locking</i> . Specify with <i>PBA ladder offset locking</i> . Specify with <i>PBA ladder offset non-locking</i> . Specify with <i>PBA ladder offset non-locking</i> . Specify with <i>TCS ladder offset locking</i> . Specify with <i>TCS ladder offset locking</i> . Specify with <i>TCS ladder offset locking</i> . Specify with <i>TCS ladder offset locking</i> .
Key Option	<ul style="list-style-type: none"> No keying option With core, random keyed No cylinder 	No cost No cost -\$ 130.29	Specify with <i>no keying option</i> . Specify with <i>core, random keyed</i> . Specify with <i>no cylinder</i> .

Specification Information	
Style Number	U.S. Base Price
NEDHLPOLS	\$320.83



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Surface Materials

Surface Materials

134

Surface Materials

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface material specification tools are available to assist you in the specification process – the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/ APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the *Surface Materials Reference Manual*. Additional details, like product approvals by geography and finish number conversions, can also be found in the *Surface Materials Reference Manual* or see steelcase.com/surface-materials.

Surface Materials Binders

- Surface Materials
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating

Lite Scale Binder

- includes:
 - Brochures
 - Swatch cards

Paint

Tip: All products may not be available in all colors listed below.

Price Group 1

Smooth Paint

- 4238 Mocha
- 4239 Clay
- 4240 Chalk
- 4242 Milk
- 4710 Low Gloss Black
- 4843 Linen
- 4844 Glacier
- 4849 Vapor
- 4858 Seagull

Textured Paint

- 7190 Platinum Solid
- 7207 Black
- 7225 Sand
- 7236 Fog
- 7237 Slate
- 7238 Fieldstone
- 7239 Midnight
- 7241 Arctic White
- 7243 Seagull
- 7360 Merle

Price Group 2

Smooth Paint

- 4700 Warm White

Smooth Metallic Paint

- 4743 Mineral Metallic
- 4750 Champagne Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 4803 Near Black Metallic

Textured Metallic

- 7245 Carbon Metallic
- 7246 Midnight Metallic

Custom Surfaces Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Accent Paint

- 1ATG Rose Quartz
- 4AV4 Baltic
- 4CL7 Sandstone
- 4CL8 Smokey Plum
- 4CZ6 Lagoon

Lux Coatings

- 4B22 Matte Brass
- 4B23 Burnished Bronze
- 4B24 Night Bronze
- 4B25 Matte Copper
- 4B26 Smoked Mica
- 4B29 Cast Iron

Accent Paint and Lux Coatings are available on products that receive the metal and accessories paint finishes.

Metal and Accessory Paint

Steelcase Surfaces

Applies to:

- Outer junction cover
- Outer bypass junction cover
- Finished end cover and trim
- Utility panel cover
- Door frames
- Slider door leaves
- Slider door track
- Junction adapter
- Plinth trims
- Posts
- Feature strips
- Feature strip covers
- 8043 Clear Anodized Aluminum

Plastic

Steelcase Surfaces

Applies to:

- Ceiling track
- Post
- Seals
- 6009 Arctic White
- 6249 Platinum Solid
- 6527 Merle
- 6655 Warm White

Glass

Steelcase Surfaces

Applies to:

- Glass Lite Butt Glazed

Price Group 1

- 6500 Clear Glass

Price Group 2

- 6540 Clear Laminated

Applies to:

- Polished edge door leaves

Price Group 1

- 6500 Clear Glass

Price Group 3

- 6501 Low Iron Clear
- 6542 Satin
- Customer-specified glass is available.

Plated Metal

Steelcase Surfaces

Applies to:

- Push/pull handle
- Hinges
- Roller latch
- Lockset
- Flush bolts
- 4710 Low Gloss Black
- 8031 Brushed Stainless
- 9200 Satin Chrome
- 9201 Polished Chrome

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from DesignTex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Wood

Applies to:

- Door leaf

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain, and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces. When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Veneer**Wood Group 1****Flat-Cut Open-Pore**

- 3062 FC/OP Graphite Walnut
 3402 FC/OP Clear Cherry (Aged)
 3412 FC/OP Natural Cherry **E**
 3422 FC/OP Medium Cherry
 3522 FC/OP Clear Maple
 3592 FC/OP Blonde on Maple **E**
 3702 FC/OP Clear Walnut
 3712 FC/OP Natural Walnut
 3752 FC/OP Medium Walnut **E**
 3762 FC/OP Dark Walnut
 3772 FC/OP Medium Mahogany on Walnut

Flat-Cut Open-Pore, Natural Veneer

- 3342 FC/OP Black Walnut
 35A2 FC/OP Blanch Maple
 37A2 FC/OP Thunder Walnut

Quarter-Cut Open-Pore

- 3042 QC/OP Ash
 3222 QC/OP Clear Maple
 3292 QC/OP Blonde on Maple **E**

Quarter-Cut Open-Pore, Natural Veneer

- 32A2 QC/OP Blanch Maple
 33A2 QC/OP Thunder Walnut
 3392 QC/OP Black Walnut

Rift-Cut Open-Pore

- 3602 RC/OP Desert Oak

Rift-Cut Full-Fill, Natural Veneer

- 36A2 RC/OP Volcanic Oak

Wood Group 3**Flat-Cut Open-Pore, Natural Veneer**

- 3082 FC/OP Washed Walnut

Wood Group 1**Open-Pore Planked Veneer**

- 3P41 OP Planked Cherry
 3P51 OP Planked Maple
 3P61 OP Planked Oak
 3P71 OP Planked Walnut
 3VFX OP Unmarked Oak

Tip: Known for its uniqueness, planked veneer has intentional and natural variations that include, but are not limited to: character marks, grain pattern, color, and natural color aging.

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is available as Wood Group 3, as part of our Select Surfaces program and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Wood Group 3**Quarter-Cut Open-Pore**

- 3832 QC/OP Figured Anegre

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit steelcase.com/surface-materials under the Select Surfaces section.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$500 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$500 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$500 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed. In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$1,500 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$1,500 initiation was paid. If the finish is not reactivated within five years after the \$1,500 initiation fee was paid, the finish will be culled and the customer will need to pay the \$1,500 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fee are not discountable. Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate. Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

E = Established

Style Number Index

Style Number	Page	Description
FELAMP	68	Multi-Purpose Adapter
FELCTEC	70	LSG V.I.A. Ceiling Track – End Channel
FELCTS	70	LSG V.I.A. Straight Ceiling Track
FELDCLO	120	Cylindrical Latch Set
FELDCLS	121	Door Closer—Lite Scale
FELDDDS	118	Door Drop Seal—Lite Scale
FELDDSP	122	Drop Seal—Lite Scale
FELDFBP	122	Flush Bolts
FELDHE	123	Electric Hinge—Lite Scale
FELDLPA	123	Ladder Pull, Aligned—Lite Scale
FELDLPO	124	Ladder Pull, Offset—Lite Scale
FELDMLO	120	Mortise Latch Set—Lite Scale
FELDPPH	121	Push/Pull Handle—Lite Scale
FELFECGCL	72	LSG V.I.A. Finished End Cap—Large
FELFECGCS	72	LSG V.I.A. Finished End Cap—Small
FELFSLPM	88	LSG V.I.A. Pair of Surface Mtd Sldr Door Frms
FELFSLSM	84	LSG V.I.A. Sngl Surface Mtd Sldr Door Frm
FELFSWPR	81	LSG V.I.A. Pair of Rvrsble Swng Door Frms
FELFSWSR	78	LSG V.I.A. Sngl Rvrsble Swng Door Frm
FELGB	75	LSG V.I.A. Glazing Blocks
FELGCC	74	LSG V.I.A. Glazing Chnnl—Ceiling
FELGCCTS	71	LSG V.I.A. Glass Chnnl—Ceiling Trck, Sngl
FELGCF	74	LSG V.I.A. Glazing Chnnl—Floor
FELGCFTS	71	LSG V.I.A. Glass Chnnl Floor Trck, Sngl
FELGCV	71	LSG V.I.A. Glass Chnnl—Variable Angle
FELGCVT	71	LSG V.I.A. Glass Chnnl
FELGLBG	76	LSG V.I.A.—Glass Lite Butt Glazed
FELGSM	75	LSG V.I.A. Glzing Shim—Medium
FELGSS	75	LSG V.I.A. Glzing Shim—Small
FELGSV	74	LSG V.I.A. Glzing Strip—Vertical
FELGSVT	71	LSG V.I.A. Glass Stop
FELGTB	77	LSG V.I.A. Glzing Tape—Black
FELGTC	77	LSG V.I.A. Glzing Tape—Clear
FELI90T	66	LSG V.I.A. 90° Junction Trim
FELIFE	68	Glass to V.I.A. Junction Adapter
FELIJCO	66	LSG V.I.A. Outer Junction Cover
FELIJCOB	67	LSG V.I.A. Bypass Outer Junction Cover
FELLSLPPM	89	LSG V.I.A. Pair Srfce Mtd Pol Edg Sldr Leaves
FELLSLPSM	85	LSG V.I.A. Sngl Srfce Mtd Pol Edg Sldr Leaf
FELLSWPPR	83	LSG V.I.A. Pair Rvrsble Pol Edg Swng Leaves
FELLSWPSR	80	LSG V.I.A. Sngl Rvrsble Pol Edg Swng Leaf
FELLSWSPR	82	LSG V.I.A. Pair Rvrsble Solid Swng Leaves
FELLSWSSR	79	LSG V.I.A. Sngl Rvrsble Solid Swng Leaf
FELPVS	63	LSG V.I.A. Structural Vertical Post
FELRHS	64	LSG V.I.A. Structural Horizontal
FELSCG	73	LSG V.I.A. Seal – Ceiling Grid
FELSL	73	LSG V.I.A. Seal – Light and Sound
FELTSLB	91	LSG V.I.A. Slider Door Track Bracket
FELTSLPMPR	90	LSG V.I.A. Reinfrcd Trck Srfce Mtd Sldr Drs
FELTSLSMB	86	LSG V.I.A. Basic Sngl Srfce Mtd Sldr Trck
FELTSLSMR	87	LSG V.I.A. Reinfrcd Sngl Srfce Mtd Sldr Trck
FELUPC	69	LSG V.I.A. Utility Panel Cover
FELVTBGSC	65	LSG V.I.A. Vrt Transition – Butt Glazed
FELVTCBG	65	LSG V.I.A. Vrt Transition – Cover
FELVTIBG	65	LSG V.I.A. Vrt Transition – Inner
FELVTSBG	65	LSG V.I.A. Vrt Transition – Stop

Style Number	Page	Description
FELVTSSS	65	LSG V.I.A. Vrt Transition – Safety Spring
GPFS121	61	PW Feature Strip - Lite Scale
GPFSA121	61	PW Anodized Feature Strip - Lite Scale
GPFSH121	61	PW Feature Strip - Lite Scale
GPFSHA121	61	PW Anodized Feature Strip - Lite Scale
GPFGSLLSSBF	101	GS Full-Hgt Butt-Hinged Sldr Leaf
GPGSDFHSS	95	PW GS Slider Frame Lite Scale
GPGSDLFHSS	93	PW GS Slider Door Leaf Lite Scale
GPGSDTH	97	PW GS Slider Hanger Lite Scale
GPGSDTSS	96	PW GS Slider Track Lite Scale
GPGLBP	67	Glass Selections Bypass
GPLDBHPE	102	Butt Hinge Kit
GPLDDFS	119	Dome Style Floor Stop—Lite Scale
GPLDDS	104	Drop Seal
GPLDMWS	118	Magnetic Wall Stop—Lite Scale
GPLDRL	105	Roller Latch
GPLDSBF	98	PW GS Butt-Hinged Door Frame Lite Scale
GPLDSBS	119	Base Stop—Lite Scale
GPLDSHPE	103	Slim Line Hinge Kit
GPLLPESBF	99	PW GS Butt-Hinged Door Leaf Lite Scale
GPLPB2	58	Base Plinth Gen2—Lite Scale
GPLPCT2	56	Ceiling Track Plinth Gen2—Lite Scale
GPLVT	57	Vert Trans Lite to PW/GS—Lite Scale
GPLVTHA	56	Vertical Transition Hardware—Lite Scale
GPPL135Y	60	Post
GPPLI	60	Post
GPPLL	60	Post
GPPLT	60	Post
GPPLX	60	Post
GPPLX	60	Post
GPWFSC	62	PW Feature Strip, Lite Scale
GPWPPE	56	PW Post Extension Lite Scale
GPWPWPB	59	PW Plinth, Base, Lite Scale
GPWPWPC	59	PW Plinth, Ceiling Track, Lite Scale
NEAHSLLS	107	Slider Door—Assembly Hardware
NEAHSWLS	108	Swing Door—Assembly Hardware-
NEDFSLSL	109	Door Frame—Slider, Single
NEDFSWSLS	110	Door Frame—Swing, Single
NEDHCLLS	124	Everwall Door, Cylindrical Latch Set
NEDHLALS	131	Everwall Door, Ladder Pull, Aligned
NEDHLPOLS	132	Everwall Door, Ladder Pull, Offset
NEDHMLLS	125	Everwall Door, Mortise Latch Set
NEDHSSLLS	128	Everwall Door, Slider Lever Lock
NEDLSPELS	111	Door Leaf—Slider, Polished Edge
NEDLSWPELS	112	Door Leaf—Swing, Polished Edge
NEDLSWSLS	113	Door Leaf—Swing, Solid
NEDTSLSL	114	Door Track—Slider, Single
NESESTKLS	128	Everwall Door, Electric Strike
NESLDHDSLS	116	Slider Door Hardware—Drop Seal
NESLSHLS	115	Slider Door—Drop Seal Housing
NESWDHBHLS	126	Everwall Door, Butt HInges
NESWDHCLSRLS	126	Everwall Door, Door Closer
NESWDHELECHNGLS	127	Everwall Door, Electric Hinge
NESWDHRLLS	127	Everwall Door, Roller Latch
NESWDSALS	106	Swing Door—Drop Seal Assembly
NEVTVLS	117	Everwall, Vertical Transition to Lite Scale

Trademark List

- ® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, LessThanFive, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, Sylvi, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- ® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- ® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- ® The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightlior.
- ® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- ® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- ® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- ® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following are registered trademarks of Orangebox Ltd., Cardiff, UK: Orangebox.
- ® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- ® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- ® The following are registered trademarks of Polyvision Corp: Flow, Motif, Polyvision, Sans, and Serif.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- ® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: EMU.
- ® The following is a registered trademark of Security People, Inc.: Digilock.
- ® The following are registered trademarks of Natural Capital Partners Europe Limited: CarbonNeutral and the CarbonNeutral Certified logo.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Agree, Ainsley, Akira, Alcove, Alerion, Alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bassline, B-Free, Bira, Bivi, Bixby, Bottomline, Brody, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, Clipper, cobl, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, DeskWizard, Divisio, Donovan, Dune, Duo, Echo, Edge, Elbrook, Elsa, Empath, Empress, Enea, ēno, EnSync, Enviro, Escapade, Everwall, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Marien152, Martini, Mason, Masque, Migration, Millbrae, Mineral, Mingle, Mystic, Mystic Metal, Mystic Wood, Montara650, Montreal, MoreThanFive, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ocular, Ology, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, Potrero415, PUCK, QiVi, Quba, Radia, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Roam, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, SILQ, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Southside, Stationkits, Steelcase Karman, Steelcase Series, Stiletto, Surprise!, Surround, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Tenor, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Umami, Underscore, Uno, V.I.A., Verb, Verge, Verlay, Victor2, Visalia, Waldorf, Woodruff, Workspring, WorkValet, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of Cradle to Cradle Products Innovation Institute, Oakland, CA: Cradle to Cradle Certified.
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
- ™ The following trademarks are under license from PP Møbler: Bar and Flag Halyard.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- ™ The following is a trademark of Clestra Hauserman: IRYS.
- ™ The following is a trademark of Wiesner-Hager Möbel GmbH: Nooi.
- ™ The following are trademarks of Polyvision: Accord, a³, e³, Boundri, and Nota.
- ™ The following is a trademark of Bostock Company, Inc: SnapCab.
- ™ The following is a trademark of Williams-Sonoma, Inc: West Elm.
- ™ The following is a trademark of Elena Marquina Testor: nanimarquina.
- ™ The following is a trademark of Forbo International SA: Forbo.
- ™ The following are trademarks of Orangebox Ltd., Cardiff, UK: Air³, Aspect, Avi, Away from the Desk, Border, Campers & Dens, Coppice, Cubb, Kim, On the QT, Ramsey, Skoner, Sully, Track-B, and Vale.
- ™® The following are trademarks or registered trademarks of AMQ Solutions, LLC: AMQ, AMQ logo, KINEX, ILINE, ACTIV, AMOBI, CONCUR, 3F, REVI, S-SERIES, JAKU, SIYA, ZILO, BODI, FL-X, TIZU, EMBANK, TEKTI, and BIXBY.
- ™® The following are trademarks or registered trademarks of Viccarbe Habitat, S.L.: Holy Day, Last Minute, Wrapp, Foro, Kelly, Noha, Viable, Solar, Sistema, Savina, Designed In The Sun, Cambio, Aleta, Viccarbe (logo), Viccarbe.

Trademarks used here in are the property of Steelcase Inc. or of their respective owners.