

Upgrades to USB A+C 20W

Effective October 21,2024

October ECAT

Category	Style Service Part	Description	Power Configuration On or Before Oct. 20, 2024	Power Configuration Starting On & After Oct. 21, 2024*	Power Configuration New Descriptions*
West Elm	AMQWESARYPWR	BRIGHTON-POWER, MODULE	2PWR1USB	2PWR1AC	2 Power, 1 USB A+C
	WESARYPWR	BRIGHTON-POWER, MODULE			
	WESINDPWR	INDUSTRIAL-UNIT, POWER			
West Elm Greenpoint Bench	WESINDPWRCT	INDUSTRIAL-UNIT, POWER, CONTINUOUS TOP	4P2U	4P2AC	4 Power, 2 USB A+C
West Elm	WESSUTERQ	Desk-Height Adjustable,Extended	UWCPUSBA	UWCPUSBAC	Under Worksurf Clamp w/USB-A+C
	WESSUTERQB	Base-Height Adjustable,Extended			
	WESSUTSRQ	Desk-Height Adjustable,Basic			
	WESSUTSRQB	Base-Height Adjustable,Basic			
Studios	SBFLXSWC3	Studio B pivot, dsk-height-adj, basic hg			
FLEX	135563901XSR	STRIP-POWER,UNDER WORKSURFACE			
	FLXERQ	FLEX; DESK-HEIGHT-ADJUST,EXTEND HEIGHT			
	FLXERQB	FLEX;DSK-HGHT-ADJST,EXTND HGHT BASE-ONLY			
	FLXEW3	Flex; 120 Crnr Dsk-Height-Adj, Ext Hgt			
	FLXEW3	Flex; 120 Strgt Dsk-Height-Adj, Ext Hgt			
	FLXSRQ	FLEX;DESK-HEIGHT-ADJUSTABLE,BASIC HEIGHT			
	FLXSRQB	FLEX;DSK-HGHT-ADJST,BASIC HGHT BASE-ONLY			
	FLXSWC3	Flex; 120 Crnr Dsk-Height-Adj, Basic Hgt			
	FLXSW3	Flex; 120 Str Dsk-Hgt-Adj, Basic Hgt			
	FLXBUNDLE1	FLEX; 120 STRAIGHT EXT HGT DESK FS PRIVA			
	FLXBUNDLE10	FLEX; DESK-HA STD HGHT DESK MNT PRIVACY			
	FLXBUNDLE11	FLEX; DESK-HA EXT HGHT CURVED SCREEN BUN			
	FLXBUNDLE12	FLEX; DESK-HA STD HGHT CURVED SCREEN BUN			
	FLXBUNDLE2	FLEX; 120 STRAIGHT STD HGT DESK FS PRIVA			
	FLXBUNDLE3	FLEX; 120 STRAIGHT EXT HGT DESK DESK MNT			
	FLXBUNDLE4	FLEX; 120 STRAIGHT STD HGT DESK DESK MNT			
	FLXBUNDLE5	FLEX; 120 CORNER EXT HGT DESK FS PRIVACY			
	FLXBUNDLE6	FLEX; 120 CORNER STD HGT DESK FS PRIVACY			
	FLXBUNDLE7	FLEX; 120 CORNER EXT HGT DESK DESK MNT P			
	FLXBUNDLE8	FLEX; 120 CORNER STD HGT DESK DESK MNT P			
	FLXBUNDLE9	FLEX; DESK-HA EXT HGHT DESK MNT PRIVACY			
Flex Cart	1315689001SR	CHANNEL-CROSSBAR	PRBKTCUA	PRBKTCUAC	Power in Basket + clamp USB-A+C
	1474736001SR	STRIP-POWER,UNDER WORKSURFACE			
	1474740001SR	CHANNEL-CROSSBAR,120 STRAIGHT			
	1474741001SR	CHANNEL-CROSSBAR,120 CORNER			
Verb Tables	FLXCTMD	Flex; Cart-Media	301UKNCKOT 301UEXTRON	301ACKNCKOT 301ACEXTRON	3 Outlet, 1 USB A+C, 3 Knockouts 3 Outlet, 1 USB A+C, Extron Plate
	FLXMDP	Flex; Cart-Media Power			
	1075952001SR	POWERWAY-TROUGH/POWER COVER			
	VTAMRD2	TABLE-ACTIVE MEDIA,ROUND			
Umami Lounge Seating	VTAMRT2	TABLE-ACTIVE MEDIA MEDIA, RECTANGLE	2PWR1USB	2PWR1AC	2 Power, 1 USB A+C
	VTAMTP2	TABLE-ACTIVE MEDIA,TAPER			
	1039678001SR	ELECTRICAL PACKAGE-BLOCK,POWER			
	STLLNG2AR2	Umami;Lounge-2 Arm,Double			
	STLLNGAR1	Umami;Lounge-1 Arm,Single			
	STLLNGAR2	Umami;Lounge-1 Arm,Double			
	STLLNGCR1	Umami;Lounge-Corner,Single			
	STLLNGEC	Umami;Lounge-End Cap			
	STLLNGST1	Umami;Lounge-Straight,Single			
	STLLNGST2	Umami;Lounge-Straight,Double			
Brody Lounge Seating	STLPLTF2	Umami;Platform-Double	USBNEMAOLT	ACNEMAOLT	With 1 USB A+C, 1 NEMA Outlet
	STLPLTF1	Umami;Platform-Single			
	1086088001SR	POWER UNIT-PLASTIC			
	488WE	BRODY WORKLOUNGE, PRIVACY, EXTENSION			
	488WO	BRODY WORKLOUNGE			
Brody Desk	488WP	BRODY WORKLOUNGE, PRIVACY	USBNEMAOLT	ACNEMAOLT	With 1 USB A+C, 1 NEMA Outlet
	1210289001SR	WORKSURFACE			
	1210293001SR	POWER UNIT-DESK			
	488BD	Brody Privacy Desk			
	488BDE	Brody Privacy Desk with Extension			

Upgrades to USB A+C 20W

Effective October 21,2024

October ECAT

Category	Style Service Part	Description	Power Configuration On or Before Oct. 20, 2024	Power Configuration Starting On & After Oct. 21, 2024*	Power Configuration New Descriptions*
Coalesse Sistema	COSISPWR	SISTEMA-POWER MODULE	2PWR1USB	2PWR1AC	2 Power, 1 USB A+C
Coalesse Lagunitas	23480501SR	POWER MODULE & COLLAR	1PWR1USB	1PWR1USBAC	1 Power, 1 USB A+C
	22395101SR	ELECTRICAL COMPONENT ASSEMBLY			
	COLAGB1	COALESSE-BENCH,1-SEATER			
	COLAGB2	COALESSE-BENCH,2-SEATER			
	COLAGB3	COALESSE-BENCH,3-SEATER			
	COLAGCH2	COALESSE-CHAISE,2-SEATER,HIGH			
	COLAGCH3	COALESSE-CHAISE,3-SEATER,HIGH			
	COLAGCL2	COALESSE-CHAISE,2-SEATER,LOW			
	COLAGCL3	COALESSE-CHAISE,3-SEATER,LOW			
	COLAGLH11	LAGUNITAS-LNGE,HIGH,1SEAT,BACK SCRNR			
	COLAGLH13	LAGUNITAS-LNGE,HIGH,1SEAT,BACK 2SD SCRNR			
	COLAGLH21	LAGUNITAS-LNGE,HIGH,2SEAT,BACK SCRNR			
	COLAGLH22	LAGUNITAS-LNGE,HIGH,2SEAT,BACK 1SD SCRNR			
	COLAGLH23	LAGUNITAS-LNGE,HIGH,2SEAT,BACK 2SD SCRNR			
	COLAGLH31	LAGUNITAS-LNGE,HIGH,3SEAT,BACK SCRNR			
	COLAGLH32	LAGUNITAS-LNGE,HIGH,3SEAT,BACK 1SD SCRNR			
	COLAGLH33	LAGUNITAS-LNGE,HIGH,3SEAT,BACK 2SD SCRNR			
	COLAGLL11	LAGUNITAS-LNGE,LOW,1SEAT,BACK SCRNR			
	COLAGLL13	LAGUNITAS-LNGE,LOW,1SEAT,BACK 2SD SCRNR			
	COLAGLL21	LAGUNITAS-LNGE,LOW,2SEAT,BACK SCRNR			
	COLAGLL22	LAGUNITAS-LNGE,LOW,2SEAT,BACK 1SD SCRNR			
	COLAGLL23	LAGUNITAS-LNGE,LOW,2SEAT,BACK 2SD SCRNR			
	COLAGLL31	LAGUNITAS-LNGE,LOW,3SEAT,BACK SCRNR			
	COLAGLL32	LAGUNITAS-LNGE,LOW,3SEAT,BACK 1SD SCRNR			
	COLAGLL33	LAGUNITAS-LNGE,LOW,3SEAT,BACK 2SD SCRNR			
	1328389001SR	POWER PACKAGE	1PWR1USB	1PWR1USB LOE 10.20.2024**	NOTE: Please choose another option, upcharge may apply**
	1336429001SR	POWER MODULE			
	COLAGFN	COALESSE-LAGUNITAS,FOCUS ,NOOK			
	COLAGTO	COALESSE-TABLE,OCCASIONAL,16H			
	COLAGTRECT	COALESSE-TABLE,RECT,26H			
	COLAGTW	COALESSE-TABLE,WORK,RECT,28.5H	1PWR1USBA	1PWR1USBA LOE 10.20.2024**	NOTE: Please choose another option, upcharge may apply**
Coalesse MoreThanFive	1394111001SR	RECEPTACLE-POWER,NODE,1 UNIT			
	1501946001SR	RECEPTACLE-PWR,NODE,START			
	1501946003SR	RECEPTACLE-PWR,NODE,END,1260MM			
	COMT5RECL	TBL-RCTNGLR; LMNT			
Wood Campfire	TS4TLP28	BIG TABLE WITH POWER CUTOUTS 28 H	1PWR1USB	1PWR1AC	1 Power, 1 USB A+C
	TS4TLP40	BIG TABLE WITH POWER CUTOUTS 40 H			
	TS4TLT28	BIG TABLE WITH TROUGH 28 H			
	TS4TLT40	BIG TABLE WITH TROUGH 40 H			
	TS4TPWR	Set of 2, 2 simplex receptacles per side			
	TS4TPWR1	Receptacle,One,2 Simplexes Per Side			
	TS4TPWRD	Receptacle,Two,1-Simplex/1-Data,Per Side			
	TS4TPWRD1	Receptacle,One,1 Simplex/1 Data Per Side			
	TS4TPWRUSB	DUAL RECEPTACLE, 1 POWER 1 USB BOTH ENDS			
	TS4TPWRUSB1	DUAL RECEPTACLE, 1 POWER 1 USB ON 1 END			
Orangebox Cubb Tables	OBCUBBRDM01	MEETING TABLE 4 PERSON ROUND	ND2041P1U	ND2041P1AC	Node 204 - 1 Power, 1 USB A+C
	OBCUBBRDM02	MEETING TABLE 6 PERSON ROUND			
	OBCUBBRDM03	MEETING TABLE 7 PERSON ROUND			
	OBCUBBRDM04	MEETING TABLE 8 PERSON ROUND			
	1363890001SR	WORKSURFACE-TABLE,MEETING,4 PERSON,ROUND			
	1363890004SR	WORKSURFACE-TABLE,MEETING,6 PERSON,ROUND			
	1363890007SR	WORKSURFACE-TABLE,MTG,7 PERSN,ROUND,HALF			
B Free High Table	1105993001SR	POWER MODULE	1PWR1USB	1PWR1USBAC	1 Power, 1 USB A+C
	N3LRECT	Table - Rectangle	1P1USB2PWR	1P1UAC2PWR	1 Power, 1 USB A+C, 2 Power
	N3LPINT	Table - Pint	1P1USB2PWR	1P1UAC2PWR	1 Power, 1 USB A+C, 2 Power

Upgrades to USB A+C 20W

Effective October 21,2024

October ECAT

Category	Style Service Part	Description	Power Configuration On or Before Oct. 20, 2024	Power Configuration Starting On & After Oct. 21, 2024*	Power Configuration New Descriptions*
Coalesce Potrero415 Tables	1402104001SR	POWER MODULE-SQUARE	6PWR4USB 6P2USB2DATA	6PWR4AC 6P2AC2DATA	6 Power, 4 USB A+C 6 Power, 2 USB A+C, 2 Data
	COFOFBT	POTRERO415 TABLE-BOAT			
	COFOFBTST	POTRERO415 TABLE-BOAT, STANDING HEIGHT			
	COFOFBTSTW	POTRERO415 TABLE-BOAT,STAND HT,WOOD LEG			
	COFOFBTW	POTRERO415 TABLE-BOAT,WOOD LEG			
	COFOFRD	POTRERO415 TABLE-RD			
	COFOFRDST	POTRERO415 TABLE-RD, STANDING HEIGHT			
	COFOFRDSTW	POTRERO415 TABLE-RD,STAND HT,WOOD LEG			
	COFOFRDW	POTRERO415 TABLE-RD,WOOD LEG			
	COFOFREC	POTRERO415 TABLE-RECTANGLE			
	COFOFRECS	POTRERO415 TABLE-RECTANGLE, STANDING HEI			
	COFOFRECSW	POTRERO415 TABLE-RECT,STAND HT,WOOD LEG			
	COFOFRECW	POTRERO415 TABLE-RECTANGLE,WOOD LEG			
	COFOFSQ	POTRERO415 TABLE-SQ			
	COFOFSQST	POTRERO415 TABLE-SQ, STANDING HEIGHT			
	COFOFSQSTW	POTRERO415 TABLE-SQ,STAND HT,WOOD LEG			
	COFOFBT	POTRERO415 TABLE-BOAT	1PWR1USB	1PWR1USB LOE 10.20.2024** Available in the Dec 16, 2024 ECAT USB A+C 20W	NOTE: Please choose another option, upcharge may apply** Available in the December 16, 2024 ECAT USB A+C 20W
	COFOFREC	POTRERO415 TABLE-RECTANGLE			
	COFOFRECS	POTRERO415 TABLE-RECTANGLE, STANDING HEI			
	COFOFR54108IWG	TABLE-POTRERO, RECT,AXIL Z,54W108L			
	COFOFR54162IWG	TABLE-POTRERO, RECT,AXIL Z,3-PC,54W162L			
	COFOFSQW	POTRERO415 LIGHT TABLE-SQ, WOOD LEG			
	COFOFRD	POTRERO415 TABLE-RD			
	COFOFRDST	POTRERO415 TABLE-RD, STANDING HEIGHT			
	COFOFRDSTW	POTRERO415 TABLE-RD,STAND HT,WOOD LEG			
	COFOFRDW	POTRERO415 TABLE-RD,WOOD LEG			
	COFOFSQ	POTRERO415 TABLE-SQ			
	COFOFSQST	POTRERO415 TABLE-SQ, STANDING HEIGHT			
COFOFSQSTW	POTRERO415 TABLE-SQ,STAND HT,WOOD LEG				
COFOFSQW	POTRERO415 LIGHT TABLE-SQ, WOOD LEG				
Ology Bench	OLBELRQD	OLOGY BENCH-RECT,EXTENDED HGT,DUAL	3 Power Outlets Dual USB-As Data Port	3 Power Outlets USB A+C 20W Data Port	3 Power Outlets USB A+C 20W Data Port
	OLBELRQS	OLOGY BENCH-RECT,EXTND HGHT,SINGLE SIDED			
	OLBELWCD	OLOGY BENCH-120 DEG CRNR,EXT HT,DUAL SD			
	OLBELWCS	OLOGY BENCH-120 DEG CRNR,EXT HT, SINGLE			
	OLBELWCT	OLOGY BENCH-120 CRNR, EXT HT, TRPL SIDED			
	OLBFLRQD	OLOGY BENCH-RECT,FIXED HGHT,DUAL SIDED			
	OLBFLRQS	OLOGY BENCH-RECT,FIXED HGHT,SINGLE SIDED			
	OLBFLWCD	OLOGY BNCH-120CRNR,FIXED HT,DUAL SIDED			
	OLBFLWCS	OLOGY BENCH-120CRNR,FIXED HT,SNGL SIDED			
	OLBFLWCT	OLOGY BNCH-120CRNR,FIXED HT,TRIPLE SIDED			
	OLBRQD	OLOGY BENCH-RECT,COMBO HGT,DUAL SIDED			
	OLBSLRQD	OLOGY BENCH-RECT,BASIC HEIGHT,DUAL SIDED			
	OLBSLRQS	OLOGY BENCH-RECT,BASIC HGHT,SINGLE SIDED			
	OLBSLWCD	OLOGY BENCH-120 DEG CRNR,BASIC HT,DUAL			
	OLBSLWCS	OLOGY BENCH-120 DEG CRNR,BASIC HT,SINGLE			
	OLBSLWCT	OLOGY BENCH-120 CRNR, BASIC HT,TRIPLE			
	24561001SR	ELECTRICAL PKG-3 PLUG,10FT CORD,NA			
	24561002SR	ELECTRICAL PKG-3 PLUG,9FT CORD,CA/IL			
	OLELL3	OLOGY DESK-90 DEG 3 LEG ,EXTENDED HEIGHT			
	OLELL3CN	OLOGY DESK-90 DEG 3 LEG ,EXTENDED HEIGHT			
	OLELRQ	OLOGY DESK-RECTANGLE,EXTENDED HEIGHT			
	OLELRQB	OLOGY BASE-RECT,EXTENDED HGT,DESK			
	OLELRQCN	OLOGY DESK-RECTANGLE,EXTENDED HEIGHT			
	OLELRT	OLOGY DESK-TAPERED,EXTENDED HEIGHT			
	OLELW3	OLOGY DESK-120 DEG 3 LEG, EXT HEIGHT			
	OLSL3	OLOGY DESK-90 DEGREE 3 LEG, BASIC HEIGHT			
	OLSL3CN	OLOGY DESK-90 DEGREE 3 LEG, BASIC HEIGHT			
	OLSLRQ	OLOGY DESK - RECTANGLE, BASIC HEIGHT			
OLSLRQCN	OLOGY DESK - RECTANGLE, BASIC HEIGHT				
OLSLRT	OLOGY DESK - TAPERED, BASIC HEIGHT				
OLSLW3	OLOGY DESK- 120 DEG 3 LEG, BASIC HEIGHT				
Ology Walkstation	OLWALK	OLOGY-WALKSTATION DESK			
*Changes Effective On and After October 21, 2024 ECAT					
**Options with dual USB-As currently have USB A+C 20W, 1AC, alternatives available, please choose a new option, upcharge may apply.					
How "Intelligent" USB A+C 20W works: If only USB-A in use, up to 10 watts. If only USB-C in use, up to 20 watts. If both USB-A and USB-C ports are in use, USB-A can deliver up to 10 watts and the remaining 10 watts to USB-C device.* *NOTE: If USB-A device needs less than 10 watts, the remaining wattage, up to 20 watts, goes to the USB-C device. USB A+C 20W port has "intelligence" to adjust the amount of wattage delivered depending on what the device(s) need.					
Future updates coming December 16, 2024 ECAT					